

Prepared By:



Municipality of West Grey
Normanby Waste Disposal Site

Annual Monitoring Report (2022)
MOE Certificate Approval No. A262104

GMBP File: 213087

April 2023



TABLE OF CONTENTS

1. INTRODUCTION & BACKGROUND INFORMATION	1
2. SITE USAGE	1
3. SITE LIFE EXPECTANCY	2
3.1 Existing Conditions	2
4. BURNING OPERATIONS	2
5. RECYCLING/WASTE REDUCTION	2
6. GENERAL OPERATIONS	3
6.1 Site Controls	3
6.2 Site Cleanliness	3
7. ENVIRONMENTAL MONITORING	3
7.1 Sampling Procedures and Requirements	4
7.2 Summary & Comparison of Background Groundwater Quality	5
7.3 Physiographic and Geological Setting	6
7.4 Summary of Hydrogeologic Setting	7
7.5 Leachate Production	7
7.6 Annual Monitoring Program	8
7.7 Groundwater Quality Review	9
7.8 Surface Water Quality Review	11
7.8.1 Regulatory Framework	11
7.8.2 Surface Water Quality Summary	11
8. LANDFILL GAS MEASUREMENT	12
9. CLOSED AREAS	12
10. ENVIRONMENTAL COMPLIANCE APPROVAL	12
11. CONCLUSIONS	13
12. RECOMMENDATIONS	13

TABLES

- TABLE 1 – GROUNDWATER MONITORING LOCATIONS AND ANALYTICAL PARAMETERS (PAGE 4 OF REPORT)**
TABLE 2 – SUMMARY OF MONITORING WELL LOCATIONS AND CONSTRUCTION DETAILS
TABLE 3 – REASONABLE USE CRITERIA (RUC) – OBJECTIVE LEVELS
TABLE 4 – SUMMARY OF GROUNDWATER QUALITY AND COMPARISON TO RUC
TABLE 5 – SUMMARY OF SURFACE WATER QUALITY AND COMPARISON TO PWQO

FIGURES

FIGURE 1 – SITE LOCATION MAP
FIGURE 2 – SITE LAYOUT PLAN
FIGURE 3 – EXISTING CONDITIONS PLAN
FIGURE 3A – FINAL CONTOUR PLAN
FIGURE 4 – MONITORING LOCATIONS AND GROUNDWATER CONTOUR PLAN
FIGURE 5A & 5B – GEOLOGICAL CROSS SECTIONS

APPENDICES

APPENDIX A: CERTIFICATE OF APPROVAL NO. A262104
APPENDIX B: CORRESPONDENCE
APPENDIX C: DUTIES OF SITE SUPERVISOR & SITE ATTENDANT
APPENDIX D: HISTORICAL GROUNDWATER QUALITY
APPENDIX E: HISTORICAL SURFACE WATER QUALITY
APPENDIX F: LABORATORY CERTIFICATE OF ANALYSIS
APPENDIX G: HISTORIC GROUNDWATER ELEVATIONS
APPENDIX H: BOREHOLE LOGS/MONITORING WELL CONSTRUCTION DETAILS

ANNUAL MONITORING REPORT (2022)

NORMANBY WASTE DISPOSAL SITE MUNICIPALITY OF WEST GREY

APRIL 2023

GMBP FILE: 213087

1. INTRODUCTION & BACKGROUND INFORMATION

The Normanby Landfill Site is located at 221291 Grey Road 9 and is approximately 1.5 kilometres (km) east of the village of Neustadt, as shown on Figure No. 1. The landfill property is located on the north side of Grey Road 9 and is east and adjacent to the South Saugeen River, which flows in a northwesterly direction. The area approved for waste placement comprises an area of 2.8 hectares (6.9 acres) within a total site area of 33 hectares (81.5 acres). The landfill property is legally described as Part of Lot 7, Concession 14, former Township of Normanby, Municipality of West Grey.

The site was reportedly opened in 1974 and has been used as a waste disposal site since that time. Provisional Certificate of Approval (C of A) # A262104 was issued by the Ministry of the Environment (MOE) on February 2, 1987. Amendments to the C of A were completed on August 28, 1989 to extend the service area to include the Village of Neustadt and on September 17, 1992 which provided formal requirements for completion of an annual monitoring and reporting program. The original C of A was revoked and replaced by a new C of A on June 24, 2005, which licensed a landfilling area of 2.8 hectares within a total site area of 33 hectares and modified the service area to include the entire Municipality of West Grey.

A Plan of Development and Operation (PDO) was initially prepared by Gamsby and Mannerow Limited (now operating as GM BluePlan Engineering Limited) in July, 1991 and revised in January, 1992. The PDO (1992) outlined a five-phase development plan whereby the Area/Ramp Method is used to place refuse in progressive phases. The PDO was revised and updated in December of 2006, and was subsequently amended in 2011 to facilitate the operation of a Waste Diversion and Transfer Facility. The amended PDO is referenced in Schedule "A" of the current Environmental Compliance Approval (ECA). A copy of the ECA and the associated amendments is provided in Appendix "A".

2. SITE USAGE

The approved service area for the waste disposal site includes residents from the entire Municipality of West Grey. Refuse delivered to the Site primarily originates from full time and seasonal residents situated within the former Township of Normanby including the villages of Neustadt and Ayton. The contributing population within the Township before amalgamation occurred in 2000 was approximately 2,678 based on the Statistics Canada Census Report. Based on the statistical information available, the population of the former Township of Normanby has historically fluctuated with a reported decline in population between 1991 and 2001. Therefore, the growth rate for the area is considered to be generally stagnant and the contributing population within the current service area is expected to be generally consistent with the pre-amalgamation totals.

The onsite placement of waste at the landfill property was terminated in 2019 and the landfill was closed to the public with the exception of waste transfer operations.

3. SITE LIFE EXPECTANCY

3.1 Existing Conditions

The amended ECA provides for the use and operation of a waste disposal site consisting of a 2.8 ha landfilling area and a total approved waste disposal capacity of 69,000 m³ including waste, daily, and final cover. Historically, landfilling has occurred in the northern portion of the landfill, moving south as the area progressively filled with waste. Based on previous reports, areas A1 and A2 were filled and capped in 1999. Landfill development then progressed into the northerly end of Area A4 and A5. Landfilling in the south portion of the approved footprint has ceased, and the site has reached its maximum capacity. Closure and capping of the site is being coordinated by the Municipality. Based on information provided directly by the Municipality, final cover was applied to the remaining portions of the landfill footprint in the fall of 2022. The placement of topsoil and vegetative cover/seeding is reportedly scheduled for completion in the spring of 2023.

4. BURNING OPERATIONS

Burning of waste is prohibited at the Site. Based on the current ECA requirements, only segregated clean, dry wood wastes such as brush, trees and untreated lumber may be burned at the site. Supervised burning of wood waste is to occur on clear, dry, windless days when the site is closed to the public. Approved burning of wood wastes is to be conducted in accordance with the Ministry Guideline C-7 "*Burning at Landfill Sites.*" A copy of Guideline C-7 is presented in Appendix "C". The Site Attendant is responsible for removing any non-wood wastes from the pile prior to burning, and to regularly remove cold ashes from the burn area for disposal in the active landfill area.

The operating authority is responsible to maintain appropriate burning operations at the site. Appropriate operations include the burning of approved wood wastes, which are separated from refuse and stockpiled in a designated burn area that is located a minimum distance of 30 metres from the active fill area and is within view of the Site Attendants building.

Burning is to be completed under direct supervision of the operator and is to be conducted as frequently as necessary to maintain a burn pile that measures no greater than 6m by 6m in area and 3m in height. Cold ashes are to be removed from the burn area and placed directly in the active area following each burn.

5. RECYCLING/WASTE REDUCTION

During the current reporting period, the Normanby Landfill site was closed to the public and received no waste or recyclable goods. Based on information provided by West Grey (for the remaining landfills within the municipality), Waste Management was contracted to collect curbside recyclable goods from households and to collect the accumulation of recyclables from the landfill site. All Ontario Recycling (AOR) was contracted to collect and remove accumulations of scrap metal and tires. Recyclable goods not accepted as part of the blue box program, such as scrap metal, tires, used propane tanks, plastic bale wrap, waste electrical and electronic equipment, and vehicle batteries are stockpiled and hauled from the respective landfill sites as required.

6. GENERAL OPERATIONS

6.1 Site Controls

The site is currently closed to the public. The ECA allows for waste to be accepted at the Site from 7:00 am to 7:00 pm on Monday through Saturday each week. The ECA also notes that the hours of operation may be changed by the Owner to accommodate seasonal or unusual quantities of waste with prior written approval from the District Manager. When the landfill is closed to the public, a locked gate across the entrance road controls access to the site. Although signs are not posted at all of the various disposal locations, designated areas for waste, recyclable materials, and wood waste are clearly visible. The landfill is situated approximately 475 metres from the road and is adequately screened from the public view by low hills and tree cover along the property boundary.

6.2 Site Cleanliness

The most important aspect of site cleanliness is to ensure that all landfilled wastes are adequately covered and compacted immediately following waste placement so that refuse is not exposed at the surface. The application and compaction of an appropriate soil cover immediately following waste disposal decreases blowing litter and reduces surface water infiltration vertically through the refuse to reduce leachate production at the site.

As previously noted, the site is currently closed to the public for onsite waste placement. Final closure and capping of the site is being coordinated by the Municipality. As previously reported, final cover was applied to the landfill in the fall of 2022 with topsoil cover and seeding planned to commence in the spring of 2023.

An important aspect of site cleanliness is to ensure that accumulations of recyclable materials, including waste tires and scrap metals, are efficiently managed, and that appropriate wood wastes are burned regularly to maintain a manageable pile. Designated areas for recyclable goods at the site appear to be organized and well managed. The recyclable pile sizes were observed to be adequate during the spring and fall inspections in during the current reporting period.

7. ENVIRONMENTAL MONITORING

The current ECA requires the submission of an annual monitoring report summarizing the environmental conditions at the landfill site, the findings of the monitoring programs, and a discussion of the site operations. Based on the MOE requirements specified in the ECA, the report must address the results of the monitoring programs and assess the environmental conditions at the site to ensure compliance with the RUC and with the requirements of the Provincial Water Quality Objectives (PWQO).

The shallow groundwater has been determined to flow primarily in a northwesterly direction toward the South Saugeen River. Previously completed annual monitoring reports concluded that leachate impacted groundwater is being contained to the subject property and that the landfill site was in compliance with the criteria specified in MOE Guideline B-7. **It is proposed to continue the established annual monitoring program at the site, with the addition of added leachate parameters and the newly installed monitoring well locations, on a semi-annual basis according to the analytical parameters outlined in Table 2.** Monitoring locations are shown on the Monitoring Well Location Plan presented on Figure 4.

TABLE 1 - Monitoring Locations & Analytical Requirements

GROUNDWATER SAMPLE/ MONITORING WELL LOCATIONS		SURFACE WATER SAMPLE LOCATIONS
TW-1 TW-3 TW-5A OW-2 TW-8 TW-9 S&D	TW-2 TW-5 TW-6 OW-3 TW-10	SW-1 SW-2 SW-5
ANALYTICAL PARAMETERS (GROUNDWATER & SURFACE WATER)		
Conductivity, Chloride, Alkalinity, Iron, pH, Total Ammonia, Hardness, Sodium, Nitrate, Sulphate, TKN	Additional Leachate Well Parameters: Arsenic, Barium, Boron, Cadmium, Chromium, Copper, Lead, Manganese, Mercury, Total Phosphorus, Potassium, TSS, TDS	Conductivity, Chloride, Alkalinity, Iron, pH, Total Ammonia, Total Phosphorus, Phenols, Dissolved Oxygen, Temperature

Notes:

Borehole/Well logs are presented in Appendix "H". A tabulated summary of the monitoring well locations and construction details is provided in Table 2.

7.1 Sampling Procedures and Requirements

Groundwater quality is monitored at the site by semi-annual sampling at the above noted network of monitoring wells in the spring and fall. It is standard procedure to measure the static groundwater level prior to purging three (3) casing volumes of stagnant water from each test well. Wells are allowed to recharge with fresh groundwater before sampling. Groundwater samples are collected using dedicated sampling materials and inertial pumps, are kept chilled, and are sent within 24 hours of the sampling event to an accredited laboratory for appropriate analyses.

MOE Guideline B-7 establishes the basis for determining what constitutes the reasonable use of groundwater on properties adjacent to landfill sites. The potential use of groundwater in this region will typically be for domestic consumption. Therefore, the allowable concentrations presented within the Ontario Drinking Water Standards (ODWS) are utilized to determine the site-specific Reasonable Use Criteria (RUC) through the application of MOE Guideline B-7.

MOE Procedure B-7-1 provides technical details for the application of MOE Guideline B-7. A change in the quality of groundwater on an adjacent property, where the reasonable use is determined to be for drinking water, will be acceptable only where:

- i) Quality is not degraded by more than 50% of the difference between background concentrations and the Ontario Drinking Water Standards for *non-health related* parameters, and;
- ii) Quality is not degraded by more than 25% of the difference between background concentrations and the Ontario Drinking Water Standards for *health-related* parameters.

Background concentrations are considered to be, the quality of the groundwater prior to influence or impact from landfill related activities.

Using the reasonable use approach, the acceptable concentrations at the site boundary (i.e., RUC), are calculated from MOE Procedure B-7-1 using the following formula:

$$C_m = C_b + x(C_r - C_b)$$

Where:

C_m = Maximum concentration acceptable in groundwater beneath an adjacent property (RUC).

C_b = Background concentration.

C_r = Maximum concentration that should be present in groundwater for domestic consumption according to the ODWS.

X = 0.5 for non-health related parameters (AO and OG) and 0.25 for health related parameters (MAC and IMAC).

AO = Aesthetic Objective

OG = Operational Guideline

MAC = Maximum Acceptable Concentration, Parameters Related to Health

IMAC = Interim Maximum Acceptable Concentration, Parameters Related to Health

It should be noted that if background concentrations exceed the ODWS, the objective level is to be set at the background concentration, as outlined by Procedure B-7-1. The calculated RUC values are provided in Table 3.

To determine if leachate is impacting groundwater, individual indicator parameters were evaluated in conjunction with other indicator parameters and concentration trends. Wells with elevated and stable concentrations of the identified naturally elevated constituents, that show no increases in other leachate indicator parameters, are deemed un-impacted by landfill leachate.

Additionally, comparison of known leachate impacted groundwater is compared to the groundwater chemistry at locations with naturally elevated concentrations to determine if leachate contributes to the elevated concentrations measured.

Surface water samples are collected by submerging the appropriate sample container into the water body and removing the container when a sufficient volume of sample has been collected. During collection, contact with the bottom sediment is avoided to prevent stirring-up sediment. When collecting surface water samples, direct dipping of the sample bottle is completed unless the bottle contains preservative. For those samples requiring preservative, a clean unpreserved bottle is used to obtain the sample then transferred into the appropriate preserved bottle. The surface water temperature is measured and recorded at the time of sampling.

7.2 Summary & Comparison of Background Groundwater Quality

The background groundwater quality at the site has historically been determined by calculating the average concentrations from the groundwater samples collected at TW-1. As previously reported, background groundwater quality is typically evaluated by considering the quality of groundwater at a location that is not subject to potential influence or impact from landfill related activities. Although TW-1 continues to display stable long-term trends and relatively low concentrations of the typical leachate indicator parameters, it is noted that the monitoring well is screened in the shallow overburden and is located directly at the northwest toe of the landfill footprint, which is considered to be directly downgradient of the landfill pile. Therefore, the monitoring well is situated where there is an increased potential for influence or impact from landfill leachate and is not considered to be in an ideal location to represent background conditions. As such, in April of 2019, two new background monitoring wells (i.e., TW-9S and TW-9D) were installed upgradient of the landfill footprint to provide a more representative background location.

Based on the current and historical groundwater data from TW-1, the concentrations of hardness (as CaCO₃), sulphate, and organic nitrogen in the natural groundwater are moderately elevated and the reported historical concentrations of hardness and organic nitrogen consistently exceed the criteria identified in the ODWS. Similarly, groundwater data from TW-9S and TW-9D display elevated levels of hardness and sulphate. The previous Hydrogeological Assessment completed at the Site in 1986 included the sampling and analytical testing of the adjacent and nearby domestic water supply wells. At that time, it was noted that the nitrate and organic nitrogen concentrations in the domestic wells were elevated at concentrations that exceeded the ODWS. Additionally, the domestic wells located south and hydraulically upgradient of the landfill property had some of the highest measured concentrations of nitrate (i.e., 16 to 19 mg/L). Therefore, these parameters are considered to be unrelated to landfill leachate and are likely due to agricultural practices, or the typical background quality of the natural groundwater in the area of the site. In general, the background groundwater quality at the site is considered to have low levels of typical anions. In particular, chloride concentrations are typically less than 7 mg/L and do not appear to be influenced by road salting or other activities. Therefore, the use of chloride as a leachate indicator parameter is considered to be valid.

7.3 Physiographic and Geological Setting

The site is located in the highland area of central Grey County, within the physiographic region known as the "Horseshoe Moraines". The region is generally characterized by till ridges, kame moraines, outwash plains and spillways. This area of Grey County is located on the Singhampton Recessional Moraine, in the northern "toe" of the horseshoe. The Singhampton Recessional Moraine is a till moraine feature which is aligned in a southwest/northeast direction across the drumlinized till plain that dominates the area. Relief among the moraines and drumlins is often more than 30 metres. Many small lakes, streams and wetland areas exist within the low areas between drumlins.

In the immediate area of the site, the overburden soils consist mainly of glaciofluvial deposits that correspond to the location of the Saugeen River, and loamy tills, which primarily consist of clayey silt, silty sands, and sand and gravel. These loamy tills are classified in the Burford Series, which are described as loams comprised of well sorted gravelly outwash with good drainage characteristics.

A more detailed description of the onsite subsurface soils is provided in the borehole/monitoring well logs provided in Appendix "H". According to MECP well records and the Grey and Bruce Counties Groundwater Study (Waterloo Hydrogeologic, 2003) the bedrock in the area is approximately 23 to 40 metres deep. Based on a review of the Grey and Bruce Counties Groundwater Study, the groundwater flow in the bedrock unit is reported to be in a northerly direction. MECP water well records indicate that the lower overburden consists of a layer of red to grey clay and stones, which is underlain by the shale and limestone bedrock of the Salina Formation.

Regionally, the drainage from the high plateau is generally from east to west toward Lake Huron. In the area of the subject site, the landscape is generally described as being flat with a gentle slope to the northwest. Surface drainage is generally from south to north toward the onsite tributaries of the South Saugeen River, which flows in a northwesterly direction across the northwest portion of the Site.

Based on a review of the MECP water well records for supply wells in close proximity to the landfill, the shale and limestone bedrock surface is encountered at depths of 23 to 26 metres (76 to 85 ft.) below grade. The water supply wells in the area of the Site obtain their water from the underlying dolostone/limestone bedrock unit.

7.4 Summary of Hydrogeologic Setting

The hydrogeological conditions in the study area were determined based on the information presented within the previous Hydrogeological Assessments, the Annual Monitoring Reports, and on a review of the available borehole/monitoring well logs. According to the above noted document review, the direction of shallow groundwater flow has been established and documented as part of the annual monitoring program that has been conducted for a period of over 30 years. Based on the previous and ongoing studies, the direction of shallow groundwater flow is reportedly in a northwesterly direction toward the South Saugeen River. The shallow groundwater flow was determined through the measurement of groundwater elevations in the monitoring wells located on the landfill property.

Based on previous investigations, the groundwater flow pattern has been divided into two different overburden units comprised of the shallow sand/silty sand and gravel, and the underlying grey silt till. This division was based on an assessment of the borehole depths, screened intervals, soil descriptions, and historical groundwater quality data. A summary of the monitoring well details, including a division of the wells into each separate flow system, is provided in Table 2. Cross sections of the shallow sand/silty sand and gravel unit have been provided on Figure 5. An on-going assessment of the flow pattern and groundwater quality will continue in future annual monitoring reports based on their established designations within these units.

As previously reported, the Grey and Bruce Counties Groundwater Study (July, 2003) indicates that the regional groundwater flow in the bedrock aquifer is in a north to northwesterly direction. Upward gradients are commonly measured at the nested monitoring wells located on the landfill property. Based on the measured vertical gradients and on the occurrence of the clayey layer overlying the bedrock, the bedrock groundwater system is inferred to be under confined to semi-confined conditions. Additionally, a groundwater system that contains deeper groundwater systems with an upward gradient typically acts to prevent the downward migration of the shallow groundwater. Therefore, the shallow groundwater in proximity to the landfill site is expected to primarily have a horizontal flow direction within the shallow sand and gravel overburden materials.

Based on the area topography and on the occurrence of the South Saugeen River and associated tributaries adjacent to the Site, a shallow groundwater and surface water flow divide is inferred to exist at the adjacent tributaries to the north of the Site, and at the South Saugeen River to the northwest of the property. Additionally, the hydrogeological conditions indicate that the South Saugeen River would likely be the ultimate receptor for both potential groundwater and surface water impacts from the waste disposal site. As such, it is reasonable to expect that surface water or groundwater impacts would not occur beyond the River.

Groundwater level measurements are collected twice annually in conjunction with the established monitoring program. During the 2022 sampling period, the field book used to document water levels was lost and water levels were not recoverable. Water levels will be collected once again during the 2023 sampling period. A review of previous groundwater contour plans and previously measured groundwater elevation data indicates that the flow pattern depicted using the most recent data are representative of the typical groundwater flow directions at the site. A summary of the historical groundwater elevation measurements is provided in Appendix "G". In general, the groundwater flow patterns, and vertical and horizontal gradients calculated are consistent with those historically presented.

7.5 Leachate Production

The quality of leachate is measured and characterized by the collection of groundwater samples at the location of TW-6, which is located within the refuse pile. Analytical data for the monitoring well is available dating back to 1984 and a review of the data indicates that there is evidence of leachate influence to the shallow groundwater at this location where elevated concentrations of hardness, alkalinity, chloride, conductivity, sulphate, and organic nitrogen have consistently been reported for several years. Evidence of leachate influence/impact is also identified at the locations of TW-2 and OW-3 (i.e., near-source monitors), which are screened in the upper sand and gravel overburden directly downgradient of the landfill footprint. The current and historical groundwater quality results and the long-term trend graphs are presented in Appendix "D".

It must be noted that TW-2 and OW-3 are situated at the downgradient toe of the landfill pile and are screened in the shallow sand and gravel overburden at approximate depths of 3.5 and 3.8 metres, respectively. Based on these conditions, the monitoring wells are expected to represent shallow groundwater that is most likely to be impacted from landfill leachate.

An ongoing evaluation and trend analysis of analytical results from the monitoring wells will be completed to more accurately characterize the leachate, evaluate the potential for radial flow/mounding, and to discern long-term attenuation and leachate quality trends.

Based on previous recommendations made by the MECF, the following parameters have been added to the leachate sample analysis list: Arsenic, Barium, Boron, Cadmium, Chromium, Copper, Lead, Manganese, Mercury, Total Phosphorus, Potassium, TSS (Total Suspended Solids), TDS (Total Dissolved Solids). During the current monitoring period it is noted that the reported concentrations of these additional leachate characterization parameters at TW-6 are typically below the laboratory detection limits (i.e., arsenic, cadmium, chromium, copper, lead, are all below the laboratory detection limits), and where concentrations are measured (i.e., barium, boron, potassium, TSS, and TDS), they are low and considered typical of natural groundwater. Based on the numerous years of data that has been provided and reviewed, the general characterization of leachate is thought to be well understood. Therefore, the installation of additional leachate wells is not considered to provide additional information pertaining to site compliance.

A detailed review of the analytical results from the shallow and deep overburden monitors continues to indicate that leachate impacts are primarily limited to the upper and higher permeability soils within the overburden. The relatively thick layer (i.e., 23 to 26 metres) of lower permeability silt till and clay overlying the bedrock surface, combined with upwards gradients observed in the area of the landfill are expected to provide a level of hydraulic separation between the shallow overburden unit and the underlying bedrock aquifer.

7.6 Annual Monitoring Program

A groundwater monitoring program was reportedly initiated at the site in 1984 as part of the initial hydrogeological study and to satisfy MOE conditions at that time. Historically, the monitoring program included up to eleven onsite monitoring wells and five surface water sampling locations. Currently, the sampling program consists of a total of ten monitoring wells that intercept the groundwater within two different geologic units including the shallow sand and gravel overburden and the underlying silt till.

Additionally, surface water sampling is also conducted as part of the annual monitoring program. Surface water samples are collected at the locations of SW-1, SW-2 & SW-5, which are located in the adjacent tributaries to the South Saugeen River and include upstream and downstream locations relevant to the landfill property.

The sampling program was completed at the Site in May and September of the current monitoring period. Samples were submitted to Bureau Veritas Laboratories (BVL) in Mississauga for analysis of the established analytical parameter list. Copies of the laboratory Certificates of Analyses are presented in Appendix "F".

The following is a detailed summary of the Environmental Monitoring Program for the Normanby Landfill site.

7.7 Groundwater Quality Review

North of Landfill Footprint (Downgradient)

The downgradient area to the north and northwest of the landfill footprint was previously monitored at TW-2, TW-3, and OW-3. It is noted that the north property boundary is located approximately 220 metres north of these monitoring wells and the groundwater measured at these locations does not represent the actual environmental condition of groundwater flowing offsite. Based on the additional distance to the north property boundary beyond the monitoring wells, it is reasonable to expect that further attenuation of the groundwater occurs beyond the monitoring network. As such, a new monitoring well (TW-10) was installed in close proximity to the northerly property boundary in spring of 2019.

With the exception of hardness levels, the downgradient observation wells continue to have concentrations of leachate indicator parameters below the criteria of MOE Guideline B-7. The chloride concentrations at TW-10 are slightly elevated but are well below the RUC.

The groundwater results from the current sampling period for TW-10 indicate an exceedance of the RUC for hardness and sulphate in the spring and fall. Conductivity was also observed to be elevated compared to background concentrations. Based on the relatively low concentrations of alkalinity and additional leachate indicator parameters, the elevated concentrations of hardness and sulphate are inferred to be in relation to groundwater from a deeper geological unit. It is noted that TW-10 was installed and screened within a deeper clay unit. The historical absence of leachate indicator parameters at TW-3 (located directly between TW-10 and the landfill mound), further indicates that the elevated parameters measured at TW-10 are not related to landfill leachate. Continued monitoring will be conducted to discern if an elevated trend becomes evident. Additionally, it is noted that the steel protective casing at the location of TW-3 has been damaged and appears to have been removed. The well casing was not covering the monitoring well at the time of the sampling events, and was therefore not sampled in 2022. **It is recommended that a new protective casing be installed at the location of TW-3 and that the ground surface around the casing be appropriately sealed with bentonite/concrete as per the requirements of O.Reg. 903.**

As noted above, the elevated concentrations identified at the downgradient monitoring wells are consistent with the historical range of background values and a trend analysis indicates stable long-term trends. It is noted that the ODWS criterion for hardness in drinking water is 80 to 100 mg/L with levels as high as 200 mg/L being considered poor, but tolerable. The ODWS criterion for alkalinity in drinking water is 500 mg/L. It should be noted that the ODWS criteria for hardness and alkalinity are Operational Guidelines (OG) that have been set for *treated* drinking water and not for groundwater. It should also be noted however that Operational Guidelines are established for parameters that, if not controlled, may negatively affect the efficient and effective treatment, disinfection and distribution of the water.

Based on the inferred discharge of shallow groundwater to the adjacent surface water bodies, it is noted that the relatively extensive surface water sampling completed within the tributaries to the Saugeen River located north of the landfill footprint provides additional information pertaining to the Site's compliance.

Further discussion of the surface water sampling program and the surface water quality to the north of the landfill is provided in Section 7.8.

East Boundary Condition

The groundwater quality to the east of the landfill footprint is monitored at TW-5 and TW-5A, which are considered to be hydraulically cross-gradient of the landfill footprint. These nested monitoring wells are screened in the shallow (TW-5A) and deep (TW-5) overburden and provide information regarding groundwater quality in the upper sand and gravel versus the groundwater quality at the same location in the lower silt till layer. TW-5 and TW-5A are located approximately 50 metres from the east property boundary and do not represent the actual quality of groundwater at the property boundary.

The analytical data at these wells indicates that the groundwater quality at these monitoring locations is generally consistent with the groundwater in the upgradient/background monitoring well with elevated concentrations of hardness, alkalinity, organic nitrogen, and nitrate. Completion of a trend analysis for these wells indicates that the concentrations of leachate indicator parameters continue to display stable long-term trends. A review of the laboratory results for TW-5/5A indicates that the measured groundwater quality in the upper, higher permeability soils consistently has elevated concentrations as compared to the groundwater measured in the lower silt till, which suggests a level of hydraulic separation between the upper and lower overburden units.

The elevated concentrations of hardness and nitrate are consistent with background conditions and with historical monitoring trends. The historical data indicates that the concentrations of these parameters have consistently been reported above the MOE Reasonable Use Criteria. It has been noted that the chloride concentrations at TW-5A are slightly elevated and have begun to display an upward trend, but continue to be well below the RUC. The groundwater quality at TW-5/5A will continue to be monitored as part of the established groundwater monitoring program to discern if there is a component of radial flow away from the landfill footprint and to evaluate the long-term trends at this location.

South Boundary Condition (Upgradient)

Based on the “L” shape of the property, the south boundary in the west portion of the Site is located approximately 230 metres from the landfill footprint and the south boundary in the east portion extends to Grey Road 9 approximately 500 metres south of the landfill footprint. Due to the documented northwesterly groundwater flow direction, the southern property boundary is considered to be located hydraulically upgradient of the landfill footprint and is considered to have a low risk for potential leachate impact. No evidence of groundwater mounding or radial flow from the landfill is apparent at this time.

As previously reported, the former background monitoring well (TW-1) is located immediately downgradient of the landfill pile and is screened in the overburden at an approximate depth of 5 to 7 metres below ground surface. Due to this location and the screened interval, the monitor is considered to be in a location that is susceptible to influence or impact from landfill leachate. As such, a nested background monitoring well (i.e., TW-9S and TW-9D) was installed in the southeast portion of the landfill in 2019 to allow for comparison to the MOE Reasonable Use Criteria and to facilitate an ongoing compliance review. The locations of the new background monitoring wells have been provided on Figures 3 and 4.

TW-9S and TW-9D were installed approximately 70 metres south of the landfill mound, and are considered to be hydraulically upgradient of the landfill mound. TW-9S was installed within a medium sand and silt unit, and TW-9D was installed at an approximate depth of 7.95 metres and was screened within the sand and silt unit. Based on groundwater quality results from the current sampling events, no evidence of leachate impacts to TW-9S or TW-9D from landfill activities are evident. The analytical results indicate that there are no exceedances of the MOE Reasonable Use Concept related to leachate impacts.

West Boundary Condition

The onsite groundwater quality to the west of the landfill was formerly monitored by well OW-2. In April of 2019, TW-8 was installed along the westerly property boundary, approximately 200 meters west of the landfill mound. Based on the direction of shallow groundwater flow at the site, the groundwater at TW-8 is primarily considered to be hydraulically cross-gradient of the landfill footprint, and is inferred to provide analysis of the groundwater in close proximity to the westerly property boundary.

A review of the groundwater quality for TW-8 during the current sampling periods indicates that groundwater quality at this location has slightly elevated concentrations of hardness, alkalinity, chloride, conductivity and nitrate. It is noted that the elevated concentrations are similar to the concentrations reported within the background wells and are not inferred to be related to landfill leachate. The short-term trend for TW-8 (i.e., since monitoring was established in 2019) indicates a stable trend over this period with a slight increase during the current monitoring period. The westerly monitoring locations will continue to be monitored to discern if an elevated trend becomes apparent to the west of the landfill footprint.

7.8 Surface Water Quality Review

7.8.1 Regulatory Framework

The purpose of surface water quality management at the Site is to achieve the requirements established in the Provincial Water Quality Objectives (PWQO) set out by the MECP. The criteria established by the PWQO ensure that surface waters are of a quality that is satisfactory for aquatic life and recreation. Areas that have water quality that meet the PWQO requirements are to be maintained at or below the applicable objectives. Areas that have water quality that does not presently meet the PWQO are not to be degraded any further and are to be upgraded if practicable.

7.8.2 Surface Water Quality Summary

The surface water monitoring program consists of three sampling locations (SW-1, SW-2 and SW-5), which are located at various points on the Saugeen River tributaries located to the north of the landfill site. The locations of the surface water bodies and the associated surface water sampling locations are presented on the attached Figures. SW-1 measures surface water quality within a small creek located onsite approximately 75 metres northeast of the landfill pile. SW-2 represents background surface water conditions upstream of the landfill in an adjacent tributary located approximately 150 metres north of the landfill footprint. SW-5 measures water quality in the tributary downstream of the landfill and prior to flowing into the South Saugeen River. The water within the tributaries is reportedly derived partially from shallow groundwater discharge and each represents continuous year-round surface water bodies (i.e., not stagnant or intermittent flow conditions).

A comparison of the current analytical data indicates that the surface water quality at each sampling location continues to meet objective levels with no reported exceedences of the PWQO (with the exception of iron at SW-1 in the spring and SW-1 and SW-2 in the fall).

The analytical results for each sample location are consistent with historic findings and display stable long-term trends. Additionally, the concentrations reported at each respective sample location are consistent relative to each other, which indicate that the quality of the surface water downstream of the landfill is consistent with the quality in each of the upstream tributaries.

Phenols have been analyzed in the surface water samples since monitoring of the tributary began in 2001. Since then, no detections have been reported above 0.001 mg/L with the exception of SW-4 and SW-5 in the April 2015 monitoring event (0.0012 and 0.0013 mg/L, respectively). **It is expected that the concentrations of phenols will generally remain stable and low at the surface water sampling locations. Therefore, it is recommended that phenols be removed from the surface water monitoring program.**

The analytical results from the most recent surface water monitoring program and a comparison to the PWQO are provided in Table 5. A summary of the historical surface water sampling data, compared to the PWQO, is tabulated and presented in Appendix “E”.

8. LANDFILL GAS MEASUREMENT

Methane is a colorless and odourless gas formed by the decomposition of organic matter under oxygen poor (anaerobic) conditions and is commonly associated with landfills. It is produced by anaerobic bacteria, which become active only when the oxygen in the landfill has been completely consumed. The primary concern related to this parameter is that, under certain conditions, the mixture of methane in air can be explosive within a confined area. Methane gas is measured relative to the lower explosive limit (LEL) which corresponds to 5% the concentration of methane in air.

Based on previous MECP correspondence, it was proposed that a gas monitoring program be implemented at the Normanby Landfill site. Based on the Closure Plan submitted by GMBP in May of 2015, the installation of a methane monitor within the attendants shelter was previously recommended. However, at this time the Normanby Landfill site remains closed. As such, no further methane monitoring is recommended.

9. CLOSED AREAS

Previous areas A1, A2 and the northern part of A4, as identified in the 1992 PDO have been closed and capped. The remainder of the landfill footprint was closed in 2018 and no landfilling or onsite waste placement was completed during the current reporting period. Closure and capping of the remaining portion of the landfill site is currently being coordinated by the Municipality. Covering and grading of finished areas should be conducted in such a manner as to promote runoff and reduce infiltration, thus reducing the generation of landfill leachate at the site. Final cover was placed within the remaining area of the landfill footprint during the fall of 2022 with scheduled placement of topsoil and vegetative cover planned for the spring of 2023.

10. ENVIRONMENTAL COMPLIANCE APPROVAL

The waste disposal site operates under amended Certificate of Approval (C of A) Number A262104, which was issued by the MOE on February 2, 1987. Amendments to the C of A were completed on August 28, 1989 to extend the service area to include the Village of Neustadt and on September 17, 1992 which provided formal requirements for completion of an annual monitoring and reporting program.

The original C of A was revoked and replaced by a new C of A on June 24, 2005, which licensed a landfilling area of 2.8 hectares within a total site area of 33 hectares and modified the service area to include the entire Municipality of West Grey. A copy of the C of A and the associated amendments are provided in Appendix “A”.

11. CONCLUSIONS

- 1) The approved area of the Site specified within the C of A covers a total area of 2.8 ha (6.9 acres) within a total site area of 33 hectares (82 acres).
- 2) Currently, the total approved capacity for waste, daily cover, and final cover is 69,000 m³. Based on a review of the remaining capacity, existing stockpiled materials at the site, and site conditions, landfilling operations at the site were previously terminated.
- 3) The landfill is closed to the public and waste placement has been discontinued. Closure and capping of the site is currently being coordinated by the Municipality and will be conducted as per the approved Closure Plan.
- 4) The findings of the groundwater monitoring program indicate that minor leachate impacts are being measured in the shallow overburden unit at the landfill site and that there is a level of hydraulic separation between the shallow sandy overburden soils and the underlying silt till.
- 5) The analytical results at the Site indicate that there is currently no apparent impact to the groundwater migrating away from the subject property above the Reasonable Use Criteria as referenced in MOE Guideline B-7.
- 6) The surface water monitoring program indicates that the surface water quality in the adjacent surface water bodies directly north of the landfill footprint is not being influenced by landfill leachate and has concentrations that meet the PWQO.
- 7) The reported surface water results indicate that the concentrations measured downstream of the landfill Site are consistent with those measured in the sample locations in the tributaries upstream of the Site.

12. RECOMMENDATIONS

The following actions are recommended for the upcoming monitoring year(s):

- 1) We recommend that formal closure and capping operations are completed as per the approved Closure Plan.
- 2) It is important that the Municipality continue to remove stockpiles of recyclable goods on a regular basis to further reduce the volume of waste entering the landfill, to prevent clutter, and to maintain an aesthetically acceptable site.
- 3) All future capping operations should be completed using a low permeability clayey silt material, or equivalent cover (as per the PDO), to reduce surface water infiltration as per the Closure Plan.
- 4) The steel protective casing at the location of TW-3 appears to have been removed and requires repair or replacement. Replacement of the casing at TW-3 is recommended prior to completion of future groundwater sampling at this location.

- 5) To address the previous recommendations regarding the network of monitoring wells, the installation of the following monitoring wells was completed in 2019:
- i. A nested background monitoring well in the southeast (hydraulically upgradient) portion of the landfill to represent background conditions and allow for a comparison to the MOE Reasonable Use Criteria to facilitate an ongoing compliance review (i.e., TW-9S & TW-9D),
 - ii. Two monitoring wells to the west and northwest of the landfill be completed at the associated property boundaries rather than directly adjacent to the landfill pile (i.e., TW-8 and TW-10)
- 6) We recommend continuing the established monitoring program on a twice annual basis in the spring and fall with the exception of the removal of SW-3 and SW-4 from the surface water monitoring program, and the adjustments to the groundwater monitoring program as outlined below:

GROUNDWATER SAMPLE/ MONITORING WELL LOCATIONS		SURFACE WATER SAMPLE LOCATIONS
TW-1 TW-3 TW-5A TW-8 TW-10	TW-2 TW-5 TW-6 TW-9S & TW-9D	SW-1 SW-2 SW-5
ANALYTICAL PARAMETERS (GROUNDWATER & SURFACE WATER)		
Conductivity, Chloride, Alkalinity, Iron, pH, Total Ammonia, Hardness, Sodium, Nitrate, Sulphate, TKN	Additional Leachate Well Parameters: Arsenic, Barium, Boron, Cadmium, Chromium, Copper, Lead, Manganese, Mercury, Total Phosphorus, Potassium, TSS, TDS	Conductivity, Chloride, Alkalinity, Iron, pH, Total Ammonia, Total Phosphorus, Phenols, Dissolved Oxygen, Temperature

All of which is respectfully submitted,

GM BLUEPLAN ENGINEERING LIMITED

Per:



J. K. Weller, C.E.T.

Per:



A.W. Bringleston, B.E.S., C.E.T

Per:



M.D. Nelson, P.Eng., P.Geo.

TABLES:

**TABLE 2:
SUMMARY OF MONITORING WELL LOCATIONS
AND CONSTRUCTION DETAILS**

BOREHOLE ID [WELL ID]	LOCATION (relative to refuse pile)	Date of Installation	ELEVATION		Monitoring Well Depth	Screened Interval (metres)	Unit Measured
			Ground	Top of Casing*			
TW-1	Onsite - Northwest Portion of Footprint	1984	90.38	91.42	7.00	5.2 to 7.0	Sandy Silt
TW-2	Onsite - Northwest Portion of Footprint	1984	90.33	91.36	3.55	0.9 to 3.55	Coarse Sand & Gravel / Sandy Silt
TW-3	Onsite - Downgradient	1984	88.77	89.85	3.80	1.2 to 3.8	Medium Sand & Gravel / Sandy Silt
TW-5	Onsite - East Portion of Footprint	1984	96.27	97.60	10.25	7.0 to 10.25	Medium to Fine Sand / Sandy Silt
TW-5A	Onsite - East Portion of Footprint	1984	96.34	97.17	4.70	1.5 to 4.7	Medium Sand & Gravel / Sandy Silt
TW-6	Onsite - In Footprint	1984	95.98	96.92	5.20	3.5 to 5.2	Sandy Silt
TW-8	Onsite - Northwest of Footprint	2019	na	90.84	6.09	3.0 to 6.0	Medium Sand & Silt
TW-9S	Onsite- Upgradient	2019	na	95.10	4.57	1.5 to 4.5	Clay/ Medium Sand & Silt
TW-9D	Onsite- Upgradient	2019	na	95.14	7.62	4.5 to 7.6	Medium Sand & Silt/ Clay
TW-10	Onsite - Northwest of Footprint	2019	na	89.27	6.09	3.0 to 6.0	Clay
OW-2*	Onsite - West of Footprint	1984	na	na	2.25	CSP - Open Bottom	Medium Sand & Gravel / Sandy Silt
OW-3*	Onsite - Downgradient	1984	na	na	2.25	CSP - Open Bottom	Medium Sand & Gravel / Sandy Silt

NOTES:

1. All depths measured in mbgs = approximate depth in metres below ground surface
 2. na = Not Available.
 3. Borehole logs are provided in the Appendices
 4. Elevations measured in mASL = meters above sea level
 5. Monitoring Well Depths in meters below ground surface based on physical depth measurements
 6. CSP: Corrugated Steel Pipe
- * OW-2 & OW-3 were decommissioned in 2019

**Table 3:
REASONABLE USE CRITERIA - OBJECTIVE LEVELS**

Parameter	Background Concentration (Cb)	Maximum Concentration (Cr)	Objective Level (Cm)
Alkalinity(as CaCO ₃)	309	30 - 500 [OG]	404
Ammonia(as N)	0.1	nv	nv
Calcium	56	nv	nv
Chloride	16	250 [AO]	133
Conductivity - @25°C (µS/cm)	648	nv	nv
Hardness(as CaCO ₃)	346	80-100 [OG]	360*
Iron	<0.02	0.3 [AO]	0.16
Magnesium	--	nv	nv
Nitrate(as N)	0.12	10 (MAC)	2.6
pH	8.09	6.5-8.5 [OG]	6.5 to 8.5
Sodium	10	200 [AO]	105
Sulphate	31	500 [AO]	265
Total Kjeldahl Nitrogen(as N)	nv	nv	nv

Notes:

* The background concentrations for these parameters exceed the ODWS. Therefore, the RUC is set at the maximum measured naturally occurring concentration in the background well

AO = Aesthetic Objective

OG = Operational Guideline

MAC = Maximum Acceptable Concentration

Background Concentrations are based on concentrations reported from TW-9S&D from 2019 to present

MOE Procedure B-7-1

$$C_m = C_b + x(C_r - C_b)$$

Where:

C_m = Maximum Concentration Acceptable in Groundwater at Property Line

C_b = Background Concentration from OW-8 from 2004 to Present

C_r = Maximum Concentration Acceptable in Groundwater as per Ontario Drinking Water Standards (ODWS)

x = A Constant; Being 0.5 for Non-Health related Parameters, and 0.25 for Health Related Parameters

Table 4:
Summary of Groundwater Quality and Comparison to RUC

SPRING - 2022

Sampling Date MW Location Sample ID	Ontario Drinking Water Standards (ODWS) (mg/L)	MOE Guideline B-7 Reasonable Use Criteria (mg/L)	Sample Identification And Monitoring Well Location									
			3-May-22									
			Background/Onsite			North - Downgradient		North Boundary	East Boundary		West Boundary	Onsite
			TW-9S	TW-9D	TW-1	TW-2	TW-3	TW-10	TW-5	TW-5A	TW-8	TW-6
Parameter												
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	320	310	190	210	--	60	230	380	290	830
Ammonia(as N)	nv	nv	0.14	<0.05	0.11	0.33	--	0.12	0.25	4.5	0.06	5.7
Chloride	250 [AO]	133	19	10	5.6	12	--	43	14	36	36	38
Conductivity - @25°C (µS/cm)	nv	nv	640	620	530	600	--	2300	490	860	720	1600
Hardness(as CaCO ₃)	80 - 100 [OG]	360	350	370	270	330	--	1500	250	400	360	840
Iron	0.3 [AO]	0.2	<0.02	<0.02	<0.02	<0.02	--	<0.02	<0.02	<0.02	<0.02	<0.02
Nitrate(as N)	10	2.6	<0.10	<0.10	0.42	<0.10	--	0.46	1.2	0.1	6.0	<0.10
pH	6.5 - 8.5 [OG]	6.5 to 8.5	8.1	8.1	8.2	8.1	--	7.8	8.2	8.1	8.1	7.8
Sodium	200 [AO]	106	10	5.6	9.3	8.5	--	48	7.6	21	21	66
Sulphate	500 [AO]	267	10	23	82	100	--	1300	4.5	35	23	76
Total Kjeldahl Nitrogen(as N)	nv	nv	0.47	0.69	0.27	0.57	--	0.38	0.40	5.2	1.2	8.6

Notes:

1. Analytical results are reported in mg/L unless otherwise noted. Analysis completed by Bureau Veritas Laboratories.
2. Reasonable Use Criteria are calculated using MOE Procedure B-7-1
3. AO: Aesthetic Objective; OG = Operational Guideline; MAC = Maximum Acceptable Concentration; IMAC = Interim Maximum Acceptable Concentration; ND: Not Detected
4. Values in **bold** are greater than the Reasonable Use Criteria
5. Shaded values are greater than the ODWS

FALL - 2022

Sampling Date MW Location Sample ID	Ontario Drinking Water Standards (ODWS) (mg/L)	MOE Guideline B-7 Reasonable Use Criteria (mg/L)	Sample Identification And Monitoring Well Location									
			29-Sep-22									
			Background/Onsite			North - Downgradient		North Boundary	East Boundary		West Boundary	Onsite
			TW-9S	TW-9D	TW-1	TW-2	TW-3	TW-10	TW-5	TW-5A	TW-8	TW-6
Parameter												
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	330	310	190	200	--	48	260	360	320	680
Ammonia(as N)	nv	nv	0.20	<0.05	0.4	0.2	--	1.2	0.31	1.4	<0.05	<0.05
Chloride	250 [AO]	133	19	12	5.8	29	--	48	21	34	46	2.5
Conductivity - @25°C (µS/cm)	nv	nv	670	660	530	950	--	2500	550	880	870	1300
Hardness(as CaCO ₃)	80 - 100 [OG]	360	370	380	270	520	--	1600	290	430	430	770
Iron	0.3 [AO]	0.2	<0.02	<0.02	<0.02	<0.02	--	<0.2	<0.02	<0.02	<0.02	<0.02
Nitrate(as N)	10	2.6	<0.10	<0.10	<0.10	<0.10	--	0.15	0.73	6.5	4.2	1.4
pH	6.5 - 8.5 [OG]	6.5 to 8.5	8.0	8.1	8.1	8.0	--	7.8	8.1	8.0	7.9	7.9
Sodium	200 [AO]	106	9.9	6.2	9.2	18	--	47	7.6	23	27	6.4
Sulphate	500 [AO]	267	6.9	11	75	89	--	1400	6.8	36	37	66
Total Kjeldahl Nitrogen(as N)	nv	nv	0.25	0.54	0.47	0.69	--	1.2	0.46	1.6	2.1	0.2

Notes:

1. Analytical results are reported in mg/L unless otherwise noted. Analysis completed by Bureau Veritas Laboratories.
2. Reasonable Use Criteria are calculated using MOE Procedure B-7-1
3. AO: Aesthetic Objective; OG = Operational Guideline; MAC = Maximum Acceptable Concentration; IMAC = Interim Maximum Acceptable Concentration; ND: Not Detected
4. Values in **bold** are greater than the Reasonable Use Criteria
5. Shaded values are greater than the ODWS

**Table 5:
Summary of Surface Water Quality and Comparison to PWQO**

Spring Monitoring - 2022				
Parameter	PWQO (mg/L)	SW-1 (Upstream)	SW-2 (Upstream)	SW-5 (Downstream)
Alkalinity (as CaCO ₃)	**345	300	300	300
Total Ammonia (as N)	nv	0.14	<0.05	<0.05
Chloride	nv	21	21	21
Conductivity - @25°C (µS/cm)	nv	660	660	670
Iron	0.3	31	0.09	0.07
pH	6.5-8.5	8.35	8.32	8.19
Phenols	0.001	<0.001	<0.001	<0.001
Phosphorus, Total	nv	0.53	0.01	0.01


Fall Monitoring - 2022				
Parameter	PWQO (mg/L)	SW-1 (Upstream)	SW-2 (Upstream)	SW-5 (Downstream)
Alkalinity (as CaCO ₃)	**345	300	300	310
Total Ammonia (as N)	nv	<0.05	<0.05	<0.05
Chloride	nv	26.0	26.0	26.0
Conductivity - @25°C (µS/cm)	nv	710	700	700
Iron	0.3	5.9	5.5	0.1
pH	6.5-8.5	8.25	8.31	8.30
Phenols	0.001	<0.001	<0.001	<0.001
Phosphorus, Total	nv	0.19	0.22	0.01

Notes:

1. Analytical results are reported in mg/L unless otherwise noted
2. PWQO: Provincial Water Quality Objective
3. NV: No Value
3. na: Not Available
5. ** Alkalinity should not be decreased by more than 25% of background.
6. Values in **BOLD** and shaded indicate exceedance of PWQO.

FIGURES:

213087
Normanby Landfill
Municipality of West Grey



SCALE 1:50,000
MARCH 2023

SITE LOCATION MAP

Part Lot 7, Concession 14
Former Township of
Normanby


Figure No. 1



213087
Normanby Landfill
Municipality of West Grey



LEGEND




SCALE 1:6,000
MARCH 2023

SITE LAYOUT
PLAN

Part Lot 7, Concession 14
Former Township of
Normanby


Figure No. 2



FILE:C:\Carri Documents\2022 Landfills\213087 AMR Normanby Fig 1-2-C.dwg, LAYOUT:FIG 2
LAST SAVED BY:Cblus, 3/16/2023 8:37:41 AM, PLOTTED BY:Carri Blue - CM BluePlan, 4/20/2023 1:44:01 PM



213087
 Normanby Landfill
 Municipality of West Grey



LEGEND

- TW/OW MONITORING WELL LOCATION
- SW-2 SURFACE WATER SAMPLE LOCATION
- TOC TOP OF CASING ELEVATION
- 98.0 PROPOSED FINAL CONTOUR
- APPROVED LANDFILL AREA
- PROPERTY BOUNDARY

NOTES

1. TOPOGRAPHIC FEATURES SHOWN ON THIS PLAN ARE BASED ON FIELD SURVEY DATA BY GENIVAR INC. ON DECEMBER 4, 2012, AND ACTIVE AREA SURVEY BY GM BLUEPLAN LTD. ON DECEMBER 21, 2016.

SCALE - 1:2,000
 MARCH 2023

FINAL CONTOUR PLAN

Part Lot 7, Concession 14
 Former Township of
 Normanby

Figure No. 3a



213087
Normanby Landfill
Municipality of West Grey



LEGEND

- TW/OW
- SW-2
- TOC
- W/L
- CL
- (S)/(F)
- APPROVED LANDFILL AREA
- PROPERTY BOUNDARY
- 91.0 GROUNDWATER CONTOUR
- INFERRED DIRECTION OF GROUNDWATER FLOW

NOTES


1. TOPOGRAPHIC FEATURES SHOWN ON THIS PLAN ARE BASED ON FIELD SURVEY DATA BY GENIVAR INC. ON DECEMBER 4, 2012, AND ACTIVE AREA SURVEY BY GM BLUEPLAN LTD. ON MAY 15, 2018.
2. GROUNDWATER CONTOURS DERIVED FROM GROUNDWATER ELEVATIONS OBTAINED DURING THE 2022 MONITORING ROUND.

SCALE - 1:2,000
MARCH 2023


**MONITORING LOCATIONS &
GROUNDWATER CONTOUR
PLAN**

Part Lot 7, Concession 14
Former Township of
Normanby

Figure No. 4



LAST SAVED BY: cblue_3/16/2023 9:22:16 AM PLOTTED BY: Carri Blue - GM BluePlan 4/20/2023 11:19:46 AM



Scale - 1:1000 Horiz.
 1:100 Vert.

MARCH 2023


CROSS SECTION A-A'

Figure No. 5a



FILE: C:\Carri Documents\2022 Landfills\213087 AMR Normanby Fig3-5b-C.dwg LAYOUT: Figure 5a
 LAST SAVED BY: Cblue, 3/16/2023 9:22:16 AM PLOTTED BY: Carri Blue - GM BluePlan 4/20/2023 1:36:41 PM

NOTES:
 1. 10x VERTICAL EXAGGERATION.



ELEVATION

Scale - 1:1000 Horiz.
 1:100 Vert.

MARCH 2023

CROSS SECTION B-B'

Figure No. 5b



NOTES:

1. 10x VERTICAL EXAGGERATION.

**APPENDIX A:
CERTIFICATE OF APPROVAL NO. A262104**

File 101818



Ministry of the Environment
Ministère de l'Environnement

AMENDMENT TO ENVIRONMENTAL COMPLIANCE APPROVAL

NUMBER A262104

Notice No. 3

Issue Date: August 31, 2012

The Corporation of the Municipality of West Grey
Rural Route, No. 2
Durham, Ontario
N0G 1R0

RECEIVED
SEP 10 2012

Site Location: Normanby Landfill Site
221291 Grey Road 16 Part of Lot 7, Concession 14
West Grey Municipality, County of Grey
N0G 2M0

You are hereby notified that I have amended Approval No. A262104 issued on June 24, 2005, as amended for a Waste Disposal Site, covering a 2.8 hectare waste fill area, within a total Site area of 33 hectares, as follows:

SUBMISSION OF REPORT - DEVELOPMENT AND OPERATIONS REPORT, ADDENDUM No. 1

Pursuant to Condition 55 in Environmental Compliance Approval No. A262104, dated September 28, 2011, approval is hereby granted for the design and operation of the Waste Diversion/Transfer Facility at the Normanby Landfill Site, as presented in a report entitled "Development and Operations Report, Addendum No. 1", dated November, 2011, prepared by GENIVAR Inc, which is listed as Item 11 under Documentation below.

Documentation

The following item is hereby added to Schedule "A" and forms part of the Environmental Compliance Approval, No. A262104 :

11. Letter dated January 13, 2012 from Peter Brodzikowski to Tesfaye Gebrezghi, Director, Ministry of the Environment, with attached report entitled "Development and Operations Report, Addendum No. 1", Normanby Landfill, Municipality of West Grey", Waste Diversion and Transfer Facilities, dated November, 2011, prepared by GENIVAR Inc.

You are hereby notified that this approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

56. The operation of the Waste Diversion/Transfer Facility at the Normanby Landfill Site, for the acceptance, temporary storage, and transfer of solid non-hazardous waste, and recyclable waste, shall be operated in accordance with the report entitled "Development and Operations Report, Addendum No. 1", dated November, 2011, Item 11 in Schedule "A", attached to this Approval.
57. All waste storage containers at the Waste Diversion/Transfer Facility shall have labels or signs which clearly identifies the volume and type of waste.
58. The Owner/Operator shall ensure that at the end of each day's operation, the waste storage containers at the Transfer Station are covered with tarps, or other appropriate means, to prevent blowing litter, and to prevent interference of the waste by rodents, birds, vector/vermin, etc.
59. The Owner/Operator shall ensure that all waste is removed from the Transfer Station for disposal at the waste fill area of the Normanby Landfill site or an approved facility, at least once a week, as described in Item 11 in Schedule "A", attached to this Certificate, or more frequently as needed, to prevent odour effects. This Condition is not applicable to Recycleable materials, in which case, shall be removed as needed, based on the storage containers becoming full.

REASONS

The reasons for this amendment to the Environmental Compliance Approval are as follows:

The reasons for Conditions 56 to 59 are to ensure that the Site including the Waste Diversion and Transfer Facilities, is operated in accordance with the application and supporting documentation submitted by the Owner/Operator, and not in a manner which the Director has not been asked to consider, and that the site is maintained in an environmentally acceptable manner and does not result in a hazard or nuisance to any person or the natural environment.

This Notice shall constitute part of the approval issued under Approval No. A262104 dated June 24, 2005, as amended.

In accordance with Section 139 of the Environmental Protection Act, you may by written Notice served upon me and the Environmental Review Tribunal within 15 days after receipt of this Notice, require a hearing by the Tribunal. Section 142 of the Environmental Protection Act provides that the Notice requiring the hearing shall state:

1. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
2. The grounds on which you intend to rely at the hearing in relation to each portion appealed

Pursuant to subsection 139(3) of the Environmental Protection Act, a hearing may not be required with respect to any terms and conditions in this environmental compliance approval, if the terms and conditions are substantially the same as those contained in an approval that is amended or revoked by this environmental compliance approval.

The Notice should also include:

3. The name of the appellant;
4. The address of the appellant;
5. The environmental compliance approval number;
6. The date of the environmental compliance approval;
7. The name of the Director, and;
8. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

The Secretary*
Environmental Review Tribunal
633 Bay Street, Suite 1500
Toronto, Ontario
M3G 1E3


AND

The Director appointed for the purposes of
Part II.1 of the Environmental Protection Act
Ministry of the Environment
2 St. Clair Avenue West, Floor 12A
Toronto, Ontario
M4V 1L3

* Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349, Fax: (416) 314-4506 or www.ert.gov.on.ca

The above noted activity is approved under s.20.3 of Part II.1 of the Environmental Protection Act.

DATED AT TORONTO this 31st day of August, 2012



Tesfaye Gebrezghi, P.Eng.
Director
appointed for the purposes of Part II.1 of the
Environmental Protection Act

DO/
cc: District Manager, MOE Owen Sound
Peter Brdzikowski, P. Eng., GENIVAR ✓

CONTENT COPY OF ORIGINAL



Ministry of the Environment
Ministère de l'Environnement

AMENDMENT TO PROVISIONAL CERTIFICATE OF APPROVAL
WASTE DISPOSAL SITE
NUMBER A262104
Notice No. 2
Issue Date: September 28, 2011

The Corporation of the Municipality of West Grey
402813 Grey Road 4
West Grey, Ontario
N0G 1R0

Site Location: Normanby Landfill Site
221291 Grey Road 16 Part of Lot 7, Concession 14
West Grey Municipality, County of Grey
N0G 2M0

You are hereby notified that I have amended Provisional Certificate of Approval No. A262104 issued on June 24, 2005, as amended for a Waste Disposal Site, covering a 2.8 hectare waste fill area, within a total Site area of 33 hectares, as follows:

ALTERATION OF FINAL WASTE CONTOURS

Pursuant to Condition 4 in the Provisional Certificate of Approval dated June 24, 2005, approval is hereby granted for the alteration of the final waste contours to the southern third of the Normanby Landfill Site, as described in a letter dated November 10, 2010, from GENIVAR to the Ministry of the Environment, and shown on attached Drawing No. 0181813 - 2010FCW, dated November 1, 2010, which is listed as Item 10 under Documentation below.

Documentation

The following item is hereby added to Schedule "A" and forms part of the Provisional Certificate of Approval, No. A262104:

10. Letter dated November 10, 2010, from Peter S. Brodzikowski and Brian R. Scott, GENIVAR to the Director, Environmental Assessment and Approvals Branch, Ministry of the Environment, and attached Drawing No. 0181813 - 2010FCW, dated November 1, 2010 entitled "Proposed Final Contours (Top of Waste), Normanby Landfill Site, Municipality of West Grey".

You are hereby notified that this approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

Capacity

Condition 28 in the Provisional Certificate of Approval, No. A262104, dated June 24, 2005, is hereby revoked and replaced with new Condition 28 as follows:

28. No waste shall be landfilled at any time above the final contours, shown on Drawing No. 0181813 - 2010FCW, dated November 1, 2010 entitled "Proposed Final Contours (Top of Waste), attached to Item 10, in Schedule "A" attached to this Certificate. The maximum elevation of the top of waste in the fill area, shall not exceed 100.00 metres above sea level. Final slopes above grade within the waste fill area at the time of site closure, shall be within the range of 4H:1V on the sideslopes and 20H:1V on the top flat areas.

CONTENT COPY OF ORIGINAL

Condition 43 is hereby revoked and replaced with new Condition 43 as follows:

43. The current monitoring programs for groundwater/leachate and surface water, as provided in Schedule "B", as amended (attached to this Certificate), and described in letter dated November 10, 2010 and the Development and Operations Report, Item 9 in Schedule "A", attached to the Certificate, and in accordance with any applicable legislation, shall be confirmed through the review of the Development and Operations Report (Item 9 in Schedule "A"), and subsequent Annual Monitoring Reports, by the District Manager.

The following new Condition is hereby added to the Certificate:

55. Within six (6) months of the date of this Notice, the Owner shall submit for the Director's approval, copied to the District Manager, an Updated Design and Operations Plan for the waste recycling/transfer facility at the Normanby Landfill Site. As a minimum, the Updated Design and Operations Plan shall identify the materials/items included in the program, storage locations shown on a full scale site operations drawing, storage capacities and quantities for each material, frequency of removal, record keeping and reporting, emergency response, etc. and shall address the operational impacts on the natural environment, including nuisance controls.

SCHEDULE "B"

Schedule "B" in the Provisional Certificate of Approval No. A262104, dated June 24, 2005, is hereby revoked and replaced with new Schedule "B" below, which forms part of the Provisional Certificate of Approval No. A262104 as amended:

Date	Sampling Location	Analytical Parameters
Water Levels: Spring, Fall	TW-1, TW-2, TW-3, TW-5, TW-5A, TW-6, OW-2 and OW-3	
Groundwater: Spring & Fall	TW-1, TW-2, TW-3, TW-5, TW-5A, TW-6, OW-2 and OW-3	QWC - Conductivity, Chlorides, Alkalinity, Iron, pH, Total Ammonia, Hardness, Sodium, Nitrate, Sulphate, TKN;
Surface Water: Spring & Fall	SW-1, SW-2, SW-3, SW-4, SW-5	Conductivity, Chloride, Iron, Alkalinity, pH, Total Ammonia, Total Phosphorous Phenols, Dissolved Oxygen, Temp. (in field);

Duplicates: 1 in 10 per water type (groundwater, surface water)

REASONS

The reason(s) for this amendment to the Certificate of Approval is (are) as follows:

1. The reason for Condition 28 is to ensure that the Site is operated to the approved capacity and that the closed site is graded appropriately to allow free surface water drainage.
2. The reasons for Condition 43 are to demonstrate that the landfill site is performing as designed, and that the impacts on the natural environment are acceptable. Regular monitoring allows for the analysis of trends over time and ensures that there is an early warning of potential problems so that any necessary remedial/contingency action can be taken.
3. The reason for Condition 55 is to ensure that the Site is operated, inspected and maintained in an environmentally acceptable manner as approved by the Ministry, and does not result in a hazard or nuisance to any person or the natural environment.

This Notice shall constitute part of the approval issued under Provisional Certificate of Approval No. A262104 dated June 24, 2005

In accordance with Section 139 of the Environmental Protection Act, R.S.O. 1990, Chapter E-19, as amended, you may by written notice served upon me and the Environmental Review Tribunal within 15 days after receipt of this Notice, require a hearing by the Tribunal. Section 142 of the Environmental Protection Act, provides that the Notice requiring the hearing

CONTENT COPY OF ORIGINAL

shall state:

1. The portions of the approval or each term or condition in the approval in respect of which the hearing is required, and;
2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

The Notice should also include:

3. The name of the appellant;
4. The address of the appellant;
5. The Certificate of Approval number;
6. The date of the Certificate of Approval;
7. The name of the Director;
8. The municipality within which the waste disposal site is located;

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

The Secretary*
Environmental Review Tribunal
633 Bay Street, 15th Floor
Toronto, Ontario
M5G 1E9

AND

The Director
Section 39, Environmental Protection Act
Ministry of the Environment
2 St. Clair Avenue West, Floor 12A
Toronto, Ontario
M4V 1L3


* Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 314-4600, Fax: (416) 314-4506 or www.ert.gov.on.ca

The above noted waste disposal site is approved under Section 39 of the Environmental Protection Act.

DATED AT TORONTO this 28th day of September, 2011

Teafaye Gebrezghi, P.Eng.
Director
Section 39, Environmental Protection Act

DO/
cc: District Manager, MOE Owen Sound
Peter Brodzikowski/Brian Scott, GENIVAR Consultants LP



Ministry of the Environment
Ministère de l'Environnement

**AMENDMENT TO PROVISIONAL CERTIFICATE OF
APPROVAL
WASTE DISPOSAL SITE
NUMBER A262104
Notice No. 1
Issue Date: October 16, 2008**

The Corporation of the Municipality of West Grey
Rural Route, No. 2
Durham, Ontario
N0G 1R0

Site Location: Normanby Landfill
Lot 7, Concession 14
West Grey Municipality, County of Grey

You are hereby notified that I have amended Provisional Certificate of Approval No. A262104 issued on June 24, 2005 for a Waste Disposal Site, covering a 2.8 hectare waste fill area, within a total Site area of 33 hectares, as follows:

SUBMISSION OF DESIGN AND OPERATIONS REPORT

Pursuant to Condition 32 in Provisional Certificate of Approval No. A262104 dated June 24, 2005, approval is hereby granted for the development and operation of the Normanby Landfill Site as presented in a report entitled "Development and Operations Report" dated December 2006, prepared by Henderson Paddon & Associates Limited, which is listed as Item 9 under Documentation below.

Documentation

The following item is hereby added to Schedule "A" and forms part of the Provisional Certificate of Approval, No. A262104:

9. Report entitled "Development and Operations Report" Normanby Landfill, Municipality of West Grey", dated December 2006, prepared by Henderson Paddon & Associates Limited.

You are hereby notified that this approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

Monitoring Program

Condition 43 is hereby revoked and replaced with new Condition 43 as follows:

43. The current monitoring programs for groundwater/leachate and surface water, as provided in Schedule "B" and described in the Development and Operations Report, Item 9 in Schedule "A", attached to this Certificate, and in accordance with any applicable legislation, shall be confirmed through the review of the Development and Operations Report (Item 9 in Schedule "A"), and subsequent Annual Monitoring Reports, by the District Manager.

The following new Conditions are hereby added to the Certificate:

50. A recommendation for proposed changes to the monitoring programs under this Certificate may be made in the Annual Monitoring Reports, based on the results to date, and may be implemented subject to the prior written concurrence of the District Manager.
51. Any groundwater/leachate monitoring wells included in the monitoring program that got damaged or in any way made inoperable for sampling, shall be assessed, repaired, replaced or decommissioned, as the case may be, by the landfill Owner.

Trigger Mechanisms and Contingency Plans

52. The Site specific Trigger Mechanism and Contingency Plans for groundwater/leachate, surface water and landfill gas, as described in Sections 8.2 to 8.3 in the Development and Operations Report, Item 9 in Schedule "A" attached to the Certificate, shall be confirmed through the review of the Development and Operations Report, by the District Manager.
53. In the event of contaminant concentration exceeding acceptable levels, relating to leachate mounding or groundwater and/or surface water impacts due to leachate or landfill gas, the Owner shall immediately notify the District Manager, and an investigation into the cause and the need to implement a remedial or contingency action shall be submitted for the written acceptance of the District Manager.
54. The Owner/Operator shall implement the accepted remedial or contingency action as soon as practicable to address the problem.

REASONS

The reasons for this amendment to the Certificate of Approval are as follows:

1. The reason for amending Condition 43 is to reflect the monitoring programs for the Site, as provided in this Certificate and as described in the Development and Operations Report submitted by the Owner. Regular monitoring demonstrates that the landfill site is performing as designed and the impacts on the

natural environment are acceptable, and allows for the analysis of trends over time to ensure that there is an early warning of potential problems so that any necessary remedial/contingency action can be taken.

2. The reason for Conditions 50 and 51 is to provide for regular review of the performance of the site design to demonstrate that impacts to the natural environment are within acceptable limits.
3. The reasons for Conditions 52 to 54 are to ensure that the Owner follows a plan with an organized set of procedures for identifying and responding to unexpected but possible problems at the Site. A remedial action / contingency plan is necessary to ensure protection of the natural environment and public health and safety.

This Notice shall constitute part of the approval issued under Provisional Certificate of approval No. A262104 dated June 24, 2009

In accordance with Section 139 of the Environmental Protection Act, R.S.O. 1990, Chapter E-19, as amended, you may, by written notice served upon me and the Environmental Review Tribunal within 13 days after receipt of this Notice, require a hearing by the Tribunal. Section 142 of the Environmental Protection Act provides that the Notice requiring the hearing shall state:

1. The portions of the approval or each term or condition in the approval in respect of which the hearing is required, and;
2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

The Notice should also include:

3. The name of the appellant;
4. The address of the appellant;
5. The Certificate of Approval number;
6. The date of the Certificate of Approval;
7. The name of the Director;
8. The municipality within which the waste disposal site is located;

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

The Secretary*
Environmental Review Tribunal
635 Bay Street, 13th Floor
Toronto, Ontario
M5G 1E3

AND

The Director
Section 39, Environmental Protection Act
Ministry of the Environment
2 St. Clair Avenue West, Floor 12A
Toronto, Ontario
M4Y 1L3

* Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 314-4600, Fax: (416) 314-4506 or www.ert.gov.on.ca

The above noted waste disposal site is approved under Section 39 of the Environmental Protection Act.

DATED AT TORONTO this 16th day of October, 2008

THIS NOTICE WAS MAILED
ON Dec 23, 2005
DC
(Signed)

Tesfayo Gebrezghi

Tesfayo Gebrezghi, P.Eng.
Director
Section 39, Environmental Protection Act

DO/

cc: District Manager, MOB Owen Sound
Frank C. Ford, M.A.Sc., P.Eng., Henderson Paddon & Associates Limited ✓

CONTENT COPY OF ORIGINAL



Ontario

Ministry
of the
Environment

Ministère
de
l'Environnement

AMENDED PROVISIONAL CERTIFICATE OF APPROVAL
WASTE DISPOSAL SITE
NUMBER A282104

The Corporation of the Municipality of West Grey
Rural Route, No. 2
Durham, Ontario
N0G 1R0

Site Location: Normanby Landfill
Lot 7, Concession 14
West Grey Municipality, County of Grey

You have applied in accordance with Section 27 of the Environmental Protection Act for approval of:

the use and operation of a Waste Disposal Site consisting of a 2.8 hectare landfilling area

which included the use of the Site for disposal of the following categories of waste (NOTE: Use of the Site for additional categories of wastes requires a new application and amendments to the Provisional Certificate of Approval):

Municipal, commercial and solid non-hazardous industrial waste.

For the purpose of this Certificate of Approval and the terms and conditions specified below, the following definitions apply:

- a. "Anniversary Date" means the date on which waste is first received at the Site;
- b. "Certificate" means this entire provisional Certificate of Approval document, issued in accordance with section 39 of the EPA, and includes any schedules to it, the application and the supporting documentation listed in schedule "A";
- c. "Director" means any Ministry employee appointed in writing by the Minister pursuant to section 5 of the EPA as a Director for the purposes of Part V of the EPA;
- d. "District Manager" means the District Manager of the local district office of the Ministry in which the Site is geographically located;
- e. "EPA" means *Environmental Protection Act*, R.S.O. 1990, c. E. 19, as amended;
- f. "Operator" means any person, other than the Owner's employees, authorized by the Owner as having the charge, management or control of any aspect of the site and includes its successors or assigns;
- g. "Owner" means any person that is responsible for the establishment or operation of the site being approved by this Certificate, and includes the Municipality of West Grey, its successors and assigns;
- h. "OWRA" means the *Ontario Water Resources Act*, R.S.O. 1990, c. O-40, as amended from time to time;
- i. "PA" means the *Pesticides Act*, R.S.O. 1990, c. P-11, as amended from time to time;
- j. "Provincial Officer" means any person designated in writing by the Minister as a provincial officer pursuant to section 5 of the OWRA or section 5 of the EPA or section 17 of PA.
- k. "Regional Director" means the Regional Director of the local Regional Office of the Ministry in which the Site is located.
- l. "Regulation 347" or "Reg. 347" means Regulation 347, R.R.O. 1990, made under the EPA, as amended from time to time;

CONTENT COPY OF ORIGINAL

m. "Site" means the entire waste disposal site, including buffer lands located at Part of Lot 7, Concession 14, Township of Normanby, County of Grey, approved by this *Certificate*.

n. "Trained personnel" means knowledgeable in the following through instruction and/or practice:

- i. relevant waste management legislation, regulations and guidelines;
- ii. major environmental concerns pertaining to the waste to be handled;
- iii. occupational health and safety concerns pertaining to the processes and wastes to be handled;
- iv. management procedures including the use and operation of equipment for the processes and wastes to be handled;
- v. emergency response procedures;
- vi. specific written procedures for the control of nuisance conditions;
- vii. specific written procedures for refusal of unacceptable waste loads;
- viii. the requirements of this *Certificate*.

o. "white goods containing refrigerants" means appliances and equipment which contain, or may contain refrigerants, and which include, but are not restricted to, refrigerators, freezers, humidifiers and air-conditioning systems;

You are hereby notified that this approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

Compliance

1. This Provisional Certificate of Approval supersedes and replaces Provisional Certificate Number A262104 issued on February 2, 1987.
2. The *Owner* and *Operator* shall ensure compliance with all the conditions of this *Certificate* and shall ensure that any person authorized to carry out work on or operate any aspect of the *Site* is notified of this *Certificate* and the conditions herein and shall take all reasonable measures to ensure any such person complies with the same.
3. Any person authorized to carry out work on or operate any aspect of the *Site* shall comply with the conditions of this *Certificate*.

In Accordance

4. Except as otherwise provided for in this *Certificate*, the *Site* shall be designed, developed, built, operated and maintained in accordance with the application for this *Certificate* and the supporting documentation listed in Schedule "A".

Interpretation

5. Where there is a conflict between a provision of any document, including the application, referred to in this *Certificate*, and the conditions of this *Certificate*, the conditions in this *Certificate* shall take precedence.
6. Where there is a conflict between the application and a provision in any documents listed in Schedule "A", the application shall take precedence, unless it is clear that the purpose of the document was to amend the application and that the *Ministry* approved the amendment.
7. Where there is a conflict between any two documents listed in Schedule "A", other than the application, the document bearing the most recent date shall take precedence.
8. The conditions of this *Certificate* are severable. If any condition of this *Certificate*, or the application of any condition of this *Certificate* to any circumstance, is held invalid or unenforceable, the application of such condition to other circumstances and the remainder of this *Certificate* shall not be affected thereby.

Other Legal Obligations

9. The issuance of, and compliance with, this *Certificate* does not:

CONTENT COPY OF ORIGINAL

- a. relieve any person of any obligation to comply with any provision of any applicable statute, regulation or other legal requirement; or
- b. limit in any way the authority of the *Ministry* to require certain steps be taken or to require the *Owner* and *Operator* to furnish any further information related to compliance with this *Certificate*.

Adverse Effect

10. The *Owner* and *Operator* shall take steps to minimize and ameliorate any adverse effect on the natural environment or impairment of water quality resulting from the *Site*, including such accelerated or additional monitoring as may be necessary to determine the nature and extent of the effect or impairment.

11. Despite an *Owner*, *Operator* or any other person fulfilling any obligations imposed by this certificate, the person remains responsible for any contravention of any other condition of this *Certificate* or any applicable statute, regulation, or other legal requirement resulting from any act or omission that caused the adverse effect to the natural environment or impairment of water quality.

Change of Owner

12. The *Owner* shall notify the *Director*, in writing, and forward a copy of the notification to the *District Manager*, within 30 days of the occurrence of any changes in the following information:

- a. the ownership of the *Site*;
- b. the *Operator* of the *Site*;
- c. the address of the *Owner* or *Operator*;
- d. the partners, where the *Owner* or *Operator* is or at any time becomes a partnership and a copy of the most recent declaration filed under the *Business Names Act*, R. S. O. 1990, c. B.17, shall be included in the notification.

13. No portion of this *Site* shall be transferred or encumbered prior to or after closing of the *Site* unless the *Director* is notified in advance and sufficient financial assurance is deposited with the *Ministry* to ensure that these conditions will be carried out. In the event of any change in *Ownership* of the works, other than change to a successor municipality, the *Owner* shall notify the successor of and provide the successor with a copy of this *Certificate*, and the *Owner* shall provide a copy of the notification to the *District Manager* and the *Director*.

Certificate of Requirement/ Registration on Title

14. The *Owner* shall:

- a. within 60 days of the date of this *Certificate*, submit to the *Director*, for *Director's* signature, two copies of a completed Certificate of Requirement containing a registerable description of the *Property*, in accordance with the attached form;
- b. within 10 calendar days of receiving the Certificate of Requirement signed by the *Director*, register the Certificate of Requirement in the appropriate Land Registry Office on title to the *Property* and submit to the *Director* the duplicate registered copy immediately following registration; and

15. Pursuant to Section 197 of the *EPA*, neither the *Owner* nor any person having an interest in the *Property* shall deal with the *Property* in any way without first giving a copy of this *Certificate* to each person acquiring an interest in the *Property* as a result of the dealing.

Inspections

16. No person shall hinder or obstruct a *Provincial Officer* from carrying out any and all inspections authorized by the *OWRA*, the *EPA*, or the *PA*, of any place to which this *Certificate* relates, and without limiting the foregoing:

- a. to enter upon the premises where the approved works are located, or the location where the records required by the conditions of this *Certificate* are kept;
- b. to have access to, inspect, and copy any records required to be kept by the conditions of this *Certificate*;
- c. to inspect the *Site*, related equipment and appurtenances;
- d. to inspect the practices, procedures, or operations required by the conditions of this *Certificate*; and
- e. to sample and monitor for the purposes of assessing compliance with the terms and conditions of this *Certificate* or the *EPA*, the *OWRA* or the *PA*.

CONTENT COPY OF ORIGINAL

Information and Record Retention

17. a. Any information requested, by the *Ministry*, concerning the *Site* and its operation under this *Certificate*, including but not limited to any records required to be kept by this *Certificate* shall be provided to the *Ministry*, upon request, in a timely manner.

b. Records shall be retained for contaminating life span of the *Site* except for as otherwise authorized in writing by the *Director*.

18. The receipt of any information by the *Ministry* or the failure of the *Ministry* to prosecute any person or to require any person to take any action, under this *Certificate* or under any statute, regulation or other legal requirement, in relation to the information, shall not be construed as:

- a. an approval, waiver, or justification by the *Ministry* of any act or omission of any person that contravenes any term or condition of this *Certificate* or any statute, regulation or other legal requirement; or
- b. acceptance by the *Ministry* of the information's completeness or accuracy.

Signs

19. A sign shall be installed and maintained at the main entrance/exit to the *Site* on which is legibly displayed the following information:

- a. the name of the *Site* and *Owner*;
- b. the number of the *Certificate*;
- c. the name of the *Operator*;
- d. the normal hours of operation;
- e. the allowable and prohibited waste types;
- f. the telephone number to which complaints may be directed;
- g. a twenty-four (24) hour emergency telephone number (if different from above); and
- h. a warning against dumping outside the *Site*.

Closure Plan

20. At least 2 years prior to the anticipated date of closure of this *Site*, the *Owner* shall submit to the *Director* for approval, with copies to the *District Manager*, a detailed site closure plan pertaining to the termination of landfilling operations at this *Site*, post-closure inspection, maintenance and monitoring, and end use. The plan shall include the following:

- a. a plan showing *Site* appearance after closure;
- b. a description of the proposed end use of the *Site*;
- c. a descriptions of the procedures for closure of the *Site*, including:
 - i. advance notification of the public of the landfill closure;
 - ii. posting of a sign at the *Site* entrance indicating the landfill is closed and identifying any alternative waste disposal arrangements;
 - iii. completion, inspection and maintenance of the final cover and landscaping;
 - iv. site security;
 - v. removal of unnecessary landfill-related structures, buildings and facilities; and
 - vi. final construction of any control, treatment, disposal and monitoring facilities for leachate, groundwater, surface water and landfill gas;
 - vii. a schedule indicating the time-period for implementing sub-conditions i. to vi. above.
- d. descriptions of the procedures for post-closure care of the *Site*, including:
 - i. operation, inspection and maintenance of the control, treatment, disposal and monitoring facilities for leachate, groundwater, surface water and landfill gas;
 - ii. record keeping and reporting; and
 - iii. complaint contact and response procedures;
- e. an assessment of the adequacy of and need to implement the contingency plans for leachate and methane gas;
- f. an updated estimate of the contaminating life span of the *Site*, based on the results of the monitoring programs to date.

CONTENT COPY OF ORIGINAL

21. The *Site* shall be closed in accordance with the closure plan as approved by the *Director*.

Operation

22. a. The *Site* shall be operated and maintained at all time including management and disposal of all waste in accordance with the *EPA, Regulation 347*, the conditions of this *Certificate*.
b. At no time shall the discharge of a contaminant that causes or is likely to cause an adverse effect be permitted.

Vermin, etc.

23. The *Site* shall be operated and maintained such that the vermin, vectors, dust, litter, odour, noise and traffic do not create a nuisance.

Burning Waste Prohibited

24. a. burning of waste at the *Site* is prohibited, except for the burning of segregated brush, and unpainted, unstained and unpreserved lumber and in accordance with the Ministry Guideline C-7 "Burning at Landfill Sites" dated April 1994;
b. access to the burning area by the public and unauthorized personnel is prohibited when burning is being carried out;
c. no burning is to occur without the supervision of the operating authority; and
d. a sign shall be installed and maintained at the burn pile describing what is acceptable for depositing at the burn pile.

Waste Type

25. Only the following types of waste shall be accepted at the *Site*:

- a. Municipal Waste;
b. Non-hazardous Solid Industrial waste; and
c. Commercial waste.

26. The Owner shall ensure that:

- a. all *white goods containing refrigerants* accepted at the *Site*, are stored in a segregated area, in an upright position and in a manner which allows for the safe handling and removal of refrigerants as required by Ontario Regulation 189;
b. refrigerants shall be removed only by a licensed technician in accordance with Ontario Regulation 189;
c. if refrigerants are not removed on *Site*, then the *white goods containing refrigerants* may only be shipped to a facility which is licensed to remove refrigerants in accordance with Ontario Regulation 189;
d. *white goods containing refrigerants* stored on *Site* shall be clearly marked as to whether or not refrigerants have been removed; and
e. a detailed log of all *white goods containing refrigerants* received is maintained and includes the following information:
i. date of the record;
ii. types, quantities and source of *white goods containing refrigerants* received;
iii. quantity and destination of the *white goods* transferred from the *Site* without prior removal of refrigerants;
iv. the details of on-*Site* removal of refrigerants, and the quantities and destination of the refrigerants transferred from the *Site*.

27. The *Operator* shall develop and implement a program to inspect waste to ensure that the waste is of a type approved for acceptance under this *Certificate*.

Capacity

28. The *Owner* shall only accept and deposit waste at the site as long as there is available capacity as defined by the final contours for the *Site* approved by this *Certificate* as shown in Drawing M-1170-4 prepared by Gamsby & Mannerow, dated January 1992 of Item 4 of Schedule "A".

29. The total approved waste disposal capacity of the Landfill shall be limited to 69,000 m³.

Service Area

CONTENT COPY OF ORIGINAL

30. Only waste that is generated from within the geographical boundaries of the Municipality of West Grey shall be accepted at the *Site*.

Plan of Development and Operation Report

31. A Plan of Development and Operation (PDO) report shall be retained at the *Site* and kept up to date through periodic revisions; and be available for inspection by *Ministry* staff. Changes to the PDO report shall be submitted to the *Director* for approval.

32. The following information in the PDO report shall be updated as a minimum requirement within eighteen (18) months from the date of this *Certificate* and submitted to the *Director* for approval.

- a. location and description of the access road, the on-site roads at the *Site* and the impact of the increased traffic to the *Site*;
- b. description and location of the fencing and the gates;
- c. description of the fill method, the equipment used at the *Site*, the areas used for various fill methods of landfilling, and timelines for various phases of the *Site* development;
- d. the operating hours of the *Site* and the hours for the various activities to be undertaken at the *Site*, including waste compaction, waste coverage and burning;
- e. details on winter operations;
- f. review and update the thickness of the daily cover, frequency of the application, characteristics of the material used and the source of the material;
- g. review and update the thickness of the intermediate cover, frequency of the application, characteristics of the material used and the source of the material;
- h. frequency and the procedures for waste compaction;
- i. details on handling of other waste, including types and amounts of waste handled, storage locations, frequency of removal from the *Site*;
- j. details on housekeeping practices undertaken to control nuisances such as noise, dust, litter, odour, rodents, insects and other disease vectors, scavenging birds or animals;
- k. details on the closure of the *Site*, including the description of the final cover and its estimated permeability, its thickness, the source of the final cover material, the thickness of the top soil and the vegetation proposed for the closed waste mound, as well as the timeframe for the progressive waste coverage;
- l. updated monitoring program for the surface and groundwater;
- m. site-specific trigger mechanism program for the implementation of the groundwater and surface water contingency measures and a description of such measures;
- n. maintenance activities proposed for the *Site*, including the frequency of the activities and the personnel responsible for them;
- o. inspection activities proposed for the *Site*, including the frequency of the activities and the personnel responsible for them;
- p. details of training provided for the personnel responsible for the activities at the *Site*;
- q. contingency plan for the emergency situations that may occur at the *Site*; and
- r. any other information relevant to the design and operation of the *Site* or the information required by the *District Manager*.

Hours of Operation

33. Waste shall only be accepted at the *Site* during the following time periods:
Monday to Saturday from 7:00 am to 7:00 pm.

34. On-site equipment used for daily site preparation and closing activities shall only be used during the following time periods:
7:00 am to 7:00 pm - Monday to Saturday

35. With the prior written approval from the *District Manager*, the time periods may be extended to accommodate seasonal or unusual quantities of waste.

Site Security

CONTENT COPY OF ORIGINAL

36. No waste shall be received, landfilled or removed from the *Site* unless a site supervisor or attendant is present and supervises the operations during operating hours. The *Site* shall be closed when a site attendant is not present to supervise landfilling operations.

37. The *Site* shall be operated and maintained in a secure manner. During non-operating hours, all *Site* entrances and exit gates shall be locked and the *Site* shall be secured against access by unauthorized persons.

Site Access

38. Access to and exit from the *Site* for the transportation of waste shall only be permitted from County Road 9, former Township of Normanby.

Employees and Training

39. A training plan for all employees that operate any aspect of the site shall be developed and implemented by the Operator. Only trained personnel shall operate any aspect of the *Site* or carry out any activity required under this Certificate.

Daily Inspections

40. An inspection of the entire *Site* and all equipment on the *Site* shall be conducted each day the *Site* is in operation to ensure that:

- the *Site* is secure;
- that the operation of the *Site* is not causing any nuisances;
- that the operation of the *Site* is not causing any adverse effects on the environment and that the site is being operated in compliance with this Certificate.
- any deficiencies discovered as a result of the inspection shall be remedied immediately, including temporarily ceasing operations at the *Site* if needed.

41. A record of the inspections shall be kept in a daily log book that includes:

- the name and signature of person that conducted the inspection;
- the date and time of the inspection;
- the list of any deficiencies discovered;
- the recommendations for remedial action; and
- the date, time and description of actions taken.

42. A record shall be kept in the daily log book of all refusal of waste shipments, the reason(s) for refusal, and the origin of the waste, if known.

Monitoring Program

43. Monitoring programs shall be carried out for groundwater and surface water in accordance with Schedule "B" attached to this Certificate.

Compliance Limits

44. The *Site* shall be operated in such a way as to ensure compliance with the following:

- Reasonable Use Guideline B-7 for the protection of the groundwater at the *Site*;
- Provincial Water Quality Objectives included in the July 1994 publication entitled *Water Management Policies, Guidelines, Provincial Water Quality Objectives*, as amended from time to time or limits set by the Regional Director, for the protection of the surface water at the *Site*.

Complaints Procedure

45. If at any time, the Owner receives complaints regarding the operation of the *Site*, the Owner shall respond to these complaints according to the following procedure:

CONTENT COPY OF ORIGINAL

- a. the *Owner* shall record and number each complaint, either electronically or in a log book, and shall include the following information: the nature of the complaint, the name, address and the telephone number of the complainant if the complainant will provide this information and the time and date of the complaint;
- b. the *Owner*, upon notification of the complaint, shall initiate appropriate steps to determine all possible causes of the complaint, proceed to take the necessary actions to eliminate the cause of the complaint and forward a formal reply to the complainant; and
- c. the *Owner* shall complete and retain on-site a report written within one (1) week of the complaint date, listing the actions taken to resolve the complaint and any recommendations for remedial measures, and managerial or operational changes to reasonably avoid the recurrence of similar incidents.

Daily Log Book

46. A daily log shall be maintained in written format and shall include the following information:

- a. the type, date and estimation of the time all waste and cover material received at the *Site*;
- b. the area of the *Site* in which waste disposal operations are taking place;
- c. if waste shipment are refused, the reasons for refusal and the origin of the waste if known;
- d. a record of litter collection activities and the application of any dust suppressants;
- e. a record of the site inspections;

47. Any information requested, by the *Director* or a *Provincial Officer*, concerning the *Site* and its operation under this *Certificate*, including but not limited to any records required to be kept by this *Certificate* shall be provided to the *Ministry*, upon request.

Annual Report

48. A written report on the development, operation and monitoring of the *Site*, shall be completed annually (the "Annual Report"). The Annual Report shall be submitted to the *District Manager* each year by April 30th, and shall cover the preceding calendar year.

49. The Annual Report shall include the following:

- a. the results and an interpretive analysis of the results of all monitoring programs, including an assessment of the need to amend the monitoring programs;
- b. an assessment of the operation and performance of all engineered facilities, the need to amend the design or operation of the *Site*, and the adequacy of and need to implement the contingency plans;
- c. site plans showing the existing contours of the *Site*; areas of landfilling operation during the reporting period; areas of intended operation during the next reporting period; areas of excavation during the reporting period; the progress of final cover, vegetative cover, and any intermediate cover application; previously existing site facilities installed during the reporting period; and site preparations and facilities planned for installation during the next reporting period;
- d. calculations of the volume of waste, daily and intermediate cover, and final cover deposited or placed at the *Site* during the reporting period and a calculation of the total volume of *Site* capacity used during the reporting period;
- e. a calculation of the remaining capacity of the *Site* and an estimate of the remaining *Site* life;
- f. On a bi-annual basis, a field survey of the limit of fill area be completed to determine the quantity of waste received at the *Site*;
- g. the extent and effect of the recycling programs established by the *Owner* on the operation of the *Site*;
- h. a summary of any complaints received and the responses made;
- i. a discussion of any operational problems encountered at the *Site* and corrective action taken;
- j. any changes to the Plan of Development and Operations Report and the Closure Plan that have been approved by the *Director* since the last *Annual Report*;
- k. a report on the status of all monitoring wells and a statement as to compliance with Ontario Regulation 903; and
- l. any other information with respect to the *Site* which the *Regional Director* may require from time to time.

SCHEDULE "A"

This Schedule "A" forms part of this Certificate:

1. Application for a Certificate of Approval for a Waste Disposal Site dated October 17, 1973 signed by the Clerk Treasurer.

CONTENT COPY OF ORIGINAL

2. Application for a Certificate of Approval for a Waste Disposal Site (Landfill) dated July 18, 1989 signed by the Clerk Treasurer.

3. Normanby Township Landfill, Hydrogeologic Investigation and Plan of Development and Operation, prepared by Gamsby & Mannerow Limited, dated July 1991, revised January 1992.

4. Drawings prepared by Gamsby & Mannerow Limited, dated January 1992 consisting of:

- Dwg. No. M-1170-1: Site Plan;
- Dwg. No. M-1170-2: Groundwater Contours;
- Dwg. No. M-1170-3: Development Plan;
- Dwg. No. M-1170-4: Final Contour;
- Dwg. No. M-1170-5: Capacity Isopach Plan;

5. Letter to Mr. Ian Parrott, Supervisor, Ministry of the Environment, dated August 4, 2004 from Ken Gould, Public Works Manager, The Corporation of the Municipality of West Grey requesting to modify the service area of the Normanby Landfill to include the entire Municipality of West Grey.

6. Application for a Provisional Certificate of Approval for a Waste Disposal Site signed by Mr. Ken Gould, Public Works Manager, dated August 3, 2004.

7. Normanby Landfill Site, Service Area Modifications, prepared for Municipality of West Grey, prepared by Henderson Paddon & Associates Limited, dated October 2004.

8. Letter from Brian Soot, P.Eng. (Henderson Paddon & Associates Limited) to Richard Saunders (MOE) dated November 26, 2004 regarding the new operating hours of the Normanby Landfill and the adjacent property owner notification.

SCHEDULE "B"

This Schedule "B" forms part of this Certificate:

Date	Sampling Location	Analytical Parameters
Water Levels: Spring, Fall	TW-1, TW-2, TW-3, TW-5, TW-5A, TW-6, OW-2, and OW-3	
Groundwater: Spring & Fall	TW-1, TW-2, TW-3, TW-5, TW-5A, TW-6, OW-2, and OW-3	GWC - Conductivity, chlorides, alkalinity, iron, pH, total ammonia, hardness, sodium, nitrate, sulphate, TRN;
Surface Water: Spring & Fall	SW-1, SW-2, SW-3, SW-4, SW-5	Conductivity, chloride, iron, alkalinity, pH, total ammonia, total phosphorous, phenol, dissolved Oxygen, Temp. (in field);

Duplicates: 1 in 10 per water type (groundwater, surface water)

The reasons for the imposition of these terms and conditions are as follows:

REASONS

1. The reason for Condition 1 is to clarify that the previously issued Certificate of Approval No. A262104 issued on February 2, 1987 as amended on August 28, 1989 and September 17, 1992 are no longer in effect and have been replaced and superseded by the Terms and Conditions stated in this Certificate.

2. The reason for Conditions 2, 3, 5, 6, 7, 8, 9, 10, 11, 17 and 18 are to clarify the legal rights and responsibilities of the Owner and Operator under this Certificate of Approval.

CONTENT COPY OF ORIGINAL.

3. The reasons for Conditions 4, 31 and 32 are to ensure that the *Site* is designed, operated, monitored and maintained in accordance with the application and supporting documentation submitted by the *Owner*, and not in a manner which the *Director* has not been asked to consider.
4. The reasons for Condition 12 are to ensure that the *Site* is operated under the corporate name which appears on the application form submitted for this approval and to ensure that the *Director* is informed of any changes.
5. The reasons for Condition 13 are to restrict potential transfer or encumbrance of the *Site* without the approval of the *Director* and to ensure that any transfer of encumbrance can be made only on the basis that it will not endanger compliance with this *Certificate of Approval*.
6. Conditions 14, and 15 are included, pursuant to subsection 197(1) of the EPA, to provide that any persons having an interest in the *Site* are aware that the land has been approved and used for the purposes of waste disposal.
7. The reason for Condition 16 is to ensure that appropriate Ministry staff have ready access to the *Site* for inspection of facilities, equipment, practices and operations required by the conditions in this *Certificate of Approval*. This condition is supplementary to the powers of entry afforded a *Provincial Officer* pursuant to the EPA and OWRA.
8. The reason for Condition 19 is to ensure that users of the *Site* are fully aware of important information and restrictions related to *Site* operations and access under this *Certificate of Approval*.
9. The reasons for Conditions 20 and 21 are to ensure that final closure of the *Site* is completed in an aesthetically pleasing manner, in accordance with Ministry standards, and to ensure the long-term protection of the health and safety of the public and the environment.
10. The reasons for Conditions 22, 23, 26, 27, and 40 are to ensure that the *Site* is operated, inspected and maintained in an environmentally acceptable manner and does not result in a hazard or nuisance to the natural environment or any person.
11. The reason for Condition 24 is that open burning of municipal waste is unacceptable because of concerns with air emissions, smoke and other nuisance affects, and the potential fire hazard.
12. The reason for Conditions 25, 28, 29 and 30 is to specify the approved areas from which waste may be accepted at the *Site* and the types and amounts of waste that may be accepted for disposal at the *Site*, based on the *Owner's* application and supporting documentation.
13. The reasons for Conditions 33, 34 and 35 are to specify the hours of operation for the landfill *Site* and a mechanism for amendment of the hours of operation, as required.
14. The reasons for Conditions 36, 37 and 38 are to ensure that the *Site* is supervised by properly trained staff in a manner which does not result in a hazard or nuisance to the natural environment or any person and to ensure the controlled access and integrity of the *Site* by preventing unauthorized access when the *Site* is closed and no site attendant is on duty.
15. The reason for Condition 39 is to ensure that the *Site* is supervised and operated by properly trained staff in a manner which does not result in a hazard or nuisance to the natural environment or any person.
16. The reason for Conditions 41 and 42 is to ensure that detailed records of *Site* inspections are recorded and maintained for inspection and information purposes.
17. The reasons for Condition 43 are to demonstrate that the landfill site is performing as designed and the impacts on the natural environment are acceptable. Regular monitoring allows for the analysis of trends over time and ensures that there is an early warning of potential problems so that any necessary remedial/contingency action can be taken.
18. Condition 44 is included to provide the groundwater and surface water limits to prevent water pollution at the *Site*.
19. The reason for Condition 45 is to ensure that any complaints regarding landfill operations at this *Site* are responded to in a timely and efficient manner.

CONTENT COPY OF ORIGINAL

20. The reason for Conditions 46 and 47 is to ensure that accurate waste records are maintained to ensure compliance with the conditions in this *Certificate of Approval* (such as fill rate, site capacity, record keeping, annual reporting, and financial assurance requirements), the *EPA* and its regulations.

21. Condition 48 requires the submission of an Annual Report by April 30th of each year.

22. The reasons for Condition 49 is to ensure that regular review of site development, operations and monitoring data is documented and any possible improvements to site design, operations or monitoring programs are identified. An annual report is an important tool used in reviewing site activities and for determining the effectiveness of site design.

This Provisional Certificate of Approval revokes and replaces Certificate(s) of Approval No. A262104 issued on February 2, 1987

In accordance with Section 139 of the Environmental Protection Act, R.S.O. 1990, Chapter E-19, as amended, you may by written notice served upon me and the Environmental Review Tribunal within 15 days after receipt of this Notice, require a hearing by the Tribunal. Section 142 of the Environmental Protection Act, provides that the Notice requiring the hearing shall state:

1. The portions of the approval or each term or condition in the approval in respect of which the hearing is required, and;
2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

The Notice should also include:

3. The name of the appellant;
4. The address of the appellant;
5. The Certificate of Approval number;
6. The date of the Certificate of Approval;
7. The name of the Director;
8. The municipality within which the waste disposal site is located;

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

The Secretary*
Environmental Review Tribunal
2300 Yonge St., 12th Floor
P.O. Box 2382
Toronto, Ontario
M4P 1E4

AND

The Director
Section 39, *Environmental Protection Act*
Ministry of Environment and Energy
2 St. Clair Avenue West, Floor 12A
Toronto, Ontario
M4V 1L5

* Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 314-4600, Fax: (416) 314-4506 or www.ert.gov.on.ca

The above noted waste disposal site is approved under Section 39 of the Environmental Protection Act.

DATED AT TORONTO this 24th day of June, 2005

Ian Parrott, P.Eng.
Director
Section 39, *Environmental Protection Act*

RS/
c: District Manager, MOE Owen Sound
Brian Scott, P.Eng., Henderson Paddon & Associates Limited

**APPENDIX B:
CORRESPONDENCE**

Site Name:
File No:
Date:
Inspector:

Normanby
213087
May 3 2022
JW/KC

GAMSBY AND MANNEROW LIMITED LANDFILL INSPECTION REPORT

	<u>YES</u>	<u>NO</u>	<u>COMMENTS</u>
1. Site Open:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2. Access Control:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3. Supervisor On-Site:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
4. Signs Posted:			
Entrance	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Waste Disposal Area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Tires	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Brush	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Appliances	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Metals	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
5. Litter:			
On-Site	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Off-Site	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
6. Rodent/Vector Evidence:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
7. Scavenging:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
8. Monitoring Wells			

NOTES:

	<u>ACCEPTABLE</u>	<u>NOT ACCEPTABLE</u>	<u>COMMENTS</u>
9. Access Road Condition:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10. Screening from Public View:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11. Working Face:			
Compaction	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____ <i>Closed</i>
Daily Cover	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12. Segregation of Wastes:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13. Finished Areas:			
Final Cover	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Seeding	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14. Burning:			
Burn Pile Size	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Wood Wastes Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Ashes Removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15. Leachate Management:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
16. Recycleables:			
Tires	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Appliances	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Metals	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Blue Box	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

NOTES:

	<u>ACCEPTABLE</u>	<u>NOT ACCEPTABLE</u>	<u>COMMENTS</u>
9. Access Road Condition:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10. Screening from Public View:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11. Working Face:			
Compaction	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Daily Cover	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12. Segregation of Wastes:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13. Finished Areas:			
Final Cover	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Seeding	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14. Burning:			
Burn Pile Size	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Wood Wastes Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Ashes Removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15. Leachate Management:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
16. Recycleables:			
Tires	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Appliances	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Metals	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Blue Box	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

NOTES: _____

**APPENDIX C:
DUTIES OF SITE SUPERVISOR & SITE ATTENDANT**


Attachment 1
Duties of Site Supervisor

- (1) Knowledge of the Plan of Operation for the site.
- (2) Responsible for site access control.
- (3) Ensures deposition of waste in designated areas.
- (4) Ensures all burning on-site consists of clean dry wood waste of manageable size which does not adversely impact on neighbouring property owners at any time.
- (5) Ensures litter pickup on and off site on a weekly basis.

Where required by Council, the site supervisor shall also:

- (6) Ensure proper compaction and cover of material at the specified frequency;
- (7) Record volumes and types of waste material;
- (8) Maintain monitoring well security;
- (9) Identify on-site road maintenance problems to Council;
- (10) Discuss with Council waste site problems with respect to site users, types of waste etc.

112701



TRENCH METHOD

COMPACTION EFFORT

COMPACTION	EQUIPMENT	METHOD	DENSITY
Poor	None	Wastes dumped into trench	100 - 200 lb yd ³ 60 - 120 kgm m ³
Minimal	Tracked Machine	Waste dumped into trench. Equipment compacts surface of wastes	200 - 500 lb yd ³ 120 - 300 kgm m ³
Moderate	Tracked Machine	Wastes spread in layers. Each layer is compacted with one pass of the machine	500 - 800 lb yd ³ 300 - 475 kgm m ³
Good	Tracked Machine	Wastes spread in thin layers. Each layer compacted with three to five passes of the machine	800 - 1000 lb yd ³ 475 - 600 kgm m ³
Excellent	Steel Wheeled Compactor	Wastes spread in thin layers. Each layer compacted with the machine with up to five passes	over 1000 lb yd ³

GUIDELINE G-7
(formerly 14-08)

Burning at Landfill Sites

Regislative Authority:

Environmental Protection Act, RSO 1990, Sections 8, 14
and 27
Ontario Regulation 347, Sections 1 and 12.1

Responsible Director:

Director, Program Development Branch

Last Revision Date:

April, 1994

Table of Contents

1.0 INTRODUCTION

2.0 GENERAL REQUIREMENTS

2.1 Other Agencies

2.2 Certificate of Approval

3.0 OPERATIONAL REQUIREMENTS

SYNOPSIS

The primary purpose of this guideline is to provide a set of operational requirements for the orderly burning of segregated clean wood and brush in a safe and environmentally acceptable manner at appropriate landfill sites. This guideline is intended for use by landfill operators in their operation of a landfill site, and by Ministry staff during their review and inspection of landfill operations. The operational requirements are provided in Section 4.21, "Open Burning of Waste", of Procedure C-8-1: "Guidance Manual for Landfill Sites Receiving Municipal Waste" (C-8-1).

The guideline shall be enforced by including appropriate conditions on a Certificate of Approval for a landfill site, and by the Regions during the normal course of their activities.

1.0 Introduction

The burning of municipal waste, except for a limited number of specific materials, is prohibited by O. Regulation 347, Section 12.1. Segregated clean wood and brush, however, may be burned at certain sites, subject to certain requirements. These requirements are detailed in Section 4.21 of Procedure C-8-1: "Guidance Manual for Landfill Sites Receiving Municipal Waste".

2.0 General Requirements

As part of an overall program to maximize waste capacity at existing landfill sites, thereby extending their life, burning of clean wood and brush may be allowed under strictly controlled conditions.

2.1 Other Agencies

The Ministry of Natural Resources and local municipal authorities shall be consulted to obtain any necessary permits. Specific regulations enforced by the Ministry of Natural Resources shall be complied with for burning wood and brush at landfills located north of Ontario's fire line.

2.2 Certificate of Approval

Burning of any kind is not permitted at new landfill sites unless specifically allowed in the Certificate of Approval.

3.0 Operational Requirements

The operational requirements are detailed under Section 4.2.1.3 of the guidance manual under the headings of:

- (a) Weather and Atmospheric Conditions,
- (b) Supervision,
- (c) Environmental Controls,
- (d) Extinguishing Requirements,
- (e) Access Control, and
- (f) Resolution of Complaints.

4.2.4.3 Operational Requirements

a) Weather and Atmospheric Conditions

Burning should be carried out only when prevailing weather and atmospheric conditions are suitable. Burning should not be carried out when:

- i) the area has a high Air Quality Index (AQI);
- ii) rain or fog are present, since smoke cannot disperse properly and may be concentrated in one particular area; and
- iii) wind speeds are high or wind directions are changing frequently, because these conditions allow fires to spread rapidly.

b) Supervision

- i) Dry brush and clean wood wastes should be segregated and subsequently burned on a designated, cleaned area of the site, under supervision of the site operator.
- ii) The fire should be supervised continuously until completely extinguished.
- iii) The site operator should clear residual ashes from a fire and dispose of the ash with normal incoming waste as soon as practically possible. The ashes must be cold prior to mixing with waste. Residual ashes should not be allowed to accumulate at the designated burning area.

c) Environmental Controls

- i) Petroleum products, plastic, rubber or any other material that will cause excessive smoke or noxious fumes must not be mixed with or contaminate the wood or brush that may be burned.
- ii) Burning should not be carried out if there is sensitive land-use adjacent to the landfill site or if the nearest dwelling is less than 150 metres from the site.
- iii) A 30 metre fire break should be provided around the burning area.
- iv) Ontario Regulation 308, made under the EPA, contains provisions dealing with air pollution. Owners and site operators are advised to apply themselves of the provisions contained therein.

d) Extinguishing Requirements

The area of burning on the landfill site must be restricted in order to enable the operator to extinguish the fire immediately if necessary due to a change in weather or other conditions or if so ordered by MOBE or Ministry of Natural Resources staff. The operator must also provide proof of this ability (i.e., on-site equipment or written agreement with local fire control agency) to extinguish the fire.

e) Access Control

- i) Access to the landfill site by the public and other unauthorized personnel must be restricted when burning is carried out.
- ii) Appropriate signs should be posted at all entrances to the site used by the public and waste haulers advising them of restricted access due to burning of waste.

f) Resolution of Complaints

- i) Complaints from local residents regarding smoke or odour emissions will have to be resolved by the operator. If this is not corrected satisfactorily, the operator would be required to stop burning.
- ii) When persistent problems are encountered with burning at existing sites, the operator may be requested either to stop burning or make a satisfactory proposal to control burning for incorporation in the Certificate of Approval for the site. This may involve a request for amendment of a current Certificate of Approval. If the operator does not comply voluntarily with such a request, formal action to halt burning may be taken under provisions of the EPA.

4.21 OPEN BURNING OF WASTE

4.21.1 Relevance

The burning of municipal waste, except a limited number of specific material, is prohibited by regulation in Ontario. Open burning of waste at a landfill site creates

- a) air emission concerns;
- b) public and environmental hazards;
- c) lack of site operational control;
- d) fire hazard; and
- e) nuisance.

Segregated, clean wood and brush, however, may be burned at certain isolated sites, subject to weather and atmospheric conditions and supervision requirements.

4.21.2 General Requirements

- a) As part of an overall program to maximize waste capacity at existing landfill sites, thereby extending their life, open burning of clean wood and brush may be allowed under strictly controlled conditions as discussed in this subsection.

The Ministry of Natural Resources and local municipal authorities should be consulted in order to obtain any necessary permits for burning. These agencies may require specific details on safety precautions and fire prevention measures that will be taken. Landfill site advisor/operators are also advised to check for any municipal by-laws enforced by the local police and fire departments. Specific regulations enforced by the Ministry of Natural Resources must be complied with for burning north of Ontario's fire line. The fire line runs east from Lake Huron across the bottom of Georgian Bay and the top of Lake Simcoe down to Gananoque, then north and west to meet the Ottawa River north of Renfrew.

- b) Burning is not permitted at new landfill sites unless specifically allowed in the Certificate of Approval, usually conditional on the compliance with various environmental and safety considerations. Any permit to burn waste at new landfill sites would also be conditional on compliance with local municipal by-laws, and specific requirements of The Ministry of Natural Resources.

**APPENDIX D:
HISTORICAL GROUNDWATER QUALITY**

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1
			1-Jun-89	1-Oct-89	1-May-90	1-Jan-91	1-Apr-91	1-Oct-91	1-Apr-92	1-Oct-92	1-May-93	1-Nov-93	1-May-94	1-Oct-94	1-May-95	1-Oct-95	1-May-96	1-Apr-97
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401.25		201	202	211	208	215	198	225	215	195	195	225	203	208	243	202
Ammonia(as N)	-	nv	0.01	0.238	0.001	0.259	0.197	0.251	0.148	0.086	0.102	0.049	0.063	0.23	0.12	0.22		0.042
Barium	1																	
Boron	5 [IMAC]																	
Calcium	-	nv																
Chloride	250 [AO]	133.25	5	4.9	4.4	5.7	4.9	5.3	5.3	5.9	5.5	4.5	4.2	5.3	4.4	4.8	2	4.49
Conductivity - @25°C (µS/cm)	-	nv	536	551	548	573	565	560	556	577	545	538	540	553	544	534	675	460
Hardness(as CaCO ₃)	80-100 [OG]	360*	277	259	275	255	265	251	254	252	272	282	276	279	283	279	297	344
Iron	0.3 [AO]	0.155																
Magnesium	-	nv																
Nitrate(as N)	10 d	2.59	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.5	0.7	0.4	0.1	0.2	0.5	0.05	0.11
Nitrite(as N)	1 d		0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.02	0.07	0.08	0.01		0.1
Organic Nitrogen	0.15		0.31	0.238	0.33	0.221	0.273	0.289	0.222	0.394	0.598	0.341	0.167	0.33	0.03	0.15		0.16
pH	6.5-8.5 [OG]	6.5 to 8.5	7.59	7.71	7.86	8.05	7.97	8.04	7.78	7.92	7.86	7.91	8.15	8.1	7.86	7.95	7.33	7.7
Sodium	200 [AO]	105.8											11.8		12.3	13.5	14.6	13.1
Sulphate	500 [AO]	267													86	81.9	78.8	90.8
Total Kjeldahl Nitrogen(as N)	-	nv	0.32	0.46	0.33	0.48	0.47	0.54	0.37	0.48	0.7	0.39	0.23	0.56	0.15	0.37		0.2

NOTES:

- All results expressed in mg/L, unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

BOLD Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1
			1-Sep-97	1-May-98	1-Oct-98	1-May-99	1-Nov-99	9-Jun-00	TW1 Rep 9-Jun-00	TW1 005 18-Jul-01	TW1 006 19-Oct-01	TW1 003 26-Jun-02	TW1 010 23-Oct-02	TW1 008 27-May-03	TW1 008 30-Sep-03	TW1 008 3-Jun-04	TW1 006 22-Sep-04	TW1 008 27-Apr-05	
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401.25	199	320	197	158	184	215	216	198	214	210	204	198	199	177	204	199	200
Ammonia(as N)	-	nv	0.017	0.11	0.37	0.16	0.05	2.67	2.67	0.2	1.97	1.21	0.3	0.12	0.33	0.2	0.62	0.21	
Barium	1							0.683	0.675	0.04	0.04	0.04	0.05	0.045	0.049	0.045	0.044	0.049	
Boron	5 [IMAC]							0.19	0.19	0.08	0.08	0.07	0.08	0.07	0.06	0.07	0.061	0.063	
Calcium	-	nv						60.4	59.8	53.6	55.1	51.6	59.3	57.1	57.2	57.7	50.5	61.2	
Chloride	250 [AO]	133.25	5.33	2.73	3.85	1.87	8.6	3.7	3.9	4.3	5.4	4.7	4.5	4.4	4.1	4.4	4.7	4.2	
Conductivity - @25°C (µS/cm)	-	nv	530	442	540	462	468	543	547	538	559	558	542	495	487	537	516	525	
Hardness(as CaCO ₃)	80-100 [OG]	360*	264	218	223	281	270	276	273	263	261	243	271	263.584	266	268	244	286	
Iron	0.3 [AO]	0.155				0.01	0.01	0.38	0.38	0.07	0.26	0.13	0.47	0.27	0.375	0.085	0.448	0.178	
Magnesium	-	nv						30.3	30	31.5	30	27.8	29.8	29.4	30	30.1	28.6	32.4	
Nitrate(as N)	10 d	2.59	0.42	1.24	0.09	0.35	0.92	nd	nd	<0.1	<0.1	<0.1	0.1	0.1	0.1	0.2	0.1		
Nitrite(as N)	1 d		0.1	0.05	0.05	0.05	0.05	nd	nd	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		
Organic Nitrogen	0.15		0.36	0.6	3.03	1.7	3.4	1.93	1.83	0.63	0.07	0.24	0.48	0.05	0.2	0.16	0.38	0.07	
pH	6.5-8.5 [OG]	6.5 to 8.5	8	7.34	8.1	7.98	7.87	7.34	7.34	7.92	7.67	7.28	8.52	7.9	7.79	8.33	7.56	7.79	
Sodium	200 [AO]	105.8	22.1	14.9	23.7	16.8	29.3	29.6	29.2	14.9	13.3	12.3	22.6	16.3	12.4	11.4	11.3	10.5	
Sulphate	500 [AO]	267	89.8	19.1	86.2	104	87.2	85.4	86.4	81.7	74.8	76.6	93	95	91	93	92	91	
Total Kjeldahl Nitrogen(as N)	-	nv	0.38	0.71	3.4	1.9	3.5	4.6	4.5	0.83	2.04	1.45	0.78	0.17	0.53	0.36	1	0.28	

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Quality Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

BOLD Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1
			005	006	001	003	004	007	007	007	009	009	010	010	011	011	011
			17-Oct-05	27-Apr-06	26-Oct-06	9-Apr-07	10-Oct-07	17-Apr-08	6-Oct-08	29-Apr-09	13-Oct-09	4-May-10	10-Nov-10	14-Apr-11	25-Oct-11	3-Apr-12	26-Sep-12
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401.25	214	198	203	202	232	190	240	265	219	206	226	206	213	204	211
Ammonia(as N)	-	nv	0.28	0.17	0.31	<0.01	7.46	0.44	4.4	0.76	1.23	0.31	3.23	0.4	1.31	0.33	1.08
Barium	1		0.05	0.049	0.044	0.043	0.037	0.035	0.04	0.038	0.033	0.041	0.047	0.045	0.044	0.042	0.048
Boron	5 [IMAC]		0.069	0.074	0.066	0.07	0.068	0.061	0.066	0.068	0.058	0.065	0.075	0.024	0.062	0.072	0.068
Calcium	-	nv	57	61.8	55.7	55.8	53.6	53.2	54.7	59.2	52	54.6	56.2	57.4	56.1	51.2	57.8
Chloride	250 [AO]	133.25	4.4	4.4	5	4.8	4.7	4.9	5.1	4.4	4.7	4.6	4.8	4.7	4.5	4.8	4.8
Conductivity - @25°C (µS/cm)	-	nv	514	531	519	489	574	588	519	540	550	540	539	528	551	521	533
Hardness(as CaCO ₃)	80-100 [OG]	360*	269	287	260	261	253	247	253	279	248	257	268	267	273	252	272
Iron	0.3 [AO]	0.155	0.421	0.02	0.025	<0.005	0.888	0.39	0.173	0.732	0.609	0.976	0.633	1.14	0.638	0.076	1.57
Magnesium	-	nv	30.7	32.3	29.5	29.6	28.9	27.9	28.4	31.8	28.7	29.2	30.9	30.1	32.2	30.1	31
Nitrate(as N)	10 d	2.59	0.1	0.1	0.1	0.1	0.1	<0.1	0.2	<0.1	0.2	<0.1	<0.1	<0.1	<0.1	0.1	<0.1
Nitrite(as N)	1 d		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Organic Nitrogen	0.15		0.12	2.47	0.01	0.21	3.14	0.75	2.28	0.78	0.01	0.38		0.32	0.09	0.52	0.09
pH	6.5-8.5 [OG]	6.5 to 8.5	7.76	7.94	7.81	7.66	7.36	7.72	7.67	7.58	7.6	6.1	7.81	7.13	7.84	6.74	7.99
Sodium	200 [AO]	105.8	10	13.7	10.8	11.8	12.9	12.7	9.4	12.3	9.9	10.5	10.2	9.2	8.8	10.2	10.6
Sulphate	500 [AO]	267	83	89	88	94	74	76	67	59	77	84	68	77	73	84	84
Total Kjeldahl Nitrogen(as N)	-	nv	0.4	2.64	0.32	0.22	10.6	1.19	6.68	1.54	1.24**	0.69	1.74	0.72	1.4	0.85	1.17

NOTES:

1. All results expressed in mg/L, unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

BOLD Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	TW1	
			7-May-13	26-Nov-13	1-May-14	4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18	24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22	
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401.25	200	250	220	250	200	210	210	200	190	210	210	200	190	200	190	200	200	200	200	190	190
Ammonia(as N)	-	nv	0.38	4.9	1.2	12	1.2	0.27	0.19	0.34	0.18	0.11	0.94	0.11	0.28	<0.050	0.085	<0.050	<0.050	<0.050	<0.050	0.11	0.4
Barium	1																						
Boron	5 [IMAC]																						
Calcium	-	nv	58	59						61													
Chloride	250 [AO]	133.25	5	6	5	6	5	5.8	5.4	5.3	5.9	5.9	5.7	5.9	5.5	5.6	5.7	5.7	6.2	6.2	5.6	5.8	
Conductivity - @25°C (µS/cm)	-	nv	540	560	530	590	540	530	530	540	550	560	540	540	540	520	550	530	530	520	530	530	
Hardness(as CaCO ₃)	80-100 [OG]	360*	270	280	270	290	280	300	280	280	280	280	280	280	280	280	280	280	280	280	280	270	270
Iron	0.3 [AO]	0.155	<0.1	<0.1	ND	0.06	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Magnesium	-	nv	31	32						32													
Nitrate(as N)	10 d	2.59	<0.1	<0.1	<0.1	<0.1	0.35	<0.10	0.19	0.1	0.13	0.33	<0.10	0.29	<0.10	<0.50	0.1	0.2	0.3	0.28	0.42	<0.10	
Nitrite(as N)	1 d		0.082	<0.01																			
Organic Nitrogen	0.15		0.23	0.3	1	2	0.1	0.17	0.01	0.2	0.15	0.13	0.06	0.71	0.07								
pH	6.5-8.5 [OG]	6.5 to 8.5	7.98	7.82	8.07	7.8	7.97	7.92	8.01	8.09	8.03	7.9	7.98	7.74	8.15	8.19	8.01	8.17	8.14	7.97	8.21	8.09	
Sodium	200 [AO]	105.8	10	10	9.1	11	10	11	9.5	10	10	11	9.8	9.7	9.9	9.4	9.8	8.7	8.5	9.3	9.2	9.2	
Sulphate	500 [AO]	267	73	49	53	54	70	60	65	73	84	82	73	70	81	74	89	79	75	79	82	75	
Total Kjeldahl Nitrogen(as N)	-	nv	0.61	5.2	2.2	14	1.3	0.44	0.2	0.54	0.33	0.24	1	0.82	0.35	0.19	<0.10	0.14	<0.10	0.13	0.27	0.47	

NOTES:

- All results expressed in mg/L, unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

BOLD Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2
			1-Jan-91	1-Apr-91	1-Oct-91	1-Apr-92	1-Oct-92	1-May-93	1-Nov-93	1-May-94	1-Oct-94	1-May-95	1-Oct-95	1-Apr-97	1-Sep-97	1-May-98
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	383	332	290	331	323	271	215	263	357	306	346	303	263	510
Ammonia(as N)	-	nv	0.007	0.035	0.115	0.054	0.348	0.056	0.13	0.077		0.16	0.3	0.004	0.007	0.12
Barium	1															
Boron	5 [IMAC]															
Calcium	-	nv														
Chloride	250 [AO]	133	20.7	11	36.1	21.1	12	9.7	10.3	12.8	15	11.3	28.5	12	15.7	10.5
Conductivity - @25°C (µS/cm)	-	nv	856	772	888	806	791	668	608	750	680	719	850	620	680	523
Hardness(as CaCO ₃)	80-100 [OG]	360*	391	373	447	405	283	347	340	386	376	369	431	418	363	312
Iron	0.3 [AO]	0.16														
Magnesium	-	nv														
Nitrate(as N)	10 d	2.59	4.2	1.9	0.1	5.1	0.2	1.3	0.1	1.1	0.1	0.6	0.6	1.65	0.45	0.65
Nitrite(as N)	1 d		0.01	0.02	0.01	0.03	0.01	0.01	0.01	0.01	0.03	0.04	0.01	0.1	0.1	0.05
Organic Nitrogen	0.15		0.563	0.495	0.385	0.606	0.532	0.474	0.64	0.333		0.39	0.23	0.29	0.24	1.2
pH	6.5-8.5 [OG]	6.5 to 8.5	8.03	7.88	7.75	7.65	7.75	7.8	7.92	8.07	8.19	8.07	7.69	7.6	7.8	7.27
Sodium	200 [AO]	106										15.7	15.5	9.52	19	12.1
Sulphate	500 [AO]	267										65.9	101	60.1	102	156
Total Kjeldahl Nitrogen(as N)	-	nv	0.57	0.53	0.5	0.66	0.88	0.53	0.77	0.41	0.6	0.55	0.53	0.29	0.24	1.32

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW2	TW2	TW2	TW2 Rep	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2
			1-May-99	1-Nov-99	9-Jan-01	9-Jan-01	18-Jul-01	19-Oct-01	26-Jun-02	23-Oct-02	27-May-03	30-Sep-03	3-Jun-04	22-Sep-04	27-Apr-05	17-Oct-05
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	215	282	192	1974.5	DRY	409	DRY	309	375	357	405	267	368	352
Ammonia(as N)	-	nv	0.44	0.05	0.04	0.06		0.06		0.22	0.06	0.22	0.1	0.27	0.12	0.15
Barium	1				0.257	0.252				0.1	0.086	0.085	0.083	0.055	0.076	0.093
Boron	5 [IMAC]				0.17	0.17				0.15	0.154	0.227	0.11	0.162	0.189	
Calcium	-	nv			55.3	54.9		127		154	121	111	116	73.1	105	104
Chloride	250 [AO]	133	9.4	40.9	4.5	4.5		37.7		29.6	62.4	28	16.1	14.6	9.2	19.6
Conductivity - @25°C (µS/cm)	-	nv	534	770	499	501		1014		997	953	822	820	645	748	783
Hardness(as CaCO ₃)	80-100 [OG]	360*	362	496	259	258		558		618	533.482	471	475	324	429	449
Iron	0.3 [AO]	0.16	0.01	0.01	0.06	0.06				0.19	0.37	0.182	0.062	0.106	0.046	0.077
Magnesium	-	nv			29.2	29.2		58.4		56.8	56.2	47.2	44.9	34.3	40.4	45.9
Nitrate(as N)	10 d	2.59	0.23	0.43	nd	nd		<0.1		0.1	0.1	0.1	2	0.2	1.4	0.1
Nitrite(as N)	1 d		0.05	0.05	nd	nd		<0.1		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Organic Nitrogen	0.15		1.7	2.7	nd	nd		0.38		1.29	0.68	0.4	0.49	0.28	0.84	0.53
pH	6.5-8.5 [OG]	6.5 to 8.5	7.86	7.72	7.92	7.86		7.52		8.09	7.7	7.47	8.2	7.47	7.78	7.37
Sodium	200 [AO]	106	6.74	21	21.2	22.3		20.4		13.9	21	16.3	15.1	9.7	10.2	13.8
Sulphate	500 [AO]	267	144	118	84.5	85.3		97.6		208	135	120	59	106	40	92
Total Kjeldahl Nitrogen(as N)	-	nv	2.2	2.8	0.04	0.05		0.44		1.51	0.74	0.62	0.59	0.55	0.96	0.68

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2
			005	002	002		006	006								
			27-Apr-06	26-Oct-06	9-Apr-07	10-Oct-07	17-Apr-08	6-Oct-08	29-Apr-09	13-Oct-09	4-May-10	10-Nov-10	14-Apr-11	25-Oct-11	3-Apr-12	26-Sep-12
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	380	402	350	DRY	346	360	393	340	395	322	385	479	409	349
Ammonia(as N)	-	nv	0.03	0.03	<0.01		0.02	0.11	<0.01	0.07	<0.01	0.02	<0.01	<0.01	0.02	<0.01
Barium	1		0.08	0.074	0.071		0.068	0.075	0.062	0.068	0.08	0.073	0.064	0.08	0.059	0.096
Boron	5 [IMAC]		0.221	0.177	0.147		0.167	0.165	0.193	0.138	0.176	0.136	0.127	0.198	0.21	0.182
Calcium	-	nv	111	111	93.6		98.3	94.3	104	88.4	98.6	87.6	100	124	89.4	113
Chloride	250 [AO]	133	13	36.1	10.9		11	16.4	12	18.4	13.2	14.2	12.2	10	15.1	21.5
Conductivity - @25°C (µS/cm)	-	nv	783	830	689		813	752	828	801	844	741	814	989	840	877
Hardness(as CaCO ₃)	80-100 [OG]	360*	432	477	367		394	395	419	377	411	364	410	526	388	479
Iron	0.3 [AO]	0.16	0.033	<0.005	<0.005		<0.005	0.102	<0.005	0.012	<0.005	<0.005	<0.005	0.033	<0.005	<0.005
Magnesium	-	nv	37.9	48.8	32.3		36.2	38.7	38.4	37.8	40	35.2	38.9	52.4	40	48
Nitrate(as N)	10 d	2.59	2.4	0.2	2.4		2.1	1.3	3.5	0.2	2.2	2.9	4.1	3.6	4.6	0.2
Nitrite(as N)	1 d		<0.1	<0.1	<0.1		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Organic Nitrogen	0.15		0.59	1.61	1.56		1.82	1.85	1.11	2.93	0.89	0.78	1.13	<1.28	0.75	1.49
pH	6.5-8.5 [OG]	6.5 to 8.5	7.96	7.66	7.53		7.52	7.46	7.62	7.36	6.99	7.72	7.11	7.72	7.99	7.77
Sodium	200 [AO]	106	12.8	18.4	10.7		11.4	12.2	11.5	12.1	11	9.4	10.5	9.8	12	14.8
Sulphate	500 [AO]	267	41	97	57		59	80	37	88	56	53	37	39	31	131
Total Kjeldahl Nitrogen(as N)	-	nv	0.62	1.64	1.57		1.84	1.96	1.12	3	0.9	0.8	1.14	1.29	0.77	1.49

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2
			7-May-13	26-Nov-13	1-May-14	4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	360	330	370	270	230	220	290	300	290	400	290	
Ammonia(as N)	-	nv	0.16	0.095	0.46	0.2	0.11	0.11	0.071	0.49	0.12	0.093	0.31	
Barium	1													
Boron	5 [IMAC]													
Calcium	-	nv	97	87						100			80	
Chloride	250 [AO]	133	8	9	9	12	9	10	11	17	5.9	15	9	
Conductivity - @25°C (µS/cm)	-	nv	780	720	780	680	600	600	700	790	690	830	660	
Hardness(as CaCO ₃)	80-100 [OG]	360*	420	390	400	380	340	340	380	420	370	440	340	
Iron	0.3 [AO]	0.16	<0.1	<0.1	ND	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	ISW
Magnesium	-	nv	44	41						43			35	
Nitrate(as N)	10 d	2.59	1.7	1.4	2.72	0.48	0.38	0.28	1.09	<0.1	0.66	0.44	1.34	
Nitrite(as N)	1 d		<0.01	<0.01										
Organic Nitrogen	0.15		2.34	1.205	3.44	1.8	0.73	0.63	0.129	0.47	0.59	0.157	0.89	
pH	6.5-8.5 [OG]	6.5 to 8.5	8.12	7.98	8.01	7.94	8.14	8.05	8.16	8.06	8.01	8.06	8.04	
Sodium	200 [AO]	106	8.2	8.6	7.9	11	8.3	9.2	8.7	14	7.4	10	8	
Sulphate	500 [AO]	267	53	52	37	80	72	90	81	110	34	42	46	
Total Kjeldahl Nitrogen(as N)	-	nv	2.5	1.3	3.9	<2	0.84	0.74	0.2	0.96	0.71	<0.50	1.2	

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC

Municipality of West Grey
Groundwater Quality - Normanby Landfill

TW2

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW2	TW2	TW2	TW2	TW2	TW2	TW2	TW2
			24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	270	250	250	310	310	420	210	200
Ammonia(as N)	-	nv	<0.050	0.11	0.08	0.12	0.2	2.1	0.33	0.19
Barium	1									
Boron	5 [IMAC]									
Calcium	-	nv								
Chloride	250 [AO]	133	3.9	18	11	23	14	16	12	29
Conductivity - @25°C (µS/cm)	-	nv	550	670	630	760	710	840	600	950
Hardness(as CaCO ₃)	80-100 [OG]	360*	290	370	310	390	360	450	330	520
Iron	0.3 [AO]	0.16	<0.02	<0.02	<0.02	<0.02	<0.02	0.31	<0.02	<0.02
Magnesium	-	nv								
Nitrate(as N)	10 d	2.59	1.43	<0.10	0.18	<0.10	<0.10	<0.10	<0.10	<0.10
Nitrite(as N)	1 d									
Organic Nitrogen	0.15		0.365							
pH	6.5-8.5 [OG]	6.5 to 8.5	8.23	8.01	8.01	8.15	8.06	7.83	8.08	8.04
Sodium	200 [AO]	106	5.6	10	8.2	13	9.6	10	8.5	18
Sulphate	500 [AO]	267	19	84	78	76	66	64	100	89
Total Kjeldahl Nitrogen(as N)	-	nv	0.39	0.34	0.49	0.28	0.53	4.2	0.57	0.69

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

Municipality of West Grey
Groundwater Quality - Normanby Landfill

TW3

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3
			1-Jun-89	1-Oct-89	1-May-90	1-Jan-91	1-Apr-91	1-Oct-91	1-Apr-92	1-Oct-92	1-May-93	1-Nov-93	1-May-94	1-Oct-94	1-May-95	1-Oct-95	1-May-96
Alkalinity(as CaCO ₃)	30 - 500 [OG]	355		368	277	367	335	375	309	410	396	372	308	437	350	421	387
Ammonia(as N)	-	nv	0.062	0.044	0.226	0.02	0.031	0.094	0.053	0.025	0.06	0.083	0.067	0.282	0.14	0.32	
Barium	1	0.32															
Boron	5 [IMAC]	1.31															
Calcium	-	nv															
Chloride	250 [AO]	127	27.1	17.3	26.3	28.9	19	45.4	21.1	26.7	30.6	3.9	18.9	53.3	39.2	63.8	37.5
Conductivity - @25°C (µS/cm)	-	nv	767	925	663	782	677	877	651	804	774	1023	690	978	749	1055	905
Hardness(as CaCO ₃)	80-100 [OG]	183	387	476	302	344	328	414	328	283	375	505	333	458	358	469	391
Iron	0.3 [AO]	0.36															
Magnesium	-	nv															
Nitrate(as N)	10 d	2.68	0.1	0.1	4.8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.05
Nitrite(as N)	1 d	0.28	0.02	0.01	0.05	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.03	0.04	0.01	
Organic Nitrogen	0.15	0.41	0.618	0.356	0.944	0.6	0.559	0.746	0.417	0.715	0.89	0.637	0.423	0.978	0.51	0.73	
pH	6.5-8.5 [OG]	6.5 to 8.5	7	7.14	7.71	7.53	7.57	7.37	7.17	7.23	7.29	7.72	7.81	7.41	7.64	7.43	7.19
Sodium	200 [AO]	107											19.7		26.2	52.2	29.6
Sulphate	500 [AO]	290													17	67.5	12.2
Total Kjeldahl Nitrogen(as N)	-	nv	0.68	0.4	1.17	0.62	0.59	0.84	0.46	0.74	0.95	0.72	0.49	1.26	0.65	1.05	

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3 (dup)	TW3	TW3
			1-Apr-97	1-Sep-97	1-May-99	1-Nov-99	9-Jan-01	12-Jul-02	23-Oct-02	27-May-03	30-Sep-03	3-Jun-04	22-Sep-04	22-Sep-04	003	005	003
Alkalinity(as CaCO ₃)	30 - 500 [OG]	355	273	412	270	343	438	570	537	390	531	549	543	543	543	396	396
Ammonia(as N)	-	nv	0.077	0.198	0.21	0.11	0.07	0.25	0.13	0.04	0.06	0.27	0.01	<0.01	0.18	0.07	
Barium	1	0.32					0.5	0.23	0.075	0.072	0.089	0.088	0.093	0.093	0.06	0.076	
Boron	5 [IMAC]	1.31					0.28	0.7	0.7	0.46	0.639	0.465	0.775	0.783	0.349	0.633	
Calcium	-	nv					91.7	124	126	92.6	113	111	108	108	87.1	89.5	
Chloride	250 [AO]	127	46.4	89.1	54.3	66.5	44.5	56.1	53.8	50.2	61.7	45.5	61.7	68	34	43.2	
Conductivity - @25°C (µS/cm)	-	nv	740	1250	819	1000	837	1265	1190	889	1120	1100	1240	1230	865	933	
Hardness(as CaCO ₃)	80-100 [OG]	183	518	436	450	590	426	564	588	420.971	518	513	512	512	405	406	
Iron	0.3 [AO]	0.36			0.01	0.01	1.11	1.58	0.88	0.28	0.06	0.139	0.125	0.206	0.033	0.027	
Magnesium	-	nv					47.8	61.9	66.4	46.1	57.3	57.1	58.9	59	45.6	44.4	
Nitrate(as N)	10 d	2.68	0.1	0.1	0.2	0.32	nd	<0.1	<0.1	0.6	0.4	<0.1	8.1	8.8	<0.1	0.3	
Nitrite(as N)	1 d	0.28	0.1	0.1	0.05	0.05	nd	<0.1	<0.1	0.2	0.1	<0.1	0.6	0.7	<0.1	0.2	
Organic Nitrogen	0.15	0.41	0.56	0.97	2.2	5.1	0.76	0.92	0.98	1.83	0.8	0.74	0.99	0.97	1.71	1.24	
pH	6.5-8.5 [OG]	6.5 to 8.5	7.3	7.3	7.93	7.4	7.45	6.92	8.41	7.47	7.2	8.14	7.06	7.1	7.41	7.32	
Sodium	200 [AO]	107	39.6	0.072	32.5	50.1	38.4	57.3	51.6	46.5	57	46.8	51	51.2	32.6	44.7	
Sulphate	500 [AO]	290	29.1	90.1	98.1	127.5	28	52.2	75	92	58	19	74	81	31	89	
Total Kjeldahl Nitrogen(as N)	-	nv	0.64	1.17	2.4	5.2	0.83	1.17	1.11	1.87	0.86	1.01	1	0.97	1.89	1.31	

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW3	TW3	TW3	TW3 (dup)	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3
			004	005	006	007	003	003	004	009	009	009	009	009	009	009
			27-Apr-06	26-Oct-06	9-Apr-07	9-Apr-07	10-Oct-07	17-Apr-08	6-Oct-08	29-Apr-09	13-Oct-09	Duplicate #1 13-Oct-09	4-May-10	10-Nov-10	14-Apr-11	25-Oct-11
Alkalinity(as CaCO ₃)	30 - 500 [OG]	355	402	468	448	450	501	362	448	410	502	496	453	431	408	336
Ammonia(as N)	-	nv	0.11	0.02	0.09	0.08	0.01	<0.01	0.12	0.08	0.03	0.03	0.05	0.1	0.06	0.04
Barium	1	0.32	0.059	0.079	0.059	0.059	0.072	0.05	0.062	0.043	0.069	0.07	0.06	0.06	0.047	0.056
Boron	5 [IMAC]	1.31	0.369	0.546	0.296	0.293	0.632	0.327	0.628	0.325	0.574	0.583	0.404	0.495	0.257	0.505
Calcium	-	nv	85.4	106	90.6	89.4	109	79.8	95.5	84.3	106	107	99.5	104	91.4	92.7
Chloride	250 [AO]	127	26.2	43.5	33.1	33	37.1	30.7	38	23.3	36.9	36.2	36	30	24.6	26.9
Conductivity - @25°C (µS/cm)	-	nv	805	1120	846	833	1100	864	987	807	1090	1100	967	930	838	895
Hardness(as CaCO ₃)	80-100 [OG]	183	390	483	417	411	499	359	419	381	469	474	439	450	399	401
Iron	0.3 [AO]	0.36	0.018	0.013	0.031	0.032	0.067	<0.005	0.034	0.084	0.026	0.028	0.08	0.364	0.265	0.284
Magnesium	-	nv	43	52.9	46.2	45.6	54.9	38.9	43.9	41.4	49.6	50	46.3	46.4	41.6	41.2
Nitrate(as N)	10 d	2.68	<0.1	0.3	<0.1	<0.1	1	<0.1	<0.1	<0.1	0.4	0.4	<0.1	<0.1	<0.1	<0.1
Nitrite(as N)	1 d	0.28	<0.1	<0.1	<0.1	<0.1	0.4	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Organic Nitrogen	0.15	0.41	1.04	0.89	3.41	2.82	1.04	2.24	1.13	3.43	2.18	2.03	2.44	1.57	1.7	1.56
pH	6.5-8.5 [OG]	6.5 to 8.5	7.7	7.39	7.38	7.35	7.09	7.43	7.21	7.39	7.05	7.02	6.97	7.56	6.81	7.56
Sodium	200 [AO]	107	30.2	41.1	29.4	29	35.8	29.7	35.3	22	33.3	33.7	27.4	27.3	22.9	24.6
Sulphate	500 [AO]	290	20	116	26	26	87	81	84	11	86	85	32	48	27	105
Total Kjeldahl Nitrogen(as N)	-	nv	1.15	0.91	3.5	2.9	1.05	2.25	1.25	3.51	2.21	2.06	2.49	1.67	1.76	1.6

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
Exceeds RUC

BOLD

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW3	TW3	TW3 Duplicate #2	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3	TW3
			3-Apr-12	26-Sep-12	26-Sep-12	7-May-13	26-Nov-13	1-May-14	4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18
Alkalinity(as CaCO ₃)	30 - 500 [OG]	355	388	438	436	330	350	360	410	300	390	310	380	340	410	360	340
Ammonia(as N)	-	nv	0.07	0.03	0.03	0.13	0.11	0.25	0.075	0.088	0.17	0.12	0.11	0.077	0.1	0.29	0.28
Barium	1	0.32	0.044	0.073	0.072												
Boron	5 [IMAC]	1.31	0.286	0.664	0.667												
Calcium	-	nv	76.5	113	114	76	87						110			86	
Chloride	250 [AO]	127	23.5	30.6	30.4	20	21	23	18	17	24	19	31	20	27	24	33
Conductivity - @25°C (µS/cm)	-	nv	773	1020	997	730	780	760	88	640	870	670	930	730	850	720	830
Hardness(as CaCO ₃)	80-100 [OG]	183	345	492	495	330	370	320	450	330	440	340	460	360	420	350	400
Iron	0.3 [AO]	0.36	0.329	0.084	0.072	<0.1	<0.1	ND	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02
Magnesium	-	nv	37.3	51	51.3	33	38						44			33	
Nitrate(as N)	10 d	2.68	<0.1	2.3	2.3	<0.1	<0.1	<0.1	0.13	<0.10	<0.10	<0.10	1.76	<0.10	<0.10	<0.10	0.15
Nitrite(as N)	1 d	0.28	<0.1	0.4	0.5	<0.01	<0.01										
Organic Nitrogen	0.15	0.41	1.1	1.06	0.88	1.27	2.79	4.25	1.93	0.522	0.83	0.1	0.57	0.493	0.34	0.18	0.3
pH	6.5-8.5 [OG]	6.5 to 8.5	7.91	7.82	7.94	7.87	7.81	8.03	7.69	8.04	7.93	7.79	7.97	7.9	7.55	7.76	7.58
Sodium	200 [AO]	107	20.7	29.9	30	22	23	18	26	15	26	14	28	18	25	20	
Sulphate	500 [AO]	290	18	87	88	32	43	28	57	25	58	32	76	19	19	17	87
Total Kjeldahl Nitrogen(as N)	-	nv	1.17	1.09	0.91	1.4	2.9	4.5	<2	0.61	1	<0.10	0.68	0.57	0.44	0.47	0.58

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC

Municipality of West Grey
Groundwater Quality - Normanby Landfill

TW3

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW3	TW3	TW3	TW3	TW3	TW3	
			24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	
Alkalinity(as CaCO ₃)	30 - 500 [OG]	355	180	330	350			140	380
Ammonia(as N)	-	nv	0.33	0.086	<0.050			0.58	0.07
Barium	1	0.32							
Boron	5 [IMAC]	1.31							
Calcium	-	nv							
Chloride	250 [AO]	127	8.6	28	22			8.2	21
Conductivity - @25°C (µS/cm)	-	nv	360	810	710			300	760
Hardness(as CaCO ₃)	80-100 [OG]	183	180	420	340			140	370
Iron	0.3 [AO]	0.36	0.68	<0.02	<0.02	ISW		0.02	<0.02
Magnesium	-	nv							
Nitrate(as N)	10 d	2.68	0.1	<0.10	0.25			0.58	<0.10
Nitrite(as N)	1 d	0.28							
Organic Nitrogen	0.15	0.41	0.49						
pH	6.5-8.5 [OG]	6.5 to 8.5	8.06	7.89	7.83			8	7.76
Sodium	200 [AO]	107	6	27	19			5.9	20
Sulphate	500 [AO]	290	<1.0	72	14			8.7	39
Total Kjeldahl Nitrogen(as N)	-	nv	0.82	0.47	0.39			0.68	0.64

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. :
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated c
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5
			1-Jun-89	1-Oct-89	1-May-90	1-Jan-91	1-Apr-91	1-Oct-91	1-Apr-92	1-Oct-92	1-May-93	1-Nov-93	1-May-94	1-Oct-94	1-May-95	1-Oct-95	1-May-96	1-Apr-97
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401.25																
Ammonia(as N)	-	nv	0.028	0.012	0.029	0.015	0.049	0.043	0.028	0.016	0.072	0.072	0.031	0.225	0.35	0.54		1.49
Barium	1																	
Boron	5 [IMAC]																	
Calcium	-	nv	87.4	84.4	85.4	80.7	83	80.6	80.4	35.9	86.4	80.7	92.2	99.5	97.7	88.7	114	
Chloride	250 [AO]	133.25	15.5	15.1	16.1	18	19.2	20.1	17.1	18.2	19.7	17.5	31.5	31.8	37.6	34.7	40.8	32.3
Conductivity - @25°C (µS/cm)	-	nv	669	678	688	715	705	681	657	677	697	667	809	816	893	852	1107	770
Hardness(as CaCO ₃)	80-100 [OG]	360*	354	348	349	345	339	338	344	234	354	345	399	424	430	402	493	478
Iron	0.3 [AO]	0.155																
Magnesium	-	nv	32.8	33.2	33	34.7	31.9	33.1	34.7	35	33.4	34.8	41	42.6	45.2	43.7	50	
Nitrate(as N)	10 d	2.59	9.6	9.1	9.1	8.6	9.2	8.9	8.3	7.9	7.6	6.4	1.5	0.3	6.6	7.6	0.05	6.66
Nitrite(as N)	1 d		0.01	0.01	0.01	0.01	0.01	0.01	0.03	0.01	0.01	0.026	0.01	0.04	0.05	0.02		0.1
Organic Nitrogen	0.15		0.482	0.388	0.421	0.365	0.681	0.557	0.432	0.854	0.868	0.748	0.649	0.955	1.11	0.91		0.15
pH	6.5-8.5 [OG]	6.5 to 8.5	7.45	7.51	7.67	7.73	7.67	7.83	7.47	7.75	7.65	7.98	7.82	7.47	7.7	7.61	7.1	7.5
Sodium	200 [AO]	105.7875											17	28.8		23.2	25	18.5
Sulphate	500 [AO]	267													25.7	23.2	50.1	40.1
Total Kjeldahl Nitrogen(as N)	-	nv	0.51	0.4	0.45	0.38	0.73	0.6	0.46	0.87	0.94	0.82	0.68	1.18	1.46	1.45		1.64

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5
			1-Sep-97	1-May-98	1-May-99	1-Nov-99	9-Jun-00	18-Jul-01	19-Oct-01	28-Jun-02	23-Oct-02	27-May-03	27-May-03	30-Sep-03	30-Sep-03	3-Jun-04	002 (dup) 3-Jun-04	002 (dup) 3-Jun-04
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401.25					238	350	330	351	330	333	330	336	327	315	321	345
Ammonia(as N)	-	nv	3.18	0.13	0.18	0.05	0.2	1.88	1.7	1.26	1.37	0.63	0.56	0.72	0.81	0.56	0.5	0.72
Barium	1						0.983	0.05	0.05	0.04	0.05	0.042	0.042	0.043	0.043	0.045	0.044	0.04
Boron	5 [IMAC]						0.27	0.45	0.44	0.6	0.51	0.41	0.41	0.398	0.4	0.515	0.513	0.448
Calcium	-	nv			0.01	0.01	67.5	108	97.6	99.6	105	91	91.2	95	95.4	99.6	97.8	86
Chloride	250 [AO]	133.25	89.1	1.83	1.91	5	1.8	23	21.1	19.1	19.6	18.5	18.5	19.1	19.3	19.1	19.1	18.7
Conductivity - @25°C (µS/cm)	-	nv	920	349	352	396	454	894	877	894	847	701	702	744	723	786	788	765
Hardness(as CaCO ₃)	80-100 [OG]	360*	420	199	256	328	265	454	427	438	455	386.968	388.29	404	405	422	414	380
Iron	0.3 [AO]	0.155					0.31	0.02	<0.01	<0.01	<0.02	0.24	0.24	0.005	<0.005	<0.005	0.005	0.008
Magnesium	-	nv			220	220	23.3	44.8	44.6	46.1	46.9	38.8	39	40.5	40.6	42.2	41.3	40.2
Nitrate(as N)	10 d	2.59	5.95	1.61	0.74	0.97	0.7	7.2	7.3	5.5	5.9	5.3	5.3	4.8	4.8	4.7	4.7	4.7
Nitrite(as N)	1 d		0.21	0.05	0.05	0.05	nd	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Organic Nitrogen	0.15		0.01	1.07	2.1	3.6	0.9	0.42	0.7	0.17	0.34	2.09	2.02	0.66	0.54	0.81	0.85	0.56
pH	6.5-8.5 [OG]	6.5 to 8.5	7.4	7.5	7.68	7.59	7.6	7.28	7.37	7.14	8.26	7.31	7.32	7.27	7.22	8.1	8.19	7.17
Sodium	200 [AO]	105.7875	37.5	5.11	2.8	7.66	16.4	15.3	14.7	14	16	13.5	13.5	13.7	13.7	14.9	14.6	12.6
Sulphate	500 [AO]	267	52.5	16.3	11.4	12.7	9	84.3	69.9	89.1	49	49	49	69	69	83	83	74
Total Kjeldahl Nitrogen(as N)	-	nv	3.19	1.2	2.3	3.7	1.1	2.3	2.4	1.43	1.71	2.72	2.58	1.38	1.35	1.37	1.35	1.28

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5 (dup)	TW5	TW5 (dup)	TW5	TW5 (dup)
			001 (dup) 27-Apr-05	002 27-Apr-05	008 17-Oct-05	009 (dup) 17-Oct-05	001 27-Apr-06	002 (dup) 27-Apr-06	012 26-Oct-06	013 (dup) 26-Oct-06	001 9-Apr-07	001 10-Oct-07	002 10-Oct-07	001 17-Apr-08	002 17-Apr-08	001 6-Oct-08	002 6-Oct-08	
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401.25	340	336	346	348	336	334	346	348	338	334	334	314	322	328	330	
Ammonia(as N)	-	nv	0.76	0.77	0.82	0.85	0.34	0.34	0.65	0.66	0.29	0.51	0.52	0.16	0.16	0.45	0.43	
Barium	1		0.045	0.044	0.043	0.043	0.041	0.041	0.037	0.037	0.035	0.036	0.035	0.032	0.032	0.031	0.031	
Boron	5 [IMAC]		0.496	0.495	0.424	0.424	0.473	0.479	0.413	0.412	0.446	0.401	0.405	0.356	0.363	0.405	0.406	
Calcium	-	nv	99.5	98.4	91.7	92	98.6	100	89.1	89.7	88.3	85.5	86	82.1	83.3	83.2	83.5	
Chloride	250 [AO]	133.25	17.9	17.9	18.6	18.9	19	18.9	19.7	19.5	18.8	17.9	17.8	19.2	19.2	19.6	19.5	
Conductivity - @25°C (µS/cm)	-	nv	786	782	759	759	771	766	677	699	691	757	745	743	696	719	728	
Hardness(as CaCO ₃)	80-100 [OG]	360*	425	421	398	399	418	423	379	381	375	366	369	345	350	350	351	
Iron	0.3 [AO]	0.155	0.112	<0.005	<0.005	<0.005	<0.005	<0.005	0.006	<0.005	<0.005	0.006	<0.005	<0.005	<0.005	<0.005	<0.005	
Magnesium	-	nv	42.9	42.7	41.1	41.1	41.8	42	38.1	38.2	37.7	37	37.5	34.1	34.4	34.5	34.7	
Nitrate(as N)	10 d	2.59	3.8	3.8	3.7	3.7	1.1	4.1	4.6	4.6	4.9	4.8	4.8	5.9	5.8	5.8	5.8	
Nitrite(as N)	1 d		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Organic Nitrogen	0.15		0.5	0.47	0.81	0.8	0.99	0.89	1.02	1.25	0.41	0.84	0.69	1.24	0.96	0.97	1	
pH	6.5-8.5 [OG]	6.5 to 8.5	7.43	7.29	7.22	7.31	7.73	7.71	7.43	7.48	7.48	6.99	7.07	7.43	7.44	7.12	7.19	
Sodium	200 [AO]	105.7875	13.8	13.6	13.1	13.1	14.1	14.2	13	12.9	12.6	12.4	12.6	12.1	12.5	12.1	12.2	
Sulphate	500 [AO]	267	63	63	54	54	52	53	47	47	49	43	43	39	39	44	44	
Total Kjeldahl Nitrogen(as N)	-	nv	1.26	1.24	1.63	1.65	1.33	1.23	1.67	1.91	0.7	1.35	1.21	1.4	1.12	1.42	1.43	

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW5	TW5 (dup)	TW5	TW5	TW5 (dup)	TW5	TW5 (dup)	TW5	TW5 (dup)	TW5	TW5 (dup)	TW5	TW5 (dup)	TW5
			29-Apr-09	Duplicate #1 29-Apr-09	13-Oct-09	4-May-10	Duplicate #1 4-May-10	10-Nov-10	Duplicate #1 10-Nov-10	14-Apr-11	Duplicate #1 14-Apr-11	25-Oct-11	Duplicate #1 25-Oct-11	3-Apr-12	Duplicate #1 3-Apr-12	25-Sep-12
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401.25	338	357	327	329	329	317	317	325	326	324	324	335	331	338
Ammonia(as N)	-	nv	0.48	0.46	0.56	0.48	0.46	0.42	0.41	0.46	0.47	0.48	0.46	0.22	0.2	0.37
Barium	1		0.031	0.031	0.029	0.034	0.034	0.037	0.037	0.035	0.035	0.034	0.033	0.032	0.032	0.036
Boron	5 [IMAC]		0.441	0.44	0.33	0.404	0.41	0.448	0.45	0.435	0.439	0.375	0.376	0.41	0.414	0.423
Calcium	-	nv	90.6	90.3	77.7	85.9	84.8	88.9	89	87.5	88.1	86.4	85.2	76.2	76.9	89
Chloride	250 [AO]	133.25	19.2	19	20.9	20.5	20.3	20.4	20.4	19.3	19.3	18.2	18.3	19.2	19.3	20.2
Conductivity - @25°C (µS/cm)	-	nv	756	750	742	747	742	719	721	729	728	750	743	727	731	738
Hardness(as CaCO ₃)	80-100 [OG]	360*	388	386	339	366	361	378	378	373	376	377	372	341	344	381
Iron	0.3 [AO]	0.155	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Magnesium	-	nv	39.3	39	35.2	36.7	36.3	37.9	37.8	37.6	37.8	39.2	38.7	36.6	36.9	38.6
Nitrate(as N)	10 d	2.59	5.3	5.3	4.9	4.3	4.3	4.7	4.7	4.7	4.7	4.8	4.3	5	5	4.5
Nitrite(as N)	1 d		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Organic Nitrogen	0.15		2.06	2.18	0.65	1.34	1.37	0.66	0.7	0.4	0.43	0.71	0.76	1.02	1	1
pH	6.5-8.5 [OG]	6.5 to 8.5	7.35	7.36	7.16	7.05	7.05	7.61	7.61	6.92	6.98	7.64	7.66	7.67	7.7	7.72
Sodium	200 [AO]	105.7875	13.5	13.4	11.1	12.4	12.3	12.1	12.2	12.6	12.8	11	10.8	13.6	13.7	12.7
Sulphate	500 [AO]	267	38	38	34	34	34	33	33	31	31	25	25	28	28	28
Total Kjeldahl Nitrogen(as N)	-	nv	2.54	2.64	1.21	1.82	1.83	1.08	1.11	0.86	0.9	1.19	1.22	1.24	1.2	1.37

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5
			7-May-13	26-Nov-13	1-May-14	4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401.25	240	250	220	260	220	280	230	280	250	290	270	290
Ammonia(as N)	-	nv	0.12	0.065	0.13	0.086	<0.050	<0.050	0.078	0.36	2	0.62	1.3	0.41
Barium	1													
Boron	5 [IMAC]													
Calcium	-	nv	68	76						80			72	
Chloride	250 [AO]	133.25	22	21	15	16	21	16	21	17	17	16	17	13
Conductivity - @25°C (µS/cm)	-	nv	540	560	470	550	500	590	520	590	550	590	570	510
Hardness(as CaCO ₃)	80-100 [OG]	360*	270	300	220	310	280	340	280	320	280	300	290	300
Iron	0.3 [AO]	0.155	<0.1	<0.1	ND	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02
Magnesium	-	nv	25	27						30			26	
Nitrate(as N)	10 d	2.59	1.6	1.2	1.27	0.98	0.81	0.34	0.88	0.35	1.51	1.68	1.71	2.21
Nitrite(as N)	1 d		0.023	<0.01										
Organic Nitrogen	0.15		2.38	2.335	1.37	1.91	0.68	0.6	<0.10	0.45	1.9	1.18	2.8	0.23
pH	6.5-8.5 [OG]	6.5 to 8.5	8.06	8.01	8.15	7.87	8.04	8.02	8.09	8.09	8.02	7.79	7.95	7.81
Sodium	200 [AO]	105.7875	7.1	6.4	4.2	5.3	5.8	6.4	6.2	6.7	6.1	5.8	5.2	
Sulphate	500 [AO]	267	12	11	9	10	7	10	13	17	13	12	15	8.8
Total Kjeldahl Nitrogen(as N)	-	nv	2.5	2.4	1.5	<2	0.73	0.65	<0.10	0.81	3.9	1.8	4.1	0.64

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW5	TW5	TW5	TW5	TW5	TW5	TW5	TW5
			24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401.25	250	280	260	310	240	280	230	260
Ammonia(as N)	-	nv	0.086	0.23	0.43	1.8	0.14	0.2	0.25	0.31
Barium	1									
Boron	5 [IMAC]									
Calcium	-	nv								
Chloride	250 [AO]	133.25	16	12	19	15	30	14	14	21
Conductivity - @25°C (µS/cm)	-	nv	530	560	560	620	550	550	490	550
Hardness(as CaCO ₃)	80-100 [OG]	360*	280	310	270	320	260	280	250	290
Iron	0.3 [AO]	0.155	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Magnesium	-	nv								
Nitrate(as N)	10 d	2.59	1	0.56	1.25	1.27	0.73	0.47	1.15	0.73
Nitrite(as N)	1 d									
Organic Nitrogen	0.15		0.534							
pH	6.5-8.5 [OG]	6.5 to 8.5	8.14	7.88	7.95	8.05	8.11	7.96	8.22	8.06
Sodium	200 [AO]	105.7875	6.2	6.1	6.3	7.7	6.7	8.7	7.6	7.6
Sulphate	500 [AO]	267	14	7.4	14	9.6	5.1	7.4	4.5	6.8
Total Kjeldahl Nitrogen(as N)	-	nv	0.62	0.7	1	5.6	0.23	0.44	0.4	0.46

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A
			1-Jun-89	1-Jan-91	1-Apr-91	1-Oct-91	1-Apr-92	1-Oct-92	1-May-93	1-Nov-93	1-May-94	10-Oct-94	1-May-95	1-Apr-97	1-Sep-97	9-Jun-00	9-Jan-01
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401		245	231	231	215	242	247	233	171	263	255	230	241	353	367
Ammonia(as N)	-	nv	0.29	0.014	0.008	0.028	0.04	0.022	0.034	0.119	0.097	0.13	0.22	0.071	0.024	4.11	1.41
Barium	1															0.634	0.047
Boron	5 [IMAC]															0.61	0.44
Calcium	-	nv														112	99.3
Chloride	250 [AO]	133	8.1	7.9	7.4	9.4	8.7	8.1	8.6	7.3	5	7	6.1	4.48	5.15	30.3	28.5
Conductivity - @25°C (µS/cm)	-	nv	504	526	484	536	514	526	498	485	459	520	536	390	480	846	802
Hardness(as CaCO ₃)	80-100 [OG]	360*	274	265	243	277	256	194	263	263	248	283	277	276	230	475	426
Iron	0.3 [AO]	0.16														0.04	0.01
Magnesium	-	nv														47.7	43.2
Nitrate(as N)	10 d	2.59	2.5	1.9	2.1	1.6	2.7	1.8	2.2	1.4	1.5	1.5	1.2	1.19	1.17	7.4	8
Nitrite(as N)	1 d		0.01	0.01	0.01	0.01	0.03	0.01	0.01	0.01	0.01	0.04	0.04	0.1	0.1	nd	nd
Organic Nitrogen	0.15		0.291	0.286	0.462	0.282	0.28	0.518	0.776	1.321	0.253	0.55	0.61	0.27	0.17	nd	0.58
pH	6.5-8.5 [OG]	6.5 to 8.5	7.61	8.08	8.08	8.04	7.88	7.97	7.89	8.16	8.07	8.16	8.11	7.7	8.2	7.34	7.72
Sodium	200 [AO]	106										3.6	9.8	3.13	5.63	30.1	20.6
Sulphate	500 [AO]	267											12.9	12	12.3	74.6	81.4
Total Kjeldahl Nitrogen(as N)	-	nv	0.32	0.3	0.47	0.31	0.32	0.54	0.81	1.44	0.35	0.68	0.83	0.34	0.19	2.21	1.99

NOTES:

1. All results expressed in mg/L, unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW5A 002 18-Jul-01	TW5A 002 12-Oct-01	TW5A 012 23-Oct-02	TW5A 003 27-May-03	TW5A 003 30-Sep-03	TW5A 003 3-Jun-04	TW5A 22-Sep-04	TW5A 003 27-Apr-05	TW5A 007 17-Oct-05	TW5A 015 27-Apr-06	TW5A 014 25-Oct-06	TW5A 9-Apr-07	TW5A 10-Oct-07	TW5A 015 17-Apr-08	TW5A 6-Oct-08
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	249	240	246	227	246	231	DRY	238	266	244	266			228	
Ammonia(as N)	-	nv	0.31	<0.01	0.02	0.01	0.01	0.03		0.07	0.04	0.03	<0.01			0.04	
Barium	1		0.02	0.01	0.02	0.014	0.017	0.015		0.015	0.018	0.016	0.016			0.014	
Boron	5 [IMAC]		0.03	0.02	0.02	<0.01	0.019	0.013		<0.005	0.022	0.013	0.03			0.009	
Calcium	-	nv	65.2	63.2	76.8	63.2	69	68.4		66.3	68.5	71.7	69.3	DRY	DRY	58.9	DRY
Chloride	250 [AO]	133	4.1	4.3	5.7	5.8	7.2	6.2		6.6	6.7	13.3	14.5			15.8	
Conductivity - @25°C (µS/cm)	-	nv	502	467	523	426	458	485		484	489	515	489			528	
Hardness(as CaCO ₃)	80-100 [OG]	360*	364	252	306	249.242	271	272		268	271	288	269			240	
Iron	0.3 [AO]	0.16	0.02	0.03	<0.02	0.14	<0.005	<0.005		<0.005	0.009	0.006	<0.005			<0.005	
Magnesium	-	nv	24.5	22.8	27.7	22.2	23.9	24.6		24.9	24.4	26.4	23.2			22.6	
Nitrate(as N)	10 d	2.59	1.6	1.2	1.2	1.5	1.4	1.2		1	0.9	1.2	0.8			1.1	
Nitrite(as N)	1 d		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		<0.1	<0.1	<0.1	<0.1			<0.1	
Organic Nitrogen	0.15		1.38	0.22	0.46	4.61	0.07	0.28		1.47	0.36	1.59	4.05			8.79	
pH	6.5-8.5 [OG]	6.5 to 8.5	7.7	7.85	8.26	7.72	7.47	8.29		7.77	7.63	7.91	7.76			7.47	
Sodium	200 [AO]	106	3.6	2.6	5	4.2	3.9	4.6		4.7	5.8	6.5	7.6			5.6	
Sulphate	500 [AO]	267	13.8	11.4	17	12	11	14		12	11	13	10			12	
Total Kjeldahl Nitrogen(as N)	-	nv	1.69	0.22	0.48	4.62	0.08	0.31		1.54	0.4	1.62	4.06			8.83	

NOTES:

- All results expressed in mg/L, unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC

Municipality of West Grey
Groundwater Quality - Normanby Landfill

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A
			29-Apr-09	13-Oct-09	4-May-10	10-Nov-10	14-Apr-11	25-Oct-11	3-Apr-12	26-Sep-12	7-May-13	26-Nov-13	1-May-14	4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	247	262	241	252	234	262	272	257	320	310	320	360	340	350	350	360	340	360
Ammonia(as N)	-	nv	<0.01	<0.01	0.5	0.09	0.07	0.44	0.28	0.02	0.27	0.31	0.46	1.2	1	1.4	0.81	1.4	0.89	1.3
Barium	1		0.012	0.015	0.017	0.02	0.016	0.03	0.018	0.018										
Boron	5 [IMAC]		0.014	0.019	0.016	0.045	<0.005	0.036	0.025	0.019										
Calcium	-	nv	67.8	68.2	63.2	74.5	68.8	76	62.3	74.4	90	97							100	
Chloride	250 [AO]	133	16.7	17.4	17.5	19.9	18.3	15.5	21.2	19.8	22	22	25	23	24	28	36	34	30	27
Conductivity - @25°C (µS/cm)	-	nv	529	544	517	534	513	564	528	529	750	760	770	820	780	820	860	880	830	850
Hardness(as CaCO ₃)	80-100 [OG]	360*	275	270	253	292	271	299	258	298	380	410	370	430	420	440	430	440	400	420
Iron	0.16	0.16	<0.005	<0.005	0.009	<0.005	<0.005	0.062	<0.005	0.052	<0.1	<0.1	ND	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Magnesium	-	nv	25.6	24.2	23.2	25.8	24	26.4	24.9	27.2	38	40							44	<0.02
Nitrate(as N)	10 d	2.59	1.2	0.8	1.3	1.4	0.1	0.8	1.8	0.8	5.8	8.3	8.1	5.93	5.68	5.61	5.6	5.58	6.01	8.23
Nitrite(as N)	1 d		<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	0.027	0.073								
Organic Nitrogen	0.15		6.55	2.74	7.6	6.54	3.29	4.42	7.81	3.52	1.13	1.69	1.24		1.5	0.7	0.39	0.7	0.41	0.1
pH	6.5-8.5 [OG]	6.5 to 8.5	7.6	7.32	7.25	7.75	7.44	7.85	7.96	7.7	7.84	7.81	7.97	7.73	8.01	7.96	7.8	7.95	7.88	7.7
Sodium	200 [AO]	106	6	5.8	6.6	5.9	5.8	5.2	6.8	5.1	14	15	15	18	17	19	22	25	22	21
Sulphate	500 [AO]	267	11	11	11	11	11	10	12	13	26	27	32	36	36	35	36	39	33	37
Total Kjeldahl Nitrogen(as N)	-	nv	6.56	2.75	8.1	6.63	3.36	4.86	8.09	3.54	1.4	2	1.7	1.1	2.5	2.1	1.2	2.1	1.3	1.4

NOTES:

1. All results expressed in mg/L, unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC

Municipality of West Grey
Groundwater Quality - Normanby Landfill

TW5A

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A	TW5A
			10-Apr-18	14-Nov-18	24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	#####
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	370	370	340	360	370	360	360	380	380	360
Ammonia(as N)	-	nv	1.6	2	1	1.7	5.0 (1)	2.8	4.2	2.9	4.5	1.4
Barium	1											
Boron	5 [IMAC]											
Calcium	-	nv	100									
Chloride	250 [AO]	133	30	33	31	29	31	31	35	35	36	34
Conductivity - @25°C (µS/cm)	-	nv	870	730	830	870	900	860	860	830	860	880
Hardness(as CaCO ₃)	80-100 [OG]	360*	430	420	400	440	390	410	390	410	400	430
Iron	0.3 [AO]	0.16	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Magnesium	-	nv	42									
Nitrate(as N)	10 d	2.59	8.86	8.55	8.8	8.55	6.74	8.61	7	1.1	0.11	6.51
Nitrite(as N)	1 d											
Organic Nitrogen	0.15		0.3	-0.3	0.2							
pH	6.5-8.5 [OG]	6.5 to 8.5	7.75	7.69	7.96	7.86	7.8	8.02	7.92	7.9	8.1	7.96
Sodium	200 [AO]	106	21		21	22	20	21	18	20	21	23
Sulphate	500 [AO]	267	38	37	33	34	34	39	34	41	35	36
Total Kjeldahl Nitrogen(as N)	-	nv	1.9	1.7	1.2	2.1	4.7 (1)	2.1	4.3	3.2	5.2	1.6

NOTES:

1. All results expressed in mg/L, unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

Municipality of West Grey
Groundwater Quality - Normanby Landfill

TW6

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6
			1-Jun-89	1-Oct-89	1-May-90	1-Jan-91	1-Apr-91	1-Oct-91	1-Apr-92	1-Oct-92	1-Nov-93	1-May-94	1-Oct-94	1-May-95	1-Apr-97	1-Sep-97	1-May-98
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401		729	898	1050	1015	519	967	859	703	772	954	920	659	761	380
Ammonia(as N)	-	nv	1.7	0.476	1.5	2	2.1	0.509	1.9	2.2	1.5	2.69	2.21	3.08	5.31	2.92	0.14
Barium	1																
Boron	5 [IMAC]																
Calcium	-	nv	175	244	160	82.7	139	224	134	6.5	109	112	138	121			
Chloride	250 [AO]	133	238	621	152	64.8	58.3	720	69.8	56.1	57	22	66.3	23.4	13.8	71	13
Conductivity - @25°C (µS/cm)	-	nv	2600	3340	2350	2080	2070	3190	1920	1930	1620	1670	1780	1670	1300	670	1224
Hardness(as CaCO ₃)	80-100 [OG]	360*	1121	1372	1039	807	961	1355	920	620	816	840	881	846	793	690	674
Iron	0.3 [AO]	0.16															
Magnesium	-	nv	166	185	155	146	149	193	142	146	132	135	129	131			
Nitrate(as N)	10 d	2.59	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	1.6
Nitrite(as N)	1 d		0.02	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.05	0.05	0.1	0.1	0.05
Organic Nitrogen	0.15		0.9	0.164	0.92	1.3	1.4	1.691	1.3	2.1	1.7	6.01	1.55	1.98	0.03	0.9	1.11
pH	6.5-8.5 [OG]	6.5 to 8.5	7.1	7.03	7.31	7.51	7.34	7.42	7.15	7.56	8.04	7.74	7.46	7.5	7.1	7.3	7.03
Sodium	200 [AO]	106															
Sulphate	500 [AO]	267										36.3					
Total Kjeldahl Nitrogen(as N)	-	nv	2.6	0.64	2.42	3.3	3.5	2.2	3.2	4.3	3.2	8.7	3.76	5.06	5.34	3.82	1.25
Mercury	0.001 [MAC]																
Arsenic (As)	0.025 [IMAC]																
Cadmium (Cd)	0.005 [MAC]																
Chromium (Cr)	0.05 [MAC]																
Copper (Cu)	-																
Lead (Pb)	0.01 [MAC]																
Manganese (Mn)	-																
Potassium (K)	-																
Total Suspended Solids (TSS)	-																
Total Dissolved Solids (TDS)	500 [AO]																

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

BOLD Exceeds ODWS
Exceeds RUC

Municipality of West Grey
Groundwater Quality - Normanby Landfill

TW6

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW6 003 9-Jun-00	TW6 003 9-Jan-01	TW6 003 18-Jul-01	TW6 003 19-Oct-01	TW6 004 (dup) 19-Oct-01	TW6 004 27-Jun-02	TW6 004 23-Oct-02	TW6 004 27-May-03	TW6 004 30-Sep-03	TW6 004 3-Jun-04	TW6 013 22-Sep-04	TW6 009 27-Apr-05	TW6 006 17-Oct-05	TW6 008 27-Apr-06	TW6 006 26-Oct-06	TW6 008 9-Apr-07	TW6 005 10-Oct-07	TW6 008 17-Apr-08
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	887	852	838	814	827	780	711	762	855	723	910	750	870	810	888	825	900	740
Ammonia(as N)	-	nv	3.51	5.19	3.67	3.28	4.56	4.24	2.66	4.12	2.64	4.49	1.88	3.42	1.86	2.94	1.57	2.17	1.39	1.5
Barium	1		0.998	0.133	0.14	0.12	0.14	0.13	0.17	0.183	0.165	0.198	0.131	0.178	0.148	0.174	0.153	0.152	0.119	0.147
Boron	5 [IMAC]		0.57	0.35	0.37	0.4	0.39	0.34	0.27	0.33	0.338	0.393	0.359	0.395	0.427	0.44	0.453	0.383	0.397	0.338
Calcium	-	nv	143	126	116	137	128	114	171	158	162	170	135	178	153	177	153	165	132	163
Chloride	250 [AO]	133	36.2	14.4	29.2	13.8	14.5	23.3	190	17.2	56.1	12.9	67.6	6.3	44.5	29.4	26.3	10.8	106	14.9
Conductivity - @25°C (µS/cm)	-	nv	1410	1220	1508	1435	1436	1467	1940	1450	1560	1490	1740	1540	1610	1560	1430	1420	1840	1290
Hardness(as CaCO ₃)	80-100 [OG]	360*	803	711	664	731	760	615	884	822.44	828	874	773	880	839	899	843	789	789	754
Iron	0.3 [AO]	0.16	3.88	3.4	6.71	2.48	8.91	5.84	5.43	10.9	6.65	13.3	4.4	11	6.13	8.31	5.03	7.61	0.736	3
Magnesium	-	nv	108	96.4	90.9	94.5	107	80.2	111	104	103	109	106	106	111	111	112	91.5	112	84.3
Nitrate(as N)	10 d	2.59	nd	nd	0.5	0.5	<0.1	<0.1	<0.1	0.2	0.1	0.1	0.5	0.1	0.1	<0.1	0.1	<0.1	0.6	<0.1
Nitrite(as N)	1 d		nd	nd	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Organic Nitrogen	0.15		139	0.71	2.55	2.9	1.55	0.97	1.17	0.67	0.92	1.22	1.01	1.11	1.1	0.67	1.11	1.11	0.8	1.07
pH	6.5-8.5 [OG]	6.5 to 8.5	7.22	7.28	7.41	7.19	7.29	6.8	8.06	6.96	6.97	7.94	6.89	6.88	6.99	7.28	7.12	7.03	7.09	7.03
Sodium	200 [AO]	106	51.1	19.7	29.9	24.7	21.3	23.6	110	24.1	64	18.7	79.5	17.4	68.2	38	40.8	17.7	95.7	19.7
Sulphate	500 [AO]	267	32	12.5	26	17	17.1	36	72	97	82	189	76	164	99	122	98	112	57	121
Total Kjeldahl Nitrogen(as N)	-	nv	4.9	5.9	6.22	6.18	6.11	5.21	3.83	4.79	3.56	5.71	2.89	4.53	2.96	3.61	2.68	3.28	2.19	2.57
Mercury	0.001 [MAC]																			
Arsenic (As)	0.025 [MAC]																			
Cadmium (Cd)	0.005 [MAC]																			
Chromium (Cr)	0.05 [MAC]																			
Copper (Cu)	-																			
Lead (Pb)	0.01 [MAC]																			
Manganese (Mn)	-																			
Potassium (K)	-																			
Total Suspended Solids (TSS)	-																			
Total Dissolved Solids (TDS)	500 [AO]																			

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

BOLD Exceeds ODWS
Exceeds RUC

Municipality of West Grey
Groundwater Quality - Normanby Landfill

TW6

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6
			008 6-Oct-08	29-Apr-09	13-Oct-09	4-May-10	10-Nov-10	14-Apr-11	25-Oct-11	3-Apr-12	26-Sep-12	7-May-13	26-Nov-13	1-May-14	4-Nov-14	20-Apr-15	3-Nov-15	
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	890	954	939	941	906	790	838	808	812	760	870	790	890	800	920	
Ammonia(as N)	-	nv	4.48	1.47	3.3	1.01	1.63	1.07	0.95	0.78	1.98	0.31	1.6	0.57	1.6	0.14	2.2	
Barium	1		0.118	0.134	0.105	0.146	0.15	0.141	0.158	0.128	0.112					0.16		
Boron	5 [IMAC]		0.37	0.365	0.409	0.38	0.528	0.36	0.541	0.346	0.303					0.39		
Calcium	-	nv	146	177	138	166	159	174	156	136	135	200	200					
Chloride	250 [AO]	133	79.5	9.5	43.7	32.3	52.1	16.6	13.5	20.5	92.3	7	10	9	15	7	19	
Conductivity - @25°C (µS/cm)	-	nv	1650	1510	1790	1640	1710	1490	1630	1490	1710	1500	1700	1500	1700	1500	1700	
Hardness(as CaCO ₃)	80-100 [OG]	360*	719	838	785	880	876	815	990	684	769	850	950	770		900	950	
Iron	0.3 [AO]	0.16	2.74	3.64	5.26	3.75	0.547	1.64	4.57	3.02	3.16	<0.1	<0.1	0.04		<0.02	<0.02	
Magnesium	-	nv	85.8	98.2	107	108	116	92.6	146	83.5	105	85	110					
Nitrate(as N)	10 d	2.59	0.9	0.5	3.1	0.1	0.3	<0.1	<0.1	0.2	2.2	0.18	<0.1	ND		0.3	3.38	
Nitrite(as N)	1 d		0.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	1.3	0.025	0.026	ND				
Organic Nitrogen	0.15		4.27	2.82	2.65	1.6	2.44	1.17	0.71	1.54	1.17	1.19	2	1.73		0.48	1.3	
pH	6.5-8.5 [OG]	6.5 to 8.5	7.24	6.99	6.79	6.76	7.37	6.59	7.28	7.29	7.95	7.68	7.56	7.8	7.61	7.92	7.84	
Sodium	200 [AO]	106	65.4	16.9	72.3	45	55.5	17.6	33.7	36.6	115	14	27	19		19	67	
Sulphate	500 [AO]	267	65	98	41	94	71	89	83	83	72	110	110	86		86	78	
Total Kjeldahl Nitrogen(as N)	-	nv	8.75	4.29	5.95	2.61	4.07	2.24	1.66	2.32	3.15	1.5	3.6	2.3		0.62	3.5	
Mercury	0.001 [MAC]																	
Arsenic (As)	0.025 [IMAC]																	
Cadmium (Cd)	0.005 [MAC]																	
Chromium (Cr)	0.05 [MAC]																	
Copper (Cu)	-																	
Lead (Pb)	0.01 [MAC]																	
Manganese (Mn)	-																	
Potassium (K)	-																	
Total Suspended Solids (TSS)	-																	
Total Dissolved Solids (TDS)	500 [AO]																	

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

BOLD Exceeds ODWS
Exceeds RUC

Municipality of West Grey
Groundwater Quality - Normanby Landfill

TW6

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6	TW6
			19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18	24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401		800	730	870	790	870	590	820	740	900	760	790	830	680
Ammonia(as N)	-	nv		0.69	0.077	0.8	0.25	1.8	0.08	1.7	0.15	4.9	<0.050	0.8	5.7	<0.050
Barium	1					0.14	0.13	0.13	0.11	0.11		0.1	0.13	0.13	0.12	0.12
Boron	5 [IMAC]					0.43	0.32	0.5	0.23	0.23		0.49	0.27	0.34	0.34	0.23
Calcium	-	nv				200	180									-
Chloride	250 [AO]	133		25	4.3	6.7	4.5	15	2.4	30	2.9	28	4.5	5.1	38	2.5
Conductivity - @25°C (µS/cm)	-	nv		1600	1500	1700	1500	1500	1300	1600	1400	1700	1400	1400	1600	1300
Hardness(as CaCO ₃)	80-100 [OG]	360*		740	840	890	810	870	680	750	780	840	790	810	840	770
Iron	0.3 [AO]	0.16	<0.02	<0.02		<0.02	<0.02	0.11	<0.02	0.12	<0.02	0.03	<0.02	<0.02	<0.02	<0.02
Magnesium	-	nv				94	86									-
Nitrate(as N)	10 d	2.59		0.9	1.08	2.09	1.14	0.32	1.25	0.57	0.63	1.41	1.14	0.46	<0.10	1.42
Nitrite(as N)	1 d															-
Organic Nitrogen	0.15			0.61	0.883	0.3	0.68	0.8	0.27							-
pH	6.5-8.5 [OG]	6.5 to 8.5		8.04	7.75	7.35	7.65	7.7	7.97	7.53	7.58	7.97	7.78	7.86	7.8	7.91
Sodium	200 [AO]	106	11	10	18	12	46	5.9	57	9	61	11	16	66	6.4	
Sulphate	500 [AO]	267		23	130	110	83	110	71	80	89	92	95	110	76	66
Total Kjeldahl Nitrogen(as N)	-	nv		1.3	0.96	1.1	0.93	2.6	0.35	4	0.83	8.6	0.43	1.5	8.6	0.24
Mercury	0.001 [MAC]				<0.1	<0.1	<0.0001	<0.0001	<0.1	<0.1			<0.1			-
Arsenic (As)	0.025 [IMAC]											<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium (Cd)	0.005 [MAC]											<0.005	<0.005	<0.005	<0.005	<0.005
Chromium (Cr)	0.05 [MAC]											<0.01	<0.01	<0.01	<0.01	<0.01
Copper (Cu)	-											<0.02	<0.02	<0.02	<0.02	<0.02
Lead (Pb)	-											<0.05	<0.05	<0.05	<0.05	<0.05
Manganese (Mn)	0.01 [MAC]											0.25	0.03	0.04	0.13	0.01
Potassium (K)	-											43	27	29	23	26
Total Suspended Solids (TSS)	-											450	43	56	170	30
Total Dissolved Solids (TDS)	500 [AO]											910	760	735	860	615

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWS.
- AO indicates Exceeds ODWS
- OG indicates Exceeds RUC

BOLD Exceeds ODWS
Exceeds RUC **BOLD** Exceeds ODWS
Exceeds RUC

**Municipality of West Grey
Groundwater Quality - Normanby Landfill**

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW8	TW8	TW8	TW8	TW8	TW8	TW8	TW8
			24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	270	300	260	310	290	360	290	320
Ammonia(as N)	-	nv	0.12	0.062	<0.050	0.07	<0.050	<0.050	0.061	<0.050
Barium	1								-	-
Boron	5 [IMAC]								-	-
Calcium	-	nv							-	-
Chloride	250 [AO]	133	34	40	40	45	39	39	36	46
Conductivity - @25°C (µS/cm)	-	nv	690	780	720	830	720	840	720	870
Hardness(as CaCO ₃)	80-100 [OG]	360*	320	420	320	390	330	400	360	430
Iron	0.3 [AO]	0.16	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Magnesium	-	nv							-	-
Nitrate(as N)	10 d	2.59	3.14	2.1	5.86	4.47	3.48	1.34	6.02	4.23
Nitrite(as N)	1 d								-	-
Organic Nitrogen	0.15								-	-
pH	6.5-8.5 [OG]	6.5 to 8.5	8.08	7.9	7.9	7.98	8.03	7.78	8.09	7.92
Sodium	200 [AO]	106	19	25	21	27	18	25	21	27
Sulphate	500 [AO]	267	25	55	29	48	32	49	23	37
Total Kjeldahl Nitrogen(as N)	-	nv	1.8	1.4	1.9	0.93	1.6	1	1.2	2.1

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.


	Exceeds ODWS	Exceeds ODWS
BOLD	Exceeds RUC	Exceeds RUC

Municipality of West Grey
Groundwater Quality - Normanby Landfill

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW9S	TW9S	TW9S	TW9S	TW9S	TW9S	TW9S	TW9S
			24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	320	320	330	320	320	330	330	320
Ammonia(as N)	-	nv	0.081	0.056	0.15 (1)	0.1	0.076	<0.050	0.2	0.14
Barium	1								-	-
Boron	5 [IMAC]								-	-
Calcium	-	nv							-	-
Chloride	250 [AO]	133	16	12	18	18	19	17	19	19
Conductivity - @25°C (µS/cm)	-	nv	680	630	660	630	640	620	670	640
Hardness(as CaCO ₃)	80-100 [OG]	360*	360	360	330	340	320	330	370	350
Iron	0.3 [AO]	0.16	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Magnesium	-	nv							-	-
Nitrate(as N)	10 d	2.59	0.12	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Nitrite(as N)	1 d								-	-
Organic Nitrogen	0.15								-	-
pH	6.5-8.5 [OG]	6.5 to 8.5	8.15	7.99	8	8.12	8.12	8.02	8.01	8.08
Sodium	200 [AO]	106	7.5	5.8	7.5	9	8.7	8.8	9.9	10
Sulphate	500 [AO]	267	27	19	14	12	11	12	6.9	10
Total Kjeldahl Nitrogen(as N)	-	nv	0.22	0.37	0.13 (1)	0.32	0.19	<0.50 (1)	0.25	0.47

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.


 Exceeds ODWS
BOLD Exceeds RUC

**Municipality of West Grey
Groundwater Quality - Normanby Landfill**

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW9D	TW9D	TW9D	TW9D	TW9D	TW9D	TW9D	TW9D
			24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	280	290	310	300	320	320	310	310
Ammonia(as N)	-	nv	<0.050	0.09	0.17	0.1	<0.050	<0.050	<0.050	<0.050
Barium	1									
Boron	5 [IMAC]									
Calcium	-	nv								
Chloride	250 [AO]	133	23	15	12	12	12	13	12	10
Conductivity - @25°C (µS/cm)	-	nv	620	640	660	660	650	640	660	620
Hardness(as CaCO ₃)	80-100 [OG]	360*	360	350	330	340	340	340	380	370
Iron	0.3 [AO]	0.16	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Magnesium	-	nv								
Nitrate(as N)	10 d	2.59	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Nitrite(as N)	1 d									
Organic Nitrogen	0.15									
pH	6.5-8.5 [OG]	6.5 to 8.5	8.14	8.16	8.02	8.1	8.06	8.07	8.12	8.1
Sodium	200 [AO]	106	12	21	11	8.7	7.6	9.7	6.2	5.6
Sulphate	500 [AO]	267	52	38	37	48	31	30	11	23
Total Kjeldahl Nitrogen(as N)	-	nv	0.42	0.41	0.25	0.25	0.13	<0.50 (1)	0.54	0.69

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.


 Exceeds ODWS
BOLD Exceeds RUC

**Municipality of West Grey
Groundwater Quality - Normanby Landfill**

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	TW10	TW10	TW10	TW10	TW10	TW10	TW10	TW10
			24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	200	84	73	61	59	64	60	48
Ammonia(as N)	-	nv	0.52	0.99	0.21	0.98	0.3	0.22	0.12	1.2
Barium	1								-	-
Boron	5 [IMAC]								-	-
Calcium	-	nv							-	-
Chloride	250 [AO]	133	34	44	41	47	44	44	43	48
Conductivity - @25°C (µS/cm)	-	nv	930	2200	2300	2400	2300	2200	2300	2500
Hardness(as CaCO ₃)	80-100 [OG]	360*	360	1300	1300	1500	1400	1400	1500	1600
Iron	0.3 [AO]	0.16	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.2
Magnesium	-	nv							-	-
Nitrate(as N)	10 d	2.59	2.5	0.48	0.80	0.29	0.49	0.62	0.46	0.15
Nitrite(as N)	1 d								-	-
Organic Nitrogen	0.15								-	-
pH	6.5-8.5 [OG]	6.5 to 8.5	8.18	7.88	7.57	7.71	7.76	7.69	7.8	7.75
Sodium	200 [AO]	106	84	59	48	50	44	44	48	47
Sulphate	500 [AO]	267	270	1100	1100	1300	1300	1300	1300	1400
Total Kjeldahl Nitrogen(as N)	-	nv	1.8	1.5	0.62	1.0	0.5	1.0	0.38	1.2

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

 Exceeds ODWS
BOLD Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2
			1-May-93	1-Nov-93	1-May-94	1-Oct-94	1-Oct-95	1-Apr-97	1-May-98	1-Nov-99	18-Jul-01	18-Jul-01	19-Oct-01	27-Jun-02	23-Oct-02	27-May-03	30-Sep-03	3-Jun-04	22-Sep-04	
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	369		270	261	308	259	112	266	272	329	371	348			333	375	356	375
Ammonia(as N)	-	nv	0.091	0.036	0.051	0.279	0.18	0.622	0.13	0.05	0.57	<0.01	0.79	2.46			0.1	0.14	1.52	0.37
Barium	1										0.04	0.03	0.06	0.07			0.073	0.085	0.124	0.11
Boron	5 [IMAC]										0.22	0.28	0.36	0.3			0.22	0.218	0.313	0.3
Calcium	-	nv									64	73.1	101	67			85.6	94	89.1	86.6
Chloride	250 [AO]	133	30.6	12.6	11.3	9.2	22.2	31.8	31.1	30.9	19.6	22.5	31.3	22.4			42.9	29.9	37.8	36.1
Conductivity - @25°C (µS/cm)	-	nv	722	696	586	657	698	530	570	604	578	724	896	743			720	725	850	822
Hardness(as CaCO ₃)	80-100 [OG]	360*	346	405	308	350	367	335	299	372	274	365	427	300			350.041	377	369	363
Iron	0.3 [AO]	0.16								0.01	0.29	<0.01	<0.01	1.46	DRY		0.22	0.054	0.065	0.078
Magnesium	-	nv								27.7	44.4	42.4	32.3				33.1	34.6	35.7	35.7
Nitrate(as N)	10 d	2.59	0.2	0.1	1.6	0.3	0.6	1.57	1.8	0.61	0.7	4.7	0.6	0.6			0.8	0.2	0.2	0.2
Nitrite(as N)	1 d		0.01	0.01	0.01	0.03	0.01	0.1	0.05	0.05	<0.1	<0.1	<0.1	<0.1			<0.1	<0.1	<0.1	<0.1
Organic Nitrogen	0.15		0.899	0.414	0.329	0.661	0.39	0.91	1.08	4.2	0.49	0.58	0.08	1.02			2.57	0.65	1.07	0.67
pH	6.5-8.5 [OG]	6.5 to 8.5	7.77	8.12	7.86	7.98	7.74	7.6	7.18	7.71	7.47	7.96	7.52	7.19			7.72	7.51	8.33	7.26
Sodium	200 [AO]	106			8		14.9	22.1	21.4	21.3	14.9	13.6	21.3	18.5			32.5	23.5	29.3	24
Sulphate	500 [AO]	267					51.4	19	16.1	72.3	17.5	31.8	66.7	16.2			34	26	16	39
Total Kjeldahl Nitrogen(as N)	-	nv	0.99	0.45	0.38	0.94	0.57	1.53	1.21	4.3	1.06	0.58	0.87	3.48			2.67	0.79	2.59	1.04

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

BOLD Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2
			004	001	007	003	004	007	005	005	009	009	010	010	011	011	012	012	013
			27-Apr-05	17-Oct-05	27-Apr-06	26-Oct-06	9-Apr-07	10-Oct-07	17-Apr-08	6-Oct-08	29-Apr-09	13-Oct-09	4-May-10	10-Nov-10	14-Apr-11	25-Oct-11	3-Apr-12	26-Sep-12	7-May-13
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	324	342	312	362	398		324	412	352	357	332	383	343	363	342	314	330
Ammonia(as N)	-	nv	0.7	0.02	0.29	<0.01	0.47		0.39	<0.01	0.49	0.02	<0.01	<0.01	0.1	<0.01	<0.01	0.15	0.13
Barium	1		0.093	0.095	0.081	0.072	0.077		0.059	0.111	0.054	0.054	0.071	0.059	0.053	0.061	0.041	0.05	
Boron	5 [IMAC]		0.269	0.254	0.263	0.218	0.338		0.268	0.265	0.23	0.263	0.247	0.19	0.238	0.304	0.18	0.177	
Calcium	-	nv	82.1	96.4	84.1	96.8	94.5		78	125	89	87.5	96.8	101	88	98.4	75.8	84.9	88
Chloride	250 [AO]	133	24.7	29.4	24.6	28.4	30.8		24.9	25.1	23.7	22.3	23.8	20.8	21.3	24	22.3	17.7	22
Conductivity - @25°C (µS/cm)	-	nv	756	774	718	763	831		740	799	779	769	742	779	753	817	732	679	760
Hardness(as CaCO ₃)	80-100 [OG]	360*	340	389	346	385	395		322	505	367	357	402	407	362	404	327	355	350
Iron	0.3 [AO]	0.16	0.024	0.019	0.015	<0.005	0.014	DRY	<0.005	4.32	<0.005	0.024	9.21	0.172	0.082	0.065	0.03	0.054	<0.1
Magnesium	-	nv	32.7	36	33	34.8	38.6		30.9	47	35.3	33.6	38.8	37.7	34.5	38.4	33.5	34.7	33
Nitrate(as N)	10 d	2.59	3.4	0.7	4.2	0.3	6.4		5.9	0.9	3.9	0.3	3	0.6	4.4	0.5	2.7	0.7	3.9
Nitrite(as N)	1 d		<0.1	0.2	<0.1	<0.1	<0.1		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.01
Organic Nitrogen	0.15		2.33	1.54	1.35	0.56	1.03		0.88	0.78	1.28	0.73	0.56	0.46	0.72	<0.69	0.75	1.61	1.67
pH	6.5-8.5 [OG]	6.5 to 8.5	7.64	7.29	7.65	7.81	7.51		7.55	7.16	7.25	7.15	7	7.59	6.99	7.53	7.67	7.97	7.96
Sodium	200 [AO]	106	22.8	19.5	21.7	18.4	29.4		24.7	27	23.7	13.8	16	14.9	21.2	15.5	19	12.7	21
Sulphate	500 [AO]	267	31	71	30	54	33		32	31	27	44	30	21	24	40	25	38	30
Total Kjeldahl Nitrogen(as N)	-	nv	3.03	1.56	1.64	0.57	1.5		1.27	0.79	1.77	0.75	0.57	0.47	0.82	0.7	0.75	1.76	1.8

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2	OW2
			26-Nov-13	1-May-14	4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18	24-Apr-19
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	340	260	380	210	370	270	300	340	340	260	270	330
Ammonia(as N)	-	nv	0.067	0.24	<0.05	0.054	0.15	0.095	0.38	<0.050	<0.050	<0.050	0.18	0.12
Barium	1													
Boron	5 [IMAC]													
Calcium	-	nv	94						97			78		
Chloride	250 [AO]	133	21	12	23	16	28	19	33	26	28	27	22	23
Conductivity - @25°C (µS/cm)	-	nv	740	560	820	500	820	600	760	760	760	630	600	700
Hardness(as CaCO ₃)	80-100 [OG]	360*	380	260	430	250	440	280	380	370	380	310	350	340
Iron	0.3 [AO]	0.16	<0.1	0.03	<0.02	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Magnesium	-	nv	35						33			27		
Nitrate(as N)	10 d	2.59	2.3	3.25	0.58	2.44	0.43	2.39	0.25	2.07	1.87	4.95	<0.10	<0.10
Nitrite(as N)	1 d		<0.01											
Organic Nitrogen	0.15		0.863	1.06	0.62	0.476	0.33	0.125	0.61	0.74	0.125	0.325	0.04	0.27
pH	6.5-8.5 [OG]	6.5 to 8.5	7.9	8.02	7.88	8.05	8.04	8.06	8.06	7.95	7.65	7.9	7.87	8.06
Sodium	200 [AO]	106	20	13	21	12	23	14	20	24	22	17		20
Sulphate	500 [AO]	267	26	20	34	22	38	20	56	26	27	23	72	
Total Kjeldahl Nitrogen(as N)	-	nv	0.93	1.3	0.67	0.53	0.48	0.22	0.99	0.79	0.15	0.35	0.22	0.39

NOTES:

1. All results expressed in mg/L unless otherwise noted.
2. ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
3. All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
4. IMAC indicates an interim maximum acceptable concentration ODWO.
5. AO indicates an aesthetic objective ODWO, not health related.
6. OG indicates an operational guideline ODWO, not health related.

BOLD Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3
			1-May-93	1-Nov-93	1-May-94	1-Oct-94	1-May-95	1-Oct-95	1-May-96	1-Apr-97	1-Sep-97	1-May-98	1-Nov-99	9-Jun-00	18-Jul-01	19-Oct-01	27-Jun-02
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	365		303	493	336	356	359	296	406	342	365	414	314	475	444
Ammonia(as N)	-	nv	0.068	0.02	0.039	0.107	0.23	0.13		0.656	0.031	0.14	0.05	0.12	<0.01	0.01	0.35
Barium	1													0.56	0.03	0.05	0.34
Boron	5 [IMAC]													0.61	0.27	0.45	0.62
Calcium	-	nv												104	71.6	116	90.5
Chloride	250 [AO]	133	32.6	57	21.5	44.2	30.4	37.8	37.4	33.2	60.9	48	47.4	39.3	22	39.3	31.2
Conductivity - @25°C (µS/cm)	-	nv	890	1066	717	1013	775	895	985	650	1250	884	930	901	720	1078	995
Hardness(as CaCO ₃)	80-100 [OG]	360*	427	571	353	504	370	454	411	447	406	431	567	498	345	562	424
Iron	0.3 [AO]	0.16											0.01	0.09	<0.01	<0.01	0.03
Magnesium	-	nv												57.8	40.4	66.2	48.2
Nitrate(as N)	10 d	2.59	4.2	0.1	3.1	0.1	4.8	3.4	0.05	4.06	4.45	2.19	0.93	3.9	4.7	1.5	8
Nitrite(as N)	1 d		0.01	0.01	0.01	0.03	0.05	0.01		0.1	0.1	0.05	0.05	nd	<0.1	<0.1	<0.1
Organic Nitrogen	0.15		0.632	0.34	0.401	0.353	0.37	0.57		0.32	0.37	1.68	3	1.18	0.33	0.41	0.52
pH	6.5-8.5 [OG]	6.5 to 8.5	7.64	7.75	8.07	7.58	7.78	7.67	7.23	7.6	7.3	7.1	7.68	7.37	7.89	7.54	7.01
Sodium	200 [AO]	106			15.1		24.7	19	26	28.8	60.6	38.2	30.8	40	14.4	27.7	26.5
Sulphate	500 [AO]	267					42.1	74.5	60.3	52.9	62.2	15.5	91.7	50	31.3	64.3	38.9
Total Kjeldahl Nitrogen(as N)	-	nv	0.7	0.36	0.44	0.46	0.6	0.7		0.98	0.4	1.82	3.1	1.3	0.33	0.42	0.87

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3
			003	006	005	005	001	006	002	003	004	005	004	003	004	003	004
			23-Oct-02	27-May-03	30-Sep-03	3-Jun-04	22-Sep-04	27-Apr-05	17-Oct-05	27-Apr-06	26-Oct-06	9-Apr-07	10-Oct-07	17-Apr-08	6-Oct-08	29-Apr-09	13-Oct-09
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	351	402	504	378	453	358	436	384	555	356		360	486	362	461
Ammonia(as N)	-	nv	0.01	0.07	0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01	<0.01
Barium	1		0.045	0.051	0.076	0.048	0.055	0.041	0.062	0.045	0.051	0.035		0.037	0.053	0.032	0.047
Boron	5 [IMAC]		0.31	0.42	0.627	0.449	0.375	0.422	0.559	0.491	0.479	0.354		0.376	0.552	0.331	0.491
Calcium	-	nv	105	108	119	98.9	98.4	88	100	103	118	86		88.3	103	90.9	97.5
Chloride	250 [AO]	133	38.6	41.9	53.5	24.6	33.6	18.8	33.9	23.9	27.2	18.5		21.5	36.4	19.5	34.2
Conductivity - @25°C (µS/cm)	-	nv	925	965	1140	873	982	792	963	853	956	709		872	1000	776	984
Hardness(as CaCO ₃)	80-100 [OG]	360*	487	498.516	558	441	464	395	457	455	538	380		382	449	394	432
Iron	0.3 [AO]	0.16	<0.02	0.33	0.013	0.011	0.007	0.017	0.018	<0.005	<0.005	0.01	Dry	0.01	<0.005	<0.005	0.011
Magnesium	-	nv	54.7	55.6	63.5	47.1	53.1	42.5	50.4	47.9	58.8	40.1		39.1	46.2	40.6	45.8
Nitrate(as N)	10 d	2.59	4	15.9	14.1	8.4	5.9	5.9	7.4	7.7	1.8	6.5		7.9	6	6.3	4.5
Nitrite(as N)	1 d		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		<0.1	<0.1	<0.1	<0.1
Organic Nitrogen	0.15		0.72	2.34	0.65	0.64	0.67	1.64	1.02	0.91	1.58	0.66		2.32	0.82	0.68	0.88
pH	6.5-8.5 [OG]	6.5 to 8.5	8.38	7.58	7.29	8.25	7.24	7.48	7.35	7.85	7.53	7.49		7.41	7.18	7.34	7.08
Sodium	200 [AO]	106	23.9	34.1	46.4	19.7	19.1	16.1	30.8	20.1	28.4	12.9		14.9	28.8	14.9	27.5
Sulphate	500 [AO]	267	89	84	70	43	70	34	56	37	55	39		44	37	30	43
Total Kjeldahl Nitrogen(as N)	-	nv	0.73	2.41	0.66	0.65	0.67	1.65	1.03	0.92	1.59	0.67		2.33	0.83	0.69	0.89

NOTES:

- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3	OW3
			4-May-10	10-Nov-10	14-Apr-11	25-Oct-11	3-Apr-12	25-Sep-12	7-May-13	26-Nov-13	1-May-14	4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18	24-Apr-19
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401	448	443	351	419	442	363	390	480	240	400	170	400	320	410	490	540	510	390	380
Ammonia(as N)	-	nv	<0.01	<0.01	<0.01	<0.01	0.11	<0.01	<0.05	<0.05	0.083	<0.05	<0.050	<0.050	<0.050	<0.050	0.1	<0.050	2.3	<0.050	<0.050
Barium	1		0.055	0.059	0.037	0.048	0.047	0.043													
Boron	5 [IMAC]		0.574	0.494	0.218	0.412	0.497	0.336													
Calcium	-	nv	104	111	89.9	98.8	89.3	94.8	100	130											
Chloride	250 [AO]	133	33.6	30.7	17.2	20.4	29.5	26.5	20	29	10	24	11	28	15	30	27	30	30	28	20
Conductivity - @25°C (µS/cm)	-	nv	1020	973	768	907	987	811	900	1100	540	910	400	910	710	950	1100	1200	1100	780	850
Hardness(as CaCO ₃)	80-100 [OG]	360*	457	484	390	447	425	424	470	570	240	440	200	460	350	470	520	570	510	400	400
Iron	0.3 [AO]	0.16	0.01	<0.005	<0.005	0.005	<0.005	<0.1	<0.1	ND	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Magnesium	-	nv	48.1	50.4	40.2	48.7	49	45.4	52	61											
Nitrate(as N)	10 d	2.59	9.8	6.3	4.7	3.7	10.9	1.9	5.1	8.9	3.43	7.84	4.69	3.71	3.3	1.24	8.05	9.24	11.9	5.04	7.01
Nitrite(as N)	1 d		<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.01	<0.01											
Organic Nitrogen	0.15		0.6	0.48	0.33	<0.33	0.66	0.58	0.56	0.65	0.267	0.26	0.6	0.36	0.21	0.26	0.61	0.225	0.6	0.025	0.025
pH	6.5-8.5 [OG]	6.5 to 8.5	6.92	7.55	7.04	7.61	7.66	8.03	8.11	7.88	8.14	7.75	7.95	7.98	7.97	8.08	7.9	7.67	7.86	7.79	8.12
Sodium	200 [AO]	106	28	26	13.2	17.8	25.5	18.2	19	30	7.9	28	11	30	13	21	30	36	30	30	20
Sulphate	500 [AO]	267	39	35	30	34	31	58	38	45	24	33	12	37	32	58	47	36	36	34	34
Total Kjeldahl Nitrogen(as N)	-	nv	0.61	0.49	0.34	0.34	0.77	0.58	0.56	0.65	0.35	0.26	0.6	0.36	0.21	0.26	0.71	<0.50	2.9	<0.10	0.22

NOTES:


- All results expressed in mg/L unless otherwise noted.
- ODWS - Ontario Drinking Water Standards (per O. Reg. 169/03 as amended to O. Reg. 255/05).
- All ODWS values expressed are Maximum Acceptable Concentrations, unless indicated otherwise.
- IMAC indicates an interim maximum acceptable concentration ODWO.
- AO indicates an aesthetic objective ODWO, not health related.
- OG indicates an operational guideline ODWO, not health related.

Exceeds ODWS
BOLD Exceeds RUC


Municipality of West Grey
Groundwater Quality - Normanby Landfill

Chemical Parameter	ODWS	MECP Guideline B-7 Reasonable Use Criteria
Alkalinity(as CaCO ₃)	30 - 500 [OG]	401
Ammonia(as N)	-	nv
Barium	1	
Boron	5 [IMAC]	
Calcium	-	nv
Chloride	250 [AO]	133
Conductivity - @25°C (µS/cm)	-	nv
Hardness(as CaCO ₃)	80-100 [OG]	360*
Iron	0.3 [AO]	0.16
Magnesium	-	nv
Nitrate(as N)	10 d	2.59
Nitrite(as N)	1 d	
Organic Nitrogen	0.15	
pH	6.5-8.5 [OG]	6.5 to 8.5
Sodium	200 [AO]	106
Sulphate	500 [AO]	267
Total Kjeldahl Nitrogen(as N)	-	nv


Historical Groundwater Conductivity and Chloride Concentrations TW-1




Historical Groundwater Conductivity and Chloride Concentrations TW-2




Historical Groundwater Conductivity and Chloride Concentrations TW-3




Historical Groundwater Conductivity and Chloride Concentrations TW-5




Historical Groundwater Conductivity and Chloride Concentrations TW-5A




Historical Groundwater Conductivity and Chloride Concentrations TW-6




Historical Groundwater Conductivity and Chloride Concentrations OW-2




Historical Groundwater Conductivity and Chloride Concentrations OW-3




Historical Groundwater Conductivity and Chloride Concentrations TW-8




Historical Groundwater Conductivity and Chloride Concentrations TW-9S



Historical Groundwater Conductivity and Chloride Concentrations TW-9D



Historical Groundwater Conductivity and Chloride Concentrations TW-10



**APPENDIX E:
HISTORICAL SURFACE WATER QUALITY**

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	
		Jun-89	Oct-89	May-90	Jan-91	Apr-91	Oct-91	Apr-92	Oct-92	May-94	Oct-94	May-95	Oct-95	May-96	Apr-97	Sep-97	Apr-98	Sep-98	
Alkalinity (as CaCO ₃)	345		275	258	294	262							300	316	346	284	305	370	224
Total Ammonia (as N)		0.004	0.005	0.006	0.003	0.03	0.015	0.036	0.001	0.016	0.048	0.09	0.24		0.004	0.004	0.11	0.08	
Chloride		13.8	18.9	15.7	14.4	12.8	20.7	14	12.8	11.3	16.2	12.8	23.5	15.4	12.6	15.6	17.7	55.4	
Conductivity - @25°C (µS/cm)		620	673	601	632	581	652	589	658	596	657	652	711	716	530	640	516	658	
Iron	0.3																		
pH	6.5-8.5	7.70	7.93	7.92	8.07	8.05	8.16	7.86	7.75	8.21	7.90	8.07	8.03	7.57	7.80	8.10	7.47	7.92	
Phenols	0.001																		
Phosphorus, Total																			
Field Temperature (C°)																			

NOTES:

1. All results in mg/L unless otherwise noted.
 2. > means greater than.
 3. < means less than.
 4. PWQO indicates Provincial Water Quality Objectives.
- Exceeds PWQO
- Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1	SW1
		May-99	Nov-99	18-Jul-01	SW1 011(dup) 18-Jul-01	SW1 009 19-Oct-01	SW1 010(dup) 19-Oct-01	SW1 009 15-Jun-02	SW1 009 23-Oct-02	SW1 014 27-May-03	SW1 014 30-Sep-03	SW1 014 3-Jun-04	SW1 012 22-Sep-04	SW1 015 27-Apr-05	SW1 010 17-Oct-05
Alkalinity (as CaCO ₃)	345	220	294	313	314	309	308	294	294	270	321	288	339	278	312
Total Ammonia (as N)		0.26	0.07	0.02	0.01	0.03	0.03	0.01	0.03	<	0.01	0.03	0.03	<	0.01
Chloride		16.6	30.6	14.5	16.6	14.7	14.9	13.7	18.3		16.5	16.5	15.4	16.1	14.6
Conductivity - @25°C (µS/cm)		529	622	678	658	673	674	649	662	641	681	644	676	599	641
Iron	0.3			0.03	0.03	0.03	0.02	<0.01	0.03	0.2	0.034	0.077	0.019	0.022	0.04
pH	6.5-8.5	7.92	7.75	7.9	7.89	7.82	7.77	7.69	8.16	8.04	8.52	7.83	8.42	7.97	7.77
Phenols	0.001			<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Phosphorus, Total				0.01	0.01	<0.01	<0.01	0.01	0.01	<0.01	0.01	0.01	<0.01	<0.01	0.01
Field Temperature (C°)												12.7	13.9	7.6	12.1

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW1 013 27-Apr-06	SW1 (dup) 014 27-Apr-06	SW1 010 26-Oct-06	SW1 (dup) 011 26-Oct-06	SW1 014 9-Apr-07	SW1 009 10-Oct-07	SW1 014 17-Apr-08	SW1 013 6-Oct-08	SW1 29-Apr-09	SW1 13-Oct-09	SW1 4-May-10	SW1 10-Nov-10	SW1 14-Apr-11	SW1 25-Oct-11	SW1 3-Apr-12	SW1 25-Sep-12
Alkalinity (as CaCO ₃)	345	268	266	314	322	284	296	240	327	276	313	292	325	278	294	285	298
Total Ammonia (as N)		< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Chloride		15.9	15.9	18.1	18.1	14.7	18.6	15.1	14.9	14.1	16.3	16.7	15.7	14.1	14.5	15.6	17.6
Conductivity - @25°C (µS/cm)		589	591	646	630	572	619	599	634	595	643	633	665	588	644	606	623
Iron	0.3	0.018	0.014	0.029	0.028	0.044	0.057	0.032	0.029	0.023	0.02	0.014	0.011	0.092	0.066	0.042	0.016
pH	6.5-8.5	8.03	8.02	8.01	8.01	7.99	7.86	8.1	7.92	7.81	7.68	7.62	7.94	7.50	7.97	8.11	8.22
Phenols	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Phosphorus, Total		<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Field Temperature (C°)		11.4	11.4	9.3		4.6	12.5	12.1	12.1	12.5	10.2	11.1	10.2	10.5	11.1	8.1	12.8

NOTES:

1. All results in mg/L unless otherwise noted.
 2. > means greater than.
 3. < means less than.
 4. PWQO indicates Provincial Water Quality Objectives.
- █ Exceeds PWQO
- Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW1	SW1	SW1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1	SW-1
		Dup#1 25-Sep-12	9-May-13	26-Nov-13	1-May-13	4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18	24-Apr-19	20-Nov-19	13-May-20
Alkalinity (as CaCO ₃)	345	297	260	290	280	310	300	310	270	280	260	310	300	300	270	290	270
Total Ammonia (as N)	<	0.01	<0.05	<0.05	0.064	<0.05	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.075	0.079
Chloride		17.6	16	19	14	16	16	24	18	23	16	21	21	22	17	24	22
Conductivity - @25°C (µS/cm)		637	620	650	600	670	660	710	600	670	620	710	680	660	610	660	650
Iron	0.3	0.038	<0.02	0.04	<0.02	0.03	<0.02	0.03	<0.02	0.03	0.03	0.04		<0.02	0.1	0.03	0.02
pH	6.5-8.5	8.19	8.1	8.12	8.2	8.08	8.02	8.15	8.15	8.36	8.24	8.12	8.16	8.08	8.31	8.21	8.24
Phenols	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Phosphorus, Total		<0.01	0.004	<0.01	0.005	0.007	0.007	0.009	0.005	<0.1	0.005	0.006	0.015	<0.004	0.007	0.009	0.005
Field Temperature (C°)			12	4	9.5	10.23	7.57	13.5	6.38	9.31	10.4	8	6.23	6.54			

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO
Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW-1	SW-1	SW-1	SW-1	SW-1
		12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22
Alkalinity (as CaCO ₃)	345	290	270	430	300	300
Total Ammonia (as N)		<0.050	<0.050	<0.050	0.14	<0.050
Chloride		26	15	27	21	26
Conductivity - @25°C (µS/cm)		680	590	840	660	710
Iron	0.3	0.02	0.11	0.23	0.31	0.05
pH	6.5-8.5	8.35	8.37	8.24	8.35	8.25
Phenols	0.001	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Phosphorus, Total		0.005	0.021	0.034	0.53	0.19
Field Temperature (C°)						

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO
Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2
		1-Jun-89	1-Oct-89	1-May-90	1-Jan-91	1-Apr-91	1-Oct-91	1-Apr-92	1-Oct-92	1-May-93	1-Nov-93	1-May-94	1-Oct-94	1-May-95	1-Oct-95	1-May-96	1-Apr-97	1-Sep-97	1-Apr-98
Alkalinity (as CaCO ₃)	345		323	280	326	292								277	292	372	291	293	412
Total Ammonia (as N)		0.019	0.002	0.016	0.013	0.036	0.008	0.015	0.082	0.012	0.042	0.021	0.034	0.08	0.19		<0.004	0.012	0.12
Chloride		13.4	13.3	16.5	20.7	14.7	24	15.8	17	13.1	17.4	13.8	18.1	14.8	5	16.7	14.9	17	18.9
Conductivity - @25°C (µS/cm)		584	669	583	707	608	636	598	667	635	615	607	631	640	609	784	540	580	538
Iron	0.3																		
pH	6.5-8.5	8.15	7.44	8.39	8.23	8.38	8.38	8.15	8.3	8.39	8.34	8.44	8.33	8.45	8.29	8.09	8.1	8.1	8.01
Phenols	0.001																		
Phosphorus, Total																			
Field Temperature (C°)																			

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	SW2	
		1-May-99	1-Nov-99	9-Jun-00	SW2 Rep 9-Jun-00	9-Jan-01	SW2 Rep 9-Jan-01	SW2 012 18-Jul-01	SW2 011 19-Oct-01	SW2 008 15-Jun-02	SW2 008 23-Oct-02	SW2 013 27-May-03	SW2 013 30-Sep-03	SW2 013 3-Jun-04	SW2 011 22-Sep-04	SW2 014 27-Apr-05	SW2 17-Oct-05	
Alkalinity (as CaCO ₃)	345	196	235	302	300	301	300	314	312	312	309	267	315	282	282	246	DRY	
Total Ammonia (as N)		0.14	0.05	0.06	0.07	0.05	0.05	0.01	0.01	0.02	<	0.01	0.02	0.01	0.02	<	0.01	0.03
Chloride		21	33.4	19.3	19.6	18.2	17.6	22.2	15.3	14.9	16.3	18.9	23.9	15.8	19.4	14.2		
Conductivity - @25°C (µS/cm)		496	626	648	644	612	618	640	681	647	654	613	674	622	616	540		
Iron	0.3			0.1	0.11	6.22	6.52	0.03	0.03	0.21	0.42	0.27	0.111	0.212	0.609	0.15		
pH	6.5-8.5	7.98	7.75	7.9	7.94	7.93	7.99	8.31	7.79	8.03	7.91	8.21	8.55	8.45	8.34	8.26		
Phenols	0.001			nd	nd	nd	nd	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		
Phosphorus, Total				0.017	0.015	0.29	0.29	0.1	<0.01	0.05	0.06	0.01	0.01	0.02	0.04	0.02		
Field Temperature (C°)														17.8	17.6	8.2		

NOTES:

1. All results in mg/L unless otherwise noted.
 2. > means greater than.
 3. < means less than.
 4. PWQO indicates Provincial Water Quality Objectives.
- Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW2 012 27-Apr-06	SW2 009 26-Oct-06	SW2 013 9-Apr-07	SW2 10-Oct-07	SW2 013 17-Apr-08	SW2 011 6-Oct-08	SW2 (dup) 012 6-Oct-08	SW2 29-Apr-09	SW2 13-Oct-09	SW2 Duplicate #2 13-Oct-09	SW2 4-May-10	SW2 10-Nov-10	SW2 14-Apr-11	SW2 25-Oct-11	SW2 3-Apr-12
Alkalinity (as CaCO ₃)	345	290	322	292	DRY	264	336	342	298	325	328	308	334	298	307	316
Total Ammonia (as N)		< 0.01	0.01	< 0.01		< 0.01	< 0.01	< 0.01	0.11	< 0.01	< 0.01	< 0.01	0.01	< 0.01	< 0.01	< 0.01
Chloride		16.9	20.9	17.1		16.9	16.7	16.8	15.1	20.4	20.3	14.7	16	14.9	15.4	14.9
Conductivity - @25°C (µS/cm)		602	688	547		637	642	629	611	690	680	610	669	622	674	643
Iron	0.3	0.019	0.02	0.032		0.018	0.034	0.032	0.015	0.019	0.015	0.037	0.016	0.169	0.093	0.049
pH	6.5-8.5	8.16	8.1	8.18		8.19	7.96	7.97	8.18	7.84	7.86	7.73	8.05	7.74	8.09	8.32
Phenols	0.001	<0.001	<0.001	<0.001		<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Phosphorus, Total		<0.01	<0.01	<0.01		<0.01	<0.01	0.01	<0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01	0.02
Field Temperature (C°)		11.6	7.3	3.8		13.1	10.3		12.9	8.1		15.6	6.4	11.1	9.5	7.0

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW2	SW2	SW2	SW-2	SW-2	SW-2	SW-2	SW-2	SW-2	SW-2	SW-2	SW-2	SW-2	SW-2	SW-2	SW-2
		25-Sep-12	9-May-13	26-Nov-13	1-May-14	4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18	24-Apr-19	20-Nov-19	13-May-20
Alkalinity (as CaCO ₃)	345	308	290	310	270	330	280	310	300	DRY	300	340	320	310	270	310	300
Total Ammonia (as N)	<	0.01	<0.05	<0.05	0.053	<0.05	<0.050	<0.050	<0.050		<0.050	<0.050	0.056	0.052	<0.050	0.1	<0.050
Chloride		13.9	20	19	18	20	20	21	18		19	19	17	19	16	19	18
Conductivity - @25°C (µS/cm)		620	650	690	590	690	620	690	670		670	710	650	660	610	690	650
Iron	0.3	0.019	<0.02	0.04	0.07	0.04	0.17	0.05	0.06		0.05	0.15		0.06	0.13	0.13	0.05
pH	6.5-8.5	7.99	8.4	8.31	8.4	8.3	8.24	8.33	8.31		8.35	8.29	8.39	8.25	8.49	8.4	8.4
Phenols	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0010	<0.0010	<0.0010		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Phosphorus, Total		<0.01	0.013	0.008	0.013	0.006	0.023	0.009	0.007		0.008	0.02	0.013	0.006	0.016	0.013	0.009
Field Temperature (C°)		12.5	14.0	4	11.4	8.6	10.18	11.84	7.26		11.07	5.9	7.88	3.53			

NOTES:

- All results in mg/L unless otherwise noted.
- > means greater than.
- < means less than.
- PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW-2	SW-2	SW-2	SW-2	SW-2
		12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22
Alkalinity (as CaCO ₃)	345	320	310	320	300	300
Total Ammonia (as N)		<0.050	<0.050	<0.050	<0.050	<0.050
Chloride		24	21	23	21	26
Conductivity - @25°C (µS/cm)		680	670	670	660	700
Iron	0.3	0.09	0.04	0.94	0.09	0.05
pH	6.5-8.5	8.39	8.42	8.37	8.32	8.31
Phenols	0.001	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Phosphorus, Total		0.013	0.008	0.12	0.012	0.22
Field Temperature (C°)						

NOTES:

1. All results in mg/L unless otherwise noted.
 2. > means greater than.
 3. < means less than.
 4. PWQO indicates Provincial Water Quality Objectives.
- Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3	SW3
		Jun-89	Oct-89	May-90	Jan-91	Apr-91	Oct-91	Apr-92	Oct-92	May-93	Nov-93	May-94	Oct-94	May-95	Oct-95	Apr-97	Sep-97	Apr-98	May-99
Alkalinity (as CaCO ₃)	345		291	277	319	291								278	305	290	298	421	214
Total Ammonia (as N)		0.021	0.004	0.014	0.001	0.04	0.005	0.013	0.015	0.007	0.03	0.04	0.006	0.15	0.38	0.004	0.004	0.1	0.34
Chloride		13.2	18.5	16.5	20.5	14.6	22.3	15.6	16.1	13.1	16.9	14.4	18.1	14.7	19.5	14.9	16.8	20.2	19.2
Conductivity - @25°C (µS/cm)		590	672	587	703	610	636	589	667	624	620	592	643	644	652	530	600	558	495
Iron	0.3																		
pH	6.5-8.5	8.02	7.97	8.34	8.04	8.39	8.34	8.16	8.22	8.36	8.31	8.44	8.27	8.42	8.24	8.30	8.20	7.80	7.91
Phenols	0.001																		
Phosphorus, Total																			
Field Temperature (C°)																			

NOTES:
1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.
Exceeds PWQO
Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW3	SW3	SW3	SW3	SW3	SW3	SW3 (dup)	SW3	SW3	SW3	SW3 (dup)	SW3	SW3 (dup)	SW3	SW3 (dup)	SW3	SW3 (dup)	
		Nov-99	9-Jun-00	9-Jan-01	18-Jul-01	19-Oct-01	15-Jun-02	15-Jun-02	23-Oct-02	27-May-03	012 (dup)	011	012 (dup)	011	012 (dup)	011	012 (dup)	009	010
Alkalinity (as CaCO ₃)	345	253	319	324	311	304	303	309	300	270	270	315	315	279	285	285	339	336	
Total Ammonia (as N)		0.05	0.05	0.05	<0.01	<0.01	0.01	0.01	<0.01	0.01	<0.01	0.02	0.02	0.11	0.06	<	0.01	<	0.01
Chloride		32	19.9	18.7	16.3	17	14.5	14.6	18.2	18.4	18.1	22.6	22.1	15.8	15.7	16.5	16.5	16.6	
Conductivity - @25°C (µS/cm)		635	642	637	646	666	655	654	663	618	634	673	676	635	625	663	672	672	
Iron	0.3		0.17	0.05	0.06	0.04	0.11	0.09	0.4	0.25	0.24	0.363	0.18	0.131	0.232	0.017	0.031	0.031	
pH	6.5-8.5	7.78	8.13	8.13	8.23	7.93	7.93	7.9	8.11	8.13	8.19	8.49	8.48	8.49	8.44	8.37	8.43	8.43	
Phenols	0.001		nd	nd	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
Phosphorus, Total			2	3								0.01	0.02	0.01	0.01	<0.01	<0.01	<0.01	
Field Temperature (C°)														16.6	16.6	15.2	15.2	15.2	

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW3 012 27-Apr-05	SW3 (dup) 013 27-Apr-05	SW3 012 17-Oct-05	SW3 (dup) 013 17-Oct-05	SW3 011 27-Apr-06	SW3 008 26-Oct-06	SW3 012 9-Apr-07	SW3 007 10-Oct-07	SW3(dup) 008 10-Oct-07	SW3 011 17-Apr-08	SW3 (dup) 012 17-Apr-08	SW3 010 6-Oct-08	SW3 29-Apr-09	SW3 13-Oct-09	SW3 4-May-10
Alkalinity (as CaCO ₃)	345	250	254	316	312	286	320	286	300	294	244	286	330	294	323	305
Total Ammonia (as N)		0.03	0.01	< 0.01	<0.01	< 0.01	0.01	< 0.01	< 0.01	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Chloride		14.2	14.2	19.5	19.6	16.5	20	16.7	18	18.2	16.7	16.6	16	15	19.1	15.1
Conductivity - @25°C (µS/cm)		544	544	641	642	600	675	561	627	631	629	625	615	601	672	613
Iron	0.3	0.141	0.23	0.027	0.015	0.023	0.026	0.047	0.064	0.068	0.026	0.02	0.031	0.008	0.019	0.036
pH	6.5-8.5	8.21	8.23	8.12	8.02	8.14	8.02	8.14	7.71	7.81	8.01	8.04	7.96	8.15	7.86	7.97
Phenols	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Phosphorus, Total	0.02	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
Field Temperature (C°)	8			11.4		11.1	8.0	3.9	12.4		12.3		10.8	12.4	8.7	15.0

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW3 (dup) Duplicate #2 4-May-10	SW3 10-Nov-10	SW3 (dup) Duplicate #2 10-Nov-10	SW3 14-Apr-11	SW3 25-Oct-11	SW3 (dup) Duplicate #2 25-Oct-11	SW3 3-Apr-12	SW3 (dup) Duplicate #2 3-Apr-12	SW3 25-Sep-12	SW3 9-May-13	SW3 26-Nov-13	SW-3 1-May-14	SW-3 4-Nov-14	SW-3 20-Apr-15	SW-3 3-Nov-15
Alkalinity (as CaCO ₃)	345	305	333	332	296	308	309	307	310	301	290	310	270	330	280	310
Total Ammonia (as N)		< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.086	<0.05	0.054	<0.05	<0.050	<0.050
Chloride		15	16	16	14.8	15.3	15.1	15.0	15.0	17.8	20.0	19	18.0	20	20	22
Conductivity - @25°C (µS/cm)		611	690	684	620	667	671	640	641	632	660	680	590	690	620	700
Iron	0.3	0.024	0.013	0.014	0.034	0.043	0.041	0.045	0.032	0.023	<0.02	0.04	0.26	0.03	0.19	0.02
pH	6.5-8.5	7.93	8.1	8.11	7.77	8.10	8.10	8.31	8.33	8.24	8.38	8.3	8.4	8.28	8.24	8.32
Phenols	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0010	<0.0010
Phosphorus, Total		<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.007	<0.01	0.038	0.006	0.018	0.011
Field Temperature (C°)			7.2		10.7		9.5		7.2	13.5	15		4	11.3	8.3	10

NOTES:

1. All results in mg/L unless otherwise noted.

2. > means greater than.

3. < means less than.

4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW-3	SW-3	SW-3	SW-3	SW-3	SW-3
		19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18
Alkalinity (as CaCO ₃)	345	300	290	300	340	320	310
Total Ammonia (as N)		<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Chloride		17	22	19	19	17	19
Conductivity - @25°C (µS/cm)		670	670	670	710	660	660
Iron	0.3	0.05	<0.02	0.05	0.11		0.04
pH	6.5-8.5	8.3	8.34	8.38	8.3	8.38	8.25
Phenols	0.001	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Phosphorus, Total		0.007	<0.1	0.008	0.015	0.022	0.006
Field Temperature (C°)		7.02	7.28	10.85	6	7.65	3.48

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4
		May-93	Nov-93	May-94	May-95	May-96	Apr-97	Apr-98	Nov-99	18-Jul-01	19-Oct-01	15-Jun-02	23-Oct-02	27-May-03	30-Sep-03	3-Jun-04	22-Sep-04	27-Apr-05	17-Oct-05
Alkalinity (as CaCO ₃)	345			333		409	250	422	273	323	290	DRY	DRY	DRY	DRY	DRY	DRY	304	DRY
Total Ammonia (as N)		0.059	0.04	0.025	0.17		0.181	0.19	0.05	<0.01	<0.01							0.01	
Chloride		36.6	30.2	5.7	42.3		83.2	33.4	20.2	30.7	16.4	16.7						20.5	
Conductivity - @25°C (µS/cm)		909	658	519	879		1226	570	552	578	646	666						667	
Iron	0.3										0.03	0.03						0.035	
pH	6.5-8.5	7.57	7.84	7.96	8.17		7.61	7.5	6.93	7.15	8.27	7.99						8.03	
Phenols	0.001										<0.001	<0.001						<0.001	
Phosphorus, Total											0.01	<0.01						<0.01	
Field Temperature (C°)																		9.2	

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4	SW4
		27-Apr-06	26-Oct-06	009 9-Apr-07	10-Oct-07	009 17-Apr-08	6-Oct-08	29-Apr-09	13-Oct-09	4-May-10	10-Nov-10	14-Apr-11	25-Oct-11	3-Apr-12	25-Sep-12	9-May-13
Alkalinity (as CaCO ₃)	345	320	DRY	286	DRY	250	DRY	320	DRY	DRY	DRY	303	361	334	DRY	290
Total Ammonia (as N)		< 0.01		< 0.01		< 0.01		< 0.01				< 0.01	< 0.01	< 0.01		0.055
Chloride		21.1		17.3		19.6		17.4				15.8	20.0	19.2		19
Conductivity - @25°C (µS/cm)		690		613		683		679				650	809	687		650
Iron	0.3	0.031		0.127		0.042		<0.005				0.022	0.039	0.081		0.03
pH	6.5-8.5	8.05		7.78		7.51		8.99				7.48	7.97	8.13		8.39
Phenols	0.001	<0.001		<0.001		<0.001		<0.001				<0.001	<0.001	<0.001		<0.001
Phosphorus, Total		<0.01		<0.01		<0.01		<0.01				<0.01	0.01	0.02		0.012
Field Temperature (C°)		11.7		2.8		12.1		10.9				9.7	8.9	6.7		15

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW4	SW-4	SW-4	SW-4	SW-4	SW-4	SW-4	SW-4	SW-4	SW-4	SW-4
		26-Nov-13	1-May-14	4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18
Alkalinity (as CaCO ₃)	345	300	270	320	280	DRY	270	DRY	300	340	320	310
Total Ammonia (as N)		<0.05	0.069	<0.05	<0.050		<0.050		<0.050	<0.050	<0.050	<0.050
Chloride		19	18	20	20		24		19	19	17	19
Conductivity - @25°C (µS/cm)		680	590	690	620		620		670	710	650	650
Iron	0.3	0.04	0.08	0.18	0.14		<0.02		0.05	0.11		0.04
pH	6.5-8.5	8.31	8.37	8.29	8.25		8.11		8.41	8.31	8.39	8.28
Phenols	0.001	<0.001	<0.001	<0.001	0.0012		<0.0010		<0.0010	<0.0010	<0.0010	<0.0010
Phosphorus, Total		0.004	0.015	0.014	0.018		0.005		0.008	0.011	0.017	0.005
Field Temperature (C°)		4	11.2	9	10		5.46		10.84	5.9	7.35	3.02

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5
		May-93	Nov-93	May-94	May-95	Oct-95	May-96	Apr-97	Sep-97	Apr-98	Sep-98	May-99	Nov-99	Jun-00	9-Jan-01	18-Jul-01	SW5 009
Alkalinity (as CaCO ₃)	345				298	305	361	290	299	452	197	216	255	317	323	323	290
Total Ammonia (as N)		0.005	0.068	0.035	0.08	0.36		0.004	0.004	0.22	0.37	0.15	0.05	0.08	0.09	<0.01	<0.01
Chloride		13.1	17.2	14.9	14.6	19.1	15.7	14.6	17.8	18.5	3.85	19.5	32.7	20.7	17.4	16.5	17
Conductivity - @25°C (µS/cm)		628	613	608	644	646	803	540	600	541	540	500	636	640	633	641	669
Iron	0.3												0.09	0.04	0.02	0.02	
pH	6.5-8.5	8.35	8.30	8.46	8.39	8.28	8.03	8.10	8.30	7.90	8.10	8.12	7.74	8.18	8.13	8.3	8.03
Phenols	0.001													nd	nd	0.006	<0.001
Phosphorus, Total														0.014	0.004	0.01	0.01
Field Temperature (C°)																	

NOTES:
1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.
Exceeds PWQO
Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW5	SW5	SW5 (dup)	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5	SW5 (dup)	SW5
		005	005	006	010	010	010	008	010	011	010	007	010	011	006
		15-Jun-02	23-Oct-02	23-Oct-02	27-May-03	30-Sep-03	3-Jun-04	22-Sep-04	27-Apr-05	17-Oct-05	27-Apr-06	26-Oct-06	9-Apr-07	9-Apr-07	10-Oct-07
Alkalinity (as CaCO ₃)	345	309	294	297	276	318	282	315	250	314	288	332	288	284	278
Total Ammonia (as N)		0.02	0.02	0.02	<0.01	0.09	0.02	<	0.01	0.04	<	0.01	<	0.01	<
Chloride		14.6	18.1	18.0	18.6	21.6	15.7	17.9	14.3	19.6	16.6	20.3	16.7	16.8	17.5
Conductivity - @25°C (µS/cm)		657	662	663	622	676	627	624	542	638	603	668	583	549	612
Iron	0.3	0.36	<0.02	0.02	0.34	0.236	0.193	0.032	0.174	0.054	0.022	0.061	0.054	0.042	0.046
pH	6.5-8.5	7.92	8.18	8.08	8.16	8.5	8.46	8.29	8.2	8.13	8.13	8.15	8.11	8.16	7.69
Phenols	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Phosphorus, Total		0.09	0.01	0.01	0.02	<0.01	0.02	0.02	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Field Temperature (C°)							16.8	16.4	7.7	11.1	10.4	7.7	3.7		12.4

NOTES:

1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.

4. PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW5 010 17-Apr-08	SW5 009 6-Oct-08	SW5 29-Apr-09	SW5 Duplicate #2 29-Apr-09	SW5 13-Oct-09	SW5 4-May-10	SW5 10-Nov-10	SW5 14-Apr-11	SW5 Duplicate #2 14-Apr-11	SW5 25-Oct-11	SW5 3-Apr-12	SW5 25-Sep-12	SW5 9-May-13	SW5 26-Nov-13	SW-5 1-May-14
Alkalinity (as CaCO ₃)	345	250	333	308	299	319	304	334	296	295	310	309	292	290	310	270
Total Ammonia (as N)		< 0.01	< 0.01	< 0.01	0.03	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.01	0.073	<0.05	0.093
Chloride		16.8	16.1	15.1	15	18.8	15	16	14.8	14.8	15.2	15.0	17.2	19.0	19	17.0
Conductivity - @25°C (µS/cm)		639	619	604	607	670	615	682	619	619	668	640	631	650	690	590
Iron	0.3	0.04	0.059	0.01	0.007	0.014	0.032	0.211	0.037	0.045	0.033	0.028	0.019	<0.02	0.04	0.07
pH	6.5-8.5	7.92	7.97	8.04	8.1	7.92	7.93	8.17	7.72	7.73	8.14	8.36	8.26	8.4	8.31	8.39
Phenols	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Phosphorus, Total		<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.011	0.007	0.014
Field Temperature (C°)		11.5	10.6	12.0		8.5	14.8	7.1	10.4		9.8	7.3	12.1	15	4	11.3

NOTES:

- All results in mg/L unless otherwise noted.
- > means greater than.
- < means less than.
- PWQO indicates Provincial Water Quality Objectives.

Exceeds PWQO

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

Municipality of West Grey
Surface Water Quality - Normanby Landfill

Chemical Parameter	PWQO	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5	SW-5
		4-Nov-14	20-Apr-15	3-Nov-15	19-Apr-16	26-Oct-16	16-May-17	27-Nov-17	10-Apr-18	14-Nov-18	24-Apr-19	20-Nov-19	13-May-20	12-Nov-20	20-Apr-21	5-Oct-21	3-May-22	29-Sep-22
Alkalinity (as CaCO ₃)	345	330	280	310	300	290	300	340	320	300	280	300	300	310	310	320	300	310
Total Ammonia (as N)		<0.05	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.082	0.099	<0.050	<0.050	<0.050	<0.050
Chloride		20	19	22	18	21	19	19	18	19	16	21	18	25	21	23	21	26
Conductivity - @25°C (µS/cm)		690	630	690	660	670	670	710	660	670	610	680	650	680	660	680	670	700
Iron	0.3	<0.02	0.2	0.02	0.12	0.02	0.05	0.12		0.04	0.1	0.08	0.05	<0.02	0.02	0.06	0.07	0.1
pH	6.5-8.5	8.31	8.22	8.33	8.29	8.26	8.38	8.32	8.38	8.19	8.47	8.34	8.4	8.42	8.41	8.41	8.19	8.3
Phenols	0.001	<0.001	0.0013	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Phosphorus, Total		0.005	0.024	0.011	0.013	<0.1	0.011	0.012	0.027	0.005	0.024	0.012	0.007	0.004	0.005	0.012	0.012	0.01
Field Temperature (C°)		8.7	10.14	11.57	6.52	6.02	10.73	5.9	7.19	3.6								

- NOTES:
1. All results in mg/L unless otherwise noted.
2. > means greater than.
3. < means less than.
4. PWQO indicates Provincial Water Quality Objectives.

Results up to 2012 are summarized and presented from previous Annual Reports completed by Others

**APPENDIX F:
LABORATORY CERTIFICATE OF ANALYSIS**



Your Project #: Normanby Landfill (213087)
 Your C.O.C. #: 872958-01-01, 872958-02-01

Attention: Reporting Contacts

GM BluePlan Engineering Limited
 1260 - 2nd Ave E
 Unit 1
 Owen Sound, ON
 CANADA N4K 2J3

Report Date: 2022/05/31
 Report #: R7145246
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C2B9337

Received: 2022/05/04, 09:04

Sample Matrix: Water
 # Samples Received: 12

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Alkalinity	12	N/A	2022/05/07	CAM SOP-00448	SM 23 2320 B m
Chloride by Automated Colourimetry	12	N/A	2022/05/06	CAM SOP-00463	SM 23 4500-Cl E m
Conductivity	12	N/A	2022/05/07	CAM SOP-00414	SM 23 2510 m
Dissolved Oxygen	3	2022/05/05	2022/05/05	CAM SOP-00427	SM 23 4500 O G m
Hardness (calculated as CaCO3)	9	N/A	2022/05/06	CAM SOP 00102/00408/00447	SM 2340 B
Mercury	1	2022/05/05	2022/05/05	CAM SOP-00453	EPA 7470A m
Lab Filtered Metals Analysis by ICP	9	2022/05/05	2022/05/06	CAM SOP-00408	EPA 6010D m
Total Metals Analysis by ICP	3	2022/05/06	2022/05/06	CAM SOP-00408	EPA 6010D m
Total Ammonia-N	12	N/A	2022/05/10	CAM SOP-00441	USGS I-2522-90 m
Nitrate & Nitrite as Nitrogen in Water (1)	9	N/A	2022/05/05	CAM SOP-00440	SM 23 4500-NO3I/NO2B
pH	12	2022/05/05	2022/05/07	CAM SOP-00413	SM 4500H+ B m
Phenols (4AAP)	3	N/A	2022/05/06	CAM SOP-00444	OMOE E3179 m
Sulphate by Automated Colourimetry	9	N/A	2022/05/11	CAM SOP-00464	EPA 375.4 m
Total Dissolved Solids	1	2022/05/07	2022/05/09	CAM SOP-00428	SM 23 2540C m
Total Kjeldahl Nitrogen in Water	9	2022/05/06	2022/05/09	CAM SOP-00938	OMOE E3516 m
Total Phosphorus (Colourimetric)	3	2022/05/06	2022/05/06	CAM SOP-00407	SM 23 4500 P B H m
Total Phosphorus (Colourimetric)	1	2022/05/06	2022/05/09	CAM SOP-00407	SM 23 4500 P B H m
Total Suspended Solids	1	2022/05/06	2022/05/09	CAM SOP-00428	SM 23 2540D m

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or



Your Project #: Normanby Landfill (213087)
Your C.O.C. #: 872958-01-01, 872958-02-01

Attention: Reporting Contacts

GM BluePlan Engineering Limited
1260 - 2nd Ave E
Unit 1
Owen Sound, ON
CANADA N4K 2J3

Report Date: 2022/05/31
Report #: R7145246
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C2B9337

Received: 2022/05/04, 09:04

implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Values for calculated parameters may not appear to add up due to rounding of raw data and significant figures.

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Ashton Gibson, Project Manager
Email: Ashton.Gibson@bureauveritas.com
Phone# (905)817-5765

=====
This report has been generated and distributed using a secure automated process.

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SNJ728			SNJ728			SNJ729		
Sampling Date		2022/05/03			2022/05/03			2022/05/03		
COC Number		872958-01-01			872958-01-01			872958-01-01		
	UNITS	TW-1	RDL	QC Batch	TW-1 Lab-Dup	RDL	QC Batch	TW-2	RDL	QC Batch

Calculated Parameters										
Hardness (CaCO3)	mg/L	270	1.0	7976220				330	1.0	7976220
Inorganics										
Total Ammonia-N	mg/L	0.11	0.050	7980749				0.33	0.050	7980749
Conductivity	umho/cm	530	1.0	7977471				600	1.0	7977471
Total Kjeldahl Nitrogen (TKN)	mg/L	0.27	0.10	7980918				0.57	0.10	7980918
pH	pH	8.21		7977472				8.08		7977472
Dissolved Sulphate (SO4)	mg/L	82	1.0	7978805	83	1.0	7978805	100	1.0	7978805
Alkalinity (Total as CaCO3)	mg/L	190	1.0	7977467				210	1.0	7977467
Dissolved Chloride (Cl-)	mg/L	5.6	1.0	7978802	5.6	1.0	7978802	12	1.0	7978802
Nitrate (N)	mg/L	0.42	0.10	7977460				<0.10	0.10	7977460
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate										

Bureau Veritas ID		SNJ731		SNJ732		SNJ733	SNJ734		
Sampling Date		2022/05/03		2022/05/03		2022/05/03	2022/05/03		
COC Number		872958-01-01		872958-01-01		872958-01-01	872958-01-01		
	UNITS	TW-5	RDL	TW-5A	RDL	TW-8	TW-9S	RDL	QC Batch

Calculated Parameters									
Hardness (CaCO3)	mg/L	250	1.0	400	1.0	360	350	1.0	7976220
Inorganics									
Total Ammonia-N	mg/L	0.25	0.050	4.5	0.050	0.061	0.14	0.050	7980749
Conductivity	umho/cm	490	1.0	860	1.0	720	640	1.0	7977471
Total Kjeldahl Nitrogen (TKN)	mg/L	0.40	0.10	5.2	0.50	1.2	0.47	0.20	7980918
pH	pH	8.22		8.10		8.09	8.08		7977472
Dissolved Sulphate (SO4)	mg/L	4.5	1.0	35	1.0	23	10	1.0	7978805
Alkalinity (Total as CaCO3)	mg/L	230	1.0	380	1.0	290	320	1.0	7977467
Dissolved Chloride (Cl-)	mg/L	14	1.0	36	1.0	36	19	1.0	7978802
Nitrate (N)	mg/L	1.15	0.10	0.11	0.10	6.02	<0.10	0.10	7977460
RDL = Reportable Detection Limit QC Batch = Quality Control Batch									



BUREAU
VERITAS

Bureau Veritas Job #: C2B9337
Report Date: 2022/05/31

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SNJ735		SNJ736			SNJ737		
Sampling Date		2022/05/03		2022/05/03			2022/05/03		
COC Number		872958-01-01		872958-01-01			872958-01-01		
	UNITS	TW-10	RDL	TW-9D	RDL	QC Batch	TW-6(LEACHATE WELL)	RDL	QC Batch

Calculated Parameters									
Hardness (CaCO3)	mg/L	1500	1.0	370	1.0	7976220	770	1.0	7976220
Inorganics									
Total Ammonia-N	mg/L	0.12	0.050	<0.050	0.050	7980749	<0.050	0.050	7980755
Conductivity	umho/cm	2300	1.0	620	1.0	7977471	1300	1.0	7977471
Total Dissolved Solids	mg/L						615	10	7981611
Total Kjeldahl Nitrogen (TKN)	mg/L	0.38	0.10	0.69	0.20	7980918	0.24	0.10	7980918
pH	pH	7.80		8.10		7977472	7.91		7977472
Total Phosphorus	mg/L						0.10	0.020	7980722
Total Suspended Solids	mg/L						30	10	7980203
Dissolved Sulphate (SO4)	mg/L	1300	5.0	23	1.0	7978805	66	1.0	7978805
Alkalinity (Total as CaCO3)	mg/L	60	1.0	310	1.0	7977467	680	1.0	7977467
Dissolved Chloride (Cl-)	mg/L	43	1.0	10	1.0	7978802	2.5	1.0	7978802
Nitrate (N)	mg/L	0.46	0.10	<0.10	0.10	7977460	1.42	0.10	7977460

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Bureau Veritas ID		SNJ738			SNJ738		SNJ739		
Sampling Date		2022/05/03			2022/05/03		2022/05/03		
COC Number		872958-02-01			872958-02-01		872958-02-01		
	UNITS	SW-1	RDL	QC Batch	SW-1 Lab-Dup	QC Batch	SW-2	RDL	QC Batch

Inorganics									
Total Ammonia-N	mg/L	0.14	0.050	7980755			<0.050	0.050	7980755
Conductivity	umho/cm	660	1.0	7977471			660	1.0	7977471
Dissolved Oxygen	mg/L	9.38		7978982	9.40	7978982	10.1		7978982
pH	pH	8.35		7977472			8.32		7977472
Phenols-4AAP	mg/L	<0.0010	0.0010	7979897			<0.0010	0.0010	7979897
Total Phosphorus	mg/L	0.53	0.02	7980169			0.012	0.004	7980169
Alkalinity (Total as CaCO3)	mg/L	300	1.0	7977467			300	1.0	7977467
Dissolved Chloride (Cl-)	mg/L	21	1.0	7979270			21	1.0	7979270

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch
Lab-Dup = Laboratory Initiated Duplicate



RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SNJ740			SNJ740		
Sampling Date		2022/05/03			2022/05/03		
COC Number		872958-02-01			872958-02-01		
	UNITS	SW-5	RDL	QC Batch	SW-5 Lab-Dup	RDL	QC Batch
Inorganics							
Total Ammonia-N	mg/L	<0.050	0.050	7980755			
Conductivity	umho/cm	670	1.0	7977471	670	1.0	7977471
Dissolved Oxygen	mg/L	9.58		7978982			
pH	pH	8.19		7977472	8.30		7977472
Phenols-4AAP	mg/L	<0.0010	0.0010	7979897			
Total Phosphorus	mg/L	0.012	0.004	7980169			
Alkalinity (Total as CaCO3)	mg/L	300	1.0	7977467	300	1.0	7977467
Dissolved Chloride (Cl-)	mg/L	21	1.0	7979201			
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate							



ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Bureau Veritas ID		SNJ728	SNJ728	SNJ729	SNJ731	SNJ732	SNJ733		
Sampling Date		2022/05/03	2022/05/03	2022/05/03	2022/05/03	2022/05/03	2022/05/03		
COC Number		872958-01-01	872958-01-01	872958-01-01	872958-01-01	872958-01-01	872958-01-01		
	UNITS	TW-1	TW-1 Lab-Dup	TW-2	TW-5	TW-5A	TW-8	RDL	QC Batch

Metals									
Dissolved Iron (Fe)	mg/L	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	7979327
Dissolved Sodium (Na)	mg/L	9.3	9.6	8.5	7.6	21	21	0.5	7979327
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate									

Bureau Veritas ID		SNJ734	SNJ735	SNJ736			SNJ737		
Sampling Date		2022/05/03	2022/05/03	2022/05/03			2022/05/03		
COC Number		872958-01-01	872958-01-01	872958-01-01			872958-01-01		
	UNITS	TW-9S	TW-10	TW-9D	RDL	QC Batch	TW-6(LEACHATE WELL)	RDL	QC Batch

Metals									
Dissolved Arsenic (As)	mg/L						<0.2	0.2	7979327
Dissolved Barium (Ba)	mg/L						0.12	0.005	7979327
Dissolved Boron (B)	mg/L						0.23	0.02	7979327
Dissolved Cadmium (Cd)	mg/L						<0.005	0.005	7979327
Dissolved Chromium (Cr)	mg/L						<0.01	0.01	7979327
Dissolved Copper (Cu)	mg/L						<0.02	0.02	7979327
Dissolved Iron (Fe)	mg/L	<0.02	<0.02	<0.02	0.02	7979327	<0.02	0.02	7979327
Dissolved Lead (Pb)	mg/L						<0.05	0.05	7979327
Dissolved Manganese (Mn)	mg/L						0.01	0.01	7979327
Mercury (Hg)	ug/L						<0.10	0.10	7977302
Dissolved Potassium (K)	mg/L						26	1	7979327
Dissolved Sodium (Na)	mg/L	10	48	5.6	0.5	7979327	6.4	0.5	7979327
RDL = Reportable Detection Limit QC Batch = Quality Control Batch									

Bureau Veritas ID		SNJ737			SNJ738		SNJ739	SNJ740		
Sampling Date		2022/05/03			2022/05/03		2022/05/03	2022/05/03		
COC Number		872958-01-01			872958-02-01		872958-02-01	872958-02-01		
	UNITS	TW-6(LEACHATE WELL) Lab-Dup	RDL	QC Batch	SW-1	RDL	SW-2	SW-5	RDL	QC Batch

Metals										
Total Iron (Fe)	mg/L				31	0.2	0.09	0.07	0.02	7979894
Mercury (Hg)	ug/L	<0.10	0.10	7977302						
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate										



BUREAU
VERITAS

Bureau Veritas Job #: C2B9337
Report Date: 2022/05/31

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

TEST SUMMARY

Bureau Veritas ID: SNJ728
Sample ID: TW-1
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7978802	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Hardness (calculated as CaCO3)		7976220	N/A	2022/05/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	7979327	2022/05/05	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980749	N/A	2022/05/10	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	7977460	N/A	2022/05/05	Samuel Law
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Sulphate by Automated Colourimetry	KONE	7978805	N/A	2022/05/11	Chandra Nandlal
Total Kjeldahl Nitrogen in Water	SKAL	7980918	2022/05/06	2022/05/09	Rajni Tyagi

Bureau Veritas ID: SNJ728 Dup
Sample ID: TW-1
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Chloride by Automated Colourimetry	KONE	7978802	N/A	2022/05/06	Raiq Kashif
Lab Filtered Metals Analysis by ICP	ICP	7979327	2022/05/05	2022/05/06	Medhat Nasr
Sulphate by Automated Colourimetry	KONE	7978805	N/A	2022/05/11	Chandra Nandlal

Bureau Veritas ID: SNJ729
Sample ID: TW-2
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7978802	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Hardness (calculated as CaCO3)		7976220	N/A	2022/05/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	7979327	2022/05/05	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980749	N/A	2022/05/10	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	7977460	N/A	2022/05/05	Samuel Law
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Sulphate by Automated Colourimetry	KONE	7978805	N/A	2022/05/11	Chandra Nandlal
Total Kjeldahl Nitrogen in Water	SKAL	7980918	2022/05/06	2022/05/09	Rajni Tyagi

Bureau Veritas ID: SNJ731
Sample ID: TW-5
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7978802	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Hardness (calculated as CaCO3)		7976220	N/A	2022/05/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	7979327	2022/05/05	2022/05/06	Medhat Nasr



BUREAU
VERITAS

Bureau Veritas Job #: C2B9337
Report Date: 2022/05/31

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

TEST SUMMARY

Bureau Veritas ID: SNJ731
Sample ID: TW-5
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Total Ammonia-N	LACH/NH4	7980749	N/A	2022/05/10	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	7977460	N/A	2022/05/05	Samuel Law
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Sulphate by Automated Colourimetry	KONE	7978805	N/A	2022/05/11	Chandra Nandlal
Total Kjeldahl Nitrogen in Water	SKAL	7980918	2022/05/06	2022/05/09	Rajni Tyagi

Bureau Veritas ID: SNJ732
Sample ID: TW-5A
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7978802	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Hardness (calculated as CaCO3)		7976220	N/A	2022/05/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	7979327	2022/05/05	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980749	N/A	2022/05/10	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	7977460	N/A	2022/05/05	Samuel Law
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Sulphate by Automated Colourimetry	KONE	7978805	N/A	2022/05/11	Chandra Nandlal
Total Kjeldahl Nitrogen in Water	SKAL	7980918	2022/05/06	2022/05/09	Rajni Tyagi

Bureau Veritas ID: SNJ733
Sample ID: TW-8
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7978802	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Hardness (calculated as CaCO3)		7976220	N/A	2022/05/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	7979327	2022/05/05	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980749	N/A	2022/05/10	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	7977460	N/A	2022/05/05	Samuel Law
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Sulphate by Automated Colourimetry	KONE	7978805	N/A	2022/05/11	Chandra Nandlal
Total Kjeldahl Nitrogen in Water	SKAL	7980918	2022/05/06	2022/05/09	Rajni Tyagi

Bureau Veritas ID: SNJ734
Sample ID: TW-9S
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7978802	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai



BUREAU
VERITAS

Bureau Veritas Job #: C2B9337
Report Date: 2022/05/31

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

TEST SUMMARY

Bureau Veritas ID: SNJ734
Sample ID: TW-9S
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Hardness (calculated as CaCO3)		7976220	N/A	2022/05/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	7979327	2022/05/05	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980749	N/A	2022/05/10	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	7977460	N/A	2022/05/05	Samuel Law
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Sulphate by Automated Colourimetry	KONE	7978805	N/A	2022/05/11	Chandra Nandlal
Total Kjeldahl Nitrogen in Water	SKAL	7980918	2022/05/06	2022/05/09	Rajni Tyagi

Bureau Veritas ID: SNJ735
Sample ID: TW-10
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7978802	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Hardness (calculated as CaCO3)		7976220	N/A	2022/05/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	7979327	2022/05/05	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980749	N/A	2022/05/10	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	7977460	N/A	2022/05/05	Samuel Law
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Sulphate by Automated Colourimetry	KONE	7978805	N/A	2022/05/11	Chandra Nandlal
Total Kjeldahl Nitrogen in Water	SKAL	7980918	2022/05/06	2022/05/09	Rajni Tyagi

Bureau Veritas ID: SNJ736
Sample ID: TW-9D
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7978802	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Hardness (calculated as CaCO3)		7976220	N/A	2022/05/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	7979327	2022/05/05	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980749	N/A	2022/05/10	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	7977460	N/A	2022/05/05	Samuel Law
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Sulphate by Automated Colourimetry	KONE	7978805	N/A	2022/05/11	Chandra Nandlal
Total Kjeldahl Nitrogen in Water	SKAL	7980918	2022/05/06	2022/05/09	Rajni Tyagi

Bureau Veritas ID: SNJ737
Sample ID: TW-6(LEACHATE WELL)
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai



BUREAU
VERITAS

Bureau Veritas Job #: C2B9337
Report Date: 2022/05/31

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

TEST SUMMARY

Bureau Veritas ID: SNJ737
Sample ID: TW-6(LEACHATE WELL)
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Chloride by Automated Colourimetry	KONE	7978802	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Hardness (calculated as CaCO3)		7976220	N/A	2022/05/06	Automated Statchk
Mercury	CV/AA	7977302	2022/05/05	2022/05/05	Jaswinder Kaur
Lab Filtered Metals Analysis by ICP	ICP	7979327	2022/05/05	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980755	N/A	2022/05/10	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	7977460	N/A	2022/05/05	Samuel Law
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Sulphate by Automated Colourimetry	KONE	7978805	N/A	2022/05/11	Chandra Nandlal
Total Dissolved Solids	BAL	7981611	2022/05/07	2022/05/09	Kristen Chan
Total Kjeldahl Nitrogen in Water	SKAL	7980918	2022/05/06	2022/05/09	Rajni Tyagi
Total Phosphorus (Colourimetric)	LACH/P	7980722	2022/05/06	2022/05/09	Shivani Shivani
Total Suspended Solids	BAL	7980203	2022/05/06	2022/05/09	Shaneil Hall

Bureau Veritas ID: SNJ737 Dup
Sample ID: TW-6(LEACHATE WELL)
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Mercury	CV/AA	7977302	2022/05/05	2022/05/05	Jaswinder Kaur

Bureau Veritas ID: SNJ738
Sample ID: SW-1
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7979270	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Dissolved Oxygen	DO	7978982	2022/05/05	2022/05/05	Frank Zhang
Total Metals Analysis by ICP	ICP	7979894	2022/05/06	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980755	N/A	2022/05/10	Raiq Kashif
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Phenols (4AAP)	TECH/PHEN	7979897	N/A	2022/05/06	Louise Harding
Total Phosphorus (Colourimetric)	LACH/P	7980169	2022/05/06	2022/05/06	Shivani Shivani

Bureau Veritas ID: SNJ738 Dup
Sample ID: SW-1
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Dissolved Oxygen	DO	7978982	2022/05/05	2022/05/05	Frank Zhang



BUREAU
VERITAS

Bureau Veritas Job #: C2B9337
Report Date: 2022/05/31

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

TEST SUMMARY

Bureau Veritas ID: SNJ739
Sample ID: SW-2
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7979270	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Dissolved Oxygen	DO	7978982	2022/05/05	2022/05/05	Frank Zhang
Total Metals Analysis by ICP	ICP	7979894	2022/05/06	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980755	N/A	2022/05/10	Raiq Kashif
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Phenols (4AAP)	TECH/PHEN	7979897	N/A	2022/05/06	Louise Harding
Total Phosphorus (Colourimetric)	LACH/P	7980169	2022/05/06	2022/05/06	Shivani Shivani

Bureau Veritas ID: SNJ740
Sample ID: SW-5
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Chloride by Automated Colourimetry	KONE	7979201	N/A	2022/05/06	Raiq Kashif
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
Dissolved Oxygen	DO	7978982	2022/05/05	2022/05/05	Frank Zhang
Total Metals Analysis by ICP	ICP	7979894	2022/05/06	2022/05/06	Medhat Nasr
Total Ammonia-N	LACH/NH4	7980755	N/A	2022/05/10	Raiq Kashif
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai
Phenols (4AAP)	TECH/PHEN	7979897	N/A	2022/05/06	Louise Harding
Total Phosphorus (Colourimetric)	LACH/P	7980169	2022/05/06	2022/05/06	Shivani Shivani

Bureau Veritas ID: SNJ740 Dup
Sample ID: SW-5
Matrix: Water

Collected: 2022/05/03
Shipped:
Received: 2022/05/04

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	7977467	N/A	2022/05/07	Surinder Rai
Conductivity	AT	7977471	N/A	2022/05/07	Surinder Rai
pH	AT	7977472	2022/05/05	2022/05/07	Surinder Rai



**BUREAU
VERITAS**

Bureau Veritas Job #: C2B9337
Report Date: 2022/05/31

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

GENERAL COMMENTS

Sample SNJ738 [SW-1] : Metals: Due to the sample matrix, sample required dilution. Detection limits were adjusted accordingly.

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C2B9337

Report Date: 2022/05/31

QUALITY ASSURANCE REPORT

GM BluePlan Engineering Limited

Client Project #: Normanby Landfill (213087)

QC Batch	Parameter	Date	Matrix Spike		SPIKED BLANK		Method Blank		RPD		QC Standard	
			% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits	% Recovery	QC Limits
7977302	Mercury (Hg)	2022/05/05	95	75 - 125	98	80 - 120	<0.10	ug/L	NC	20		
7977460	Nitrate (N)	2022/05/05	92	80 - 120	98	80 - 120	<0.10	mg/L	0.25	20		
7977467	Alkalinity (Total as CaCO3)	2022/05/07			96	85 - 115	<1.0	mg/L	0.27	20		
7977471	Conductivity	2022/05/07			101	85 - 115	<1.0	umho/cm	0.30	25		
7977472	pH	2022/05/07			102	98 - 103			1.3	N/A		
7978802	Dissolved Chloride (Cl-)	2022/05/06	112	80 - 120	104	80 - 120	<1.0	mg/L	0.85	20		
7978805	Dissolved Sulphate (SO4)	2022/05/11	NC	75 - 125	99	80 - 120	<1.0	mg/L	1.2	20		
7979201	Dissolved Chloride (Cl-)	2022/05/06	110	80 - 120	104	80 - 120	<1.0	mg/L	1.5	20		
7979270	Dissolved Chloride (Cl-)	2022/05/06	NC	80 - 120	103	80 - 120	<1.0	mg/L	1.2	20		
7979327	Dissolved Arsenic (As)	2022/05/06	98	80 - 120	97	80 - 120	<0.2	mg/L				
7979327	Dissolved Barium (Ba)	2022/05/06	101	80 - 120	101	80 - 120	<0.005	mg/L				
7979327	Dissolved Boron (B)	2022/05/06	102	80 - 120	101	80 - 120	<0.02	mg/L				
7979327	Dissolved Cadmium (Cd)	2022/05/06	100	80 - 120	100	80 - 120	<0.005	mg/L				
7979327	Dissolved Chromium (Cr)	2022/05/06	102	80 - 120	102	80 - 120	<0.01	mg/L				
7979327	Dissolved Copper (Cu)	2022/05/06	101	80 - 120	102	80 - 120	<0.02	mg/L				
7979327	Dissolved Iron (Fe)	2022/05/06	103	80 - 120	101	80 - 120	<0.02	mg/L	NC	25		
7979327	Dissolved Lead (Pb)	2022/05/06	100	80 - 120	102	80 - 120	<0.05	mg/L				
7979327	Dissolved Manganese (Mn)	2022/05/06	101	80 - 120	103	80 - 120	<0.01	mg/L				
7979327	Dissolved Potassium (K)	2022/05/06	102	80 - 120	102	80 - 120	<1	mg/L				
7979327	Dissolved Sodium (Na)	2022/05/06	103	80 - 120	103	80 - 120	<0.5	mg/L	2.6	25		
7979894	Total Iron (Fe)	2022/05/06	NC	80 - 120	109	80 - 120	<0.02	mg/L	1.6	25		
7979897	Phenols-4AAP	2022/05/06	103	80 - 120	104	80 - 120	<0.0010	mg/L	NC	20		
7980169	Total Phosphorus	2022/05/06	NC	80 - 120	95	80 - 120	<0.004	mg/L	0.45	20	90	80 - 120
7980203	Total Suspended Solids	2022/05/09					<10	mg/L	8.7	25	100	85 - 115
7980722	Total Phosphorus	2022/05/09	94	80 - 120	94	80 - 120	<0.020	mg/L	12	20	91	80 - 120
7980749	Total Ammonia-N	2022/05/10	104	75 - 125	99	80 - 120	<0.050	mg/L	16	20		
7980755	Total Ammonia-N	2022/05/10	94	75 - 125	99	80 - 120	<0.050	mg/L	8.9	20		
7980918	Total Kjeldahl Nitrogen (TKN)	2022/05/09	102	80 - 120	108	80 - 120	<0.10	mg/L	NC	20	97	80 - 120



BUREAU
VERITAS

Bureau Veritas Job #: C2B9337

Report Date: 2022/05/31

QUALITY ASSURANCE REPORT(CONT'D)

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

QC Batch	Parameter	Date	Matrix Spike		SPIKED BLANK		Method Blank		RPD		QC Standard	
			% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits	% Recovery	QC Limits
7981611	Total Dissolved Solids	2022/05/09					<10	mg/L	3.6	25	95	90 - 110

N/A = Not Applicable

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

QC Standard: A sample of known concentration prepared by an external agency under stringent conditions. Used as an independent check of method accuracy.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

NC (Matrix Spike): The recovery in the matrix spike was not calculated. The relative difference between the concentration in the parent sample and the spike amount was too small to permit a reliable recovery calculation (matrix spike concentration was less than the native sample concentration)

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference <= 2x RDL).




BUREAU
VERITAS

Bureau Veritas Job #: C2B9337
Report Date: 2022/05/31

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Eva P.


Ewa Pranjic, M.Sc., C.Chem, Scientific Specialist

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



Your Project #: Normanby Landfill (213087)
 Your C.O.C. #: 897678-01-01

Attention: Reporting Contacts

GM BluePlan Engineering Limited
 1260 - 2nd Ave E
 Unit 1
 Owen Sound, ON
 CANADA N4K 2J3

Report Date: 2022/10/26
 Report #: R7359284
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C2S5371

Received: 2022/10/03, 08:56

Sample Matrix: Water
 # Samples Received: 12

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Alkalinity	1	N/A	2022/10/21	CAM SOP-00448	SM 23 2320 B m
Alkalinity	1	N/A	2022/10/06	CAM SOP-00448	SM 23 2320 B m
Alkalinity	10	N/A	2022/10/07	CAM SOP-00448	SM 23 2320 B m
Chloride by Automated Colourimetry	8	N/A	2022/10/11	CAM SOP-00463	SM 23 4500-Cl E m
Chloride by Automated Colourimetry	1	N/A	2022/10/25	CAM SOP-00463	SM 23 4500-Cl E m
Chloride by Automated Colourimetry	1	N/A	2022/10/06	CAM SOP-00463	SM 23 4500-Cl E m
Chloride by Automated Colourimetry	2	N/A	2022/10/07	CAM SOP-00463	SM 23 4500-Cl E m
Conductivity	1	N/A	2022/10/06	CAM SOP-00414	SM 23 2510 m
Conductivity	11	N/A	2022/10/07	CAM SOP-00414	SM 23 2510 m
Dissolved Oxygen	3	2022/10/04	2022/10/04	CAM SOP-00427	SM 23 4500 O G m
Hardness (calculated as CaCO3)	9	N/A	2022/10/06	CAM SOP 00102/00408/00447	SM 2340 B
Mercury	1	2022/10/05	2022/10/05	CAM SOP-00453	EPA 7470A m
Lab Filtered Metals Analysis by ICP	9	2022/10/04	2022/10/06	CAM SOP-00408	EPA 6010D m
Total Metals Analysis by ICP	3	2022/10/06	2022/10/11	CAM SOP-00408	EPA 6010D m
Total Ammonia-N	1	N/A	2022/10/19	CAM SOP-00441	USGS I-2522-90 m
Total Ammonia-N	9	N/A	2022/10/07	CAM SOP-00441	USGS I-2522-90 m
Total Ammonia-N	2	N/A	2022/10/09	CAM SOP-00441	USGS I-2522-90 m
Nitrate & Nitrite as Nitrogen in Water (1)	8	N/A	2022/10/11	CAM SOP-00440	SM 23 4500-NO3I/NO2B
Nitrate & Nitrite as Nitrogen in Water (1)	1	N/A	2022/10/12	CAM SOP-00440	SM 23 4500-NO3I/NO2B
pH	11	2022/10/04	2022/10/07	CAM SOP-00413	SM 4500H+ B m
pH	1	2022/10/05	2022/10/06	CAM SOP-00413	SM 4500H+ B m
Phenols (4AAP)	3	N/A	2022/10/11	CAM SOP-00444	OMOE E3179 m
Sulphate by Automated Colourimetry	8	N/A	2022/10/11	CAM SOP-00464	EPA 375.4 m
Sulphate by Automated Colourimetry	1	N/A	2022/10/26	CAM SOP-00464	EPA 375.4 m
Total Dissolved Solids	1	2022/10/05	2022/10/06	CAM SOP-00428	SM 23 2540C m
Total Kjeldahl Nitrogen in Water	5	2022/10/05	2022/10/05	CAM SOP-00938	OMOE E3516 m
Total Kjeldahl Nitrogen in Water	4	2022/10/05	2022/10/06	CAM SOP-00938	OMOE E3516 m
Total Phosphorus (Colourimetric)	3	2022/10/05	2022/10/05	CAM SOP-00407	SM 23 4500-P I
Total Phosphorus (Colourimetric)	1	2022/10/05	2022/10/07	CAM SOP-00407	SM 23 4500-P I



Your Project #: Normanby Landfill (213087)
Your C.O.C. #: 897678-01-01

Attention: Reporting Contacts

GM BluePlan Engineering Limited
1260 - 2nd Ave E
Unit 1
Owen Sound, ON
CANADA N4K 2J3

Report Date: 2022/10/26
Report #: R7359284
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C2S5371

Received: 2022/10/03, 08:56

Sample Matrix: Water
Samples Received: 12

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Total Suspended Solids	1	2022/10/05	2022/10/06	CAM SOP-00428	SM 23 2540D m

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Values for calculated parameters may not appear to add up due to rounding of raw data and significant figures.



Your Project #: Normanby Landfill (213087)
Your C.O.C. #: 897678-01-01

Attention: Reporting Contacts

GM BluePlan Engineering Limited
1260 - 2nd Ave E
Unit 1
Owen Sound, ON
CANADA N4K 2J3

Report Date: 2022/10/26
Report #: R7359284
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C2S5371
Received: 2022/10/03, 08:56

Encryption Key

Please direct all questions regarding this Certificate of Analysis to:
Ashton Gibson, Project Manager
Email: Ashton.Gibson@bureauveritas.com
Phone# (905)817-5765

=====

This report has been generated and distributed using a secure automated process.

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		TXA603			TXA603			TXA604		
Sampling Date		2022/09/29			2022/09/29			2022/09/29		
COC Number		897678-01-01			897678-01-01			897678-01-01		
	UNITS	TW-1	RDL	QC Batch	TW-1 Lab-Dup	RDL	QC Batch	TW-2	RDL	QC Batch

Calculated Parameters										
Hardness (CaCO3)	mg/L	270	1.0	8260794				520	1.0	8260794
Inorganics										
Total Ammonia-N	mg/L	0.40	0.050	8269526	0.41	0.050	8269526	0.19	0.050	8269526
Conductivity	umho/cm	530	1.0	8264504				950	1.0	8264504
Total Kjeldahl Nitrogen (TKN)	mg/L	0.47	0.10	8265818				0.69	0.10	8265818
pH	pH	8.09		8264556				8.04		8264556
Dissolved Sulphate (SO4)	mg/L	75	1.0	8264203				89	1.0	8264203
Alkalinity (Total as CaCO3)	mg/L	190	1.0	8264550				200	1.0	8264550
Dissolved Chloride (Cl-)	mg/L	5.8	1.0	8264205				29	1.0	8264205
Nitrate (N)	mg/L	<0.10	0.10	8264761				<0.10	0.10	8264761
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate										

Bureau Veritas ID		TXA605			TXA606		TXA607	TXA608		
Sampling Date		2022/09/29			2022/09/29		2022/09/29	2022/09/29		
COC Number		897678-01-01			897678-01-01		897678-01-01	897678-01-01		
	UNITS	TW-5	RDL	QC Batch	TW-5A	RDL	TW-8	TW-9 (S)	RDL	QC Batch

Calculated Parameters										
Hardness (CaCO3)	mg/L	290	1.0	8260794	430	1.0	430	370	1.0	8260794
Inorganics										
Total Ammonia-N	mg/L	0.31	0.050	8269526	1.4	0.050	<0.050	0.20	0.050	8269526
Conductivity	umho/cm	550	1.0	8264504	880	1.0	870	670	1.0	8264504
Total Kjeldahl Nitrogen (TKN)	mg/L	0.46	0.10	8265818	1.6	0.20	2.1	0.25	0.10	8265818
pH	pH	8.06		8264556	7.96		7.92	8.01		8264556
Dissolved Sulphate (SO4)	mg/L	6.8	1.0	8302393	36	1.0	37	6.9	1.0	8264203
Alkalinity (Total as CaCO3)	mg/L	260	1.0	8294993	360	1.0	320	330	1.0	8264550
Dissolved Chloride (Cl-)	mg/L	21	1.0	8302379	34	1.0	46	19	1.0	8264205
Nitrate (N)	mg/L	0.73	0.10	8264761	6.51	0.10	4.23	<0.10	0.10	8264761
RDL = Reportable Detection Limit QC Batch = Quality Control Batch										



BUREAU
VERITAS

Bureau Veritas Job #: C2S5371
Report Date: 2022/10/26

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		TXA609		TXA610			TXA611		
Sampling Date		2022/09/29		2022/09/29			2022/09/29		
COC Number		897678-01-01		897678-01-01			897678-01-01		
	UNITS	TW-9 (D)	RDL	TW-10	RDL	QC Batch	TW-6 (LEACHATE WELL)	RDL	QC Batch

Calculated Parameters									
Hardness (CaCO3)	mg/L	380	1.0	1600	1.0	8260794	840	1.0	8260794
Inorganics									
Total Ammonia-N	mg/L	<0.050	0.050	1.2	0.050	8269526	5.7 (1)	0.050	8290250
Conductivity	umho/cm	660	1.0	2500	1.0	8264504	1600	1.0	8264504
Total Dissolved Solids	mg/L						860	10	8265362
Total Kjeldahl Nitrogen (TKN)	mg/L	0.54	0.10	1.2	0.10	8265818	8.6	0.20	8265818
pH	pH	8.12		7.75		8264556	7.80		8264556
Total Phosphorus	mg/L						1.3	0.10	8266591
Total Suspended Solids	mg/L						170	14	8266130
Dissolved Sulphate (SO4)	mg/L	11	1.0	1400	5.0	8264203	76	1.0	8264203
Alkalinity (Total as CaCO3)	mg/L	310	1.0	48	1.0	8264550	830	1.0	8264550
Dissolved Chloride (Cl-)	mg/L	12	1.0	48	1.0	8264205	38	1.0	8264205
Nitrate (N)	mg/L	<0.10	0.10	0.15	0.10	8264761	<0.10	0.10	8264761

RDL = Reportable Detection Limit

QC Batch = Quality Control Batch

(1) The Ammonia results were reported by analysing sample from TKN bottle.

Bureau Veritas ID		TXA612			TXA612			TXA613		
Sampling Date		2022/09/29			2022/09/29			2022/09/29		
COC Number		897678-01-01			897678-01-01			897678-01-01		
	UNITS	SW-1	RDL	QC Batch	SW-1 Lab-Dup	RDL	QC Batch	SW-2	RDL	QC Batch

Inorganics										
Total Ammonia-N	mg/L	<0.050	0.050	8269526				<0.050	0.050	8269526
Conductivity	umho/cm	710	1.0	8264504				700	1.0	8264504
Dissolved Oxygen	mg/L	9.60		8264631				9.93		8264631
pH	pH	8.25		8264556				8.31		8264556
Phenols-4AAP	mg/L	<0.0010	0.0010	8275778	<0.0010	0.0010	8275778	<0.0010	0.0010	8275778
Total Phosphorus	mg/L	0.19	0.004	8265692				0.22	0.004	8265692
Alkalinity (Total as CaCO3)	mg/L	300	1.0	8264550				300	1.0	8264550
Dissolved Chloride (Cl-)	mg/L	26	1.0	8264268				26	1.0	8264268

RDL = Reportable Detection Limit

QC Batch = Quality Control Batch

Lab-Dup = Laboratory Initiated Duplicate



RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		TXA614		
Sampling Date		2022/09/29		
COC Number		897678-01-01		
	UNITS	SW-5	RDL	QC Batch
Inorganics				
Total Ammonia-N	mg/L	<0.050	0.050	8269526
Conductivity	umho/cm	700	1.0	8267473
Dissolved Oxygen	mg/L	9.72		8264631
pH	pH	8.30		8267474
Phenols-4AAP	mg/L	<0.0010	0.0010	8275778
Total Phosphorus	mg/L	0.010	0.004	8265692
Alkalinity (Total as CaCO3)	mg/L	310	1.0	8267466
Dissolved Chloride (Cl-)	mg/L	26	1.0	8267359
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Bureau Veritas ID		TXA603	TXA604	TXA605	TXA606	TXA607	TXA608		
Sampling Date		2022/09/29	2022/09/29	2022/09/29	2022/09/29	2022/09/29	2022/09/29		
COC Number		897678-01-01	897678-01-01	897678-01-01	897678-01-01	897678-01-01	897678-01-01		
	UNITS	TW-1	TW-2	TW-5	TW-5A	TW-8	TW-9 (S)	RDL	QC Batch

Metals									
Dissolved Iron (Fe)	mg/L	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	8264119
Dissolved Sodium (Na)	mg/L	9.2	18	7.6	23	27	9.9	0.5	8264119

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Bureau Veritas ID		TXA609		TXA610			TXA611		
Sampling Date		2022/09/29		2022/09/29			2022/09/29		
COC Number		897678-01-01		897678-01-01			897678-01-01		
	UNITS	TW-9 (D)	RDL	TW-10	RDL	QC Batch	TW-6 (LEACHATE WELL)	RDL	QC Batch

Metals									
Dissolved Arsenic (As)	mg/L						<0.2	0.2	8264119
Dissolved Barium (Ba)	mg/L						0.12	0.005	8264119
Dissolved Boron (B)	mg/L						0.34	0.02	8264119
Dissolved Cadmium (Cd)	mg/L						<0.005	0.005	8264119
Dissolved Chromium (Cr)	mg/L						<0.01	0.01	8264119
Dissolved Copper (Cu)	mg/L						<0.02	0.02	8264119
Dissolved Iron (Fe)	mg/L	<0.02	0.02	<0.2	0.2	8264119	<0.02	0.02	8264119
Dissolved Lead (Pb)	mg/L						<0.05	0.05	8264119
Dissolved Manganese (Mn)	mg/L						0.13	0.01	8264119
Mercury (Hg)	ug/L						<0.10	0.10	8266007
Dissolved Potassium (K)	mg/L						23	1	8264119
Dissolved Sodium (Na)	mg/L	6.2	0.5	47	0.5	8264119	66	0.5	8264119

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Bureau Veritas ID		TXA611			TXA612	TXA613	TXA614		
Sampling Date		2022/09/29			2022/09/29	2022/09/29	2022/09/29		
COC Number		897678-01-01			897678-01-01	897678-01-01	897678-01-01		
	UNITS	TW-6 (LEACHATE WELL)	RDL	QC Batch	SW-1	SW-2	SW-5	RDL	QC Batch
		Lab-Dup							

Metals									
Total Iron (Fe)	mg/L				5.9	5.5	0.10	0.02	8269343
Mercury (Hg)	ug/L	<0.10	0.10	8266007					

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch
Lab-Dup = Laboratory Initiated Duplicate



BUREAU
VERITAS

Bureau Veritas Job #: C2S5371
Report Date: 2022/10/26

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

TEST SUMMARY

Bureau Veritas ID: TXA603
Sample ID: TW-1
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8264550	N/A	2022/10/07	Kien Tran
Chloride by Automated Colourimetry	KONE	8264205	N/A	2022/10/11	Alina Dobreanu
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran
Hardness (calculated as CaCO3)		8260794	N/A	2022/10/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	8264119	2022/10/04	2022/10/06	Archana Patel
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/07	Amanpreet Sappal
Nitrate & Nitrite as Nitrogen in Water	LACH	8264761	N/A	2022/10/11	Chandra Nandlal
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Sulphate by Automated Colourimetry	KONE	8264203	N/A	2022/10/11	Samuel Law
Total Kjeldahl Nitrogen in Water	SKAL	8265818	2022/10/05	2022/10/06	Massarat Jan

Bureau Veritas ID: TXA603 Dup
Sample ID: TW-1
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/07	Amanpreet Sappal

Bureau Veritas ID: TXA604
Sample ID: TW-2
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8264550	N/A	2022/10/07	Kien Tran
Chloride by Automated Colourimetry	KONE	8264205	N/A	2022/10/11	Alina Dobreanu
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran
Hardness (calculated as CaCO3)		8260794	N/A	2022/10/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	8264119	2022/10/04	2022/10/06	Archana Patel
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/07	Amanpreet Sappal
Nitrate & Nitrite as Nitrogen in Water	LACH	8264761	N/A	2022/10/11	Chandra Nandlal
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Sulphate by Automated Colourimetry	KONE	8264203	N/A	2022/10/11	Samuel Law
Total Kjeldahl Nitrogen in Water	SKAL	8265818	2022/10/05	2022/10/05	Massarat Jan

Bureau Veritas ID: TXA605
Sample ID: TW-5
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8294993	N/A	2022/10/21	Kien Tran
Chloride by Automated Colourimetry	KONE	8302379	N/A	2022/10/25	Samuel Law
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran
Hardness (calculated as CaCO3)		8260794	N/A	2022/10/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	8264119	2022/10/04	2022/10/06	Archana Patel
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/07	Amanpreet Sappal
Nitrate & Nitrite as Nitrogen in Water	LACH	8264761	N/A	2022/10/12	Chandra Nandlal



BUREAU
VERITAS

Bureau Veritas Job #: C2S5371
Report Date: 2022/10/26

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

TEST SUMMARY

Bureau Veritas ID: TXA605
Sample ID: TW-5
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Sulphate by Automated Colourimetry	KONE	8302393	N/A	2022/10/26	Samuel Law
Total Kjeldahl Nitrogen in Water	SKAL	8265818	2022/10/05	2022/10/05	Massarat Jan

Bureau Veritas ID: TXA606
Sample ID: TW-5A
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8264550	N/A	2022/10/07	Kien Tran
Chloride by Automated Colourimetry	KONE	8264205	N/A	2022/10/11	Alina Dobreanu
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran
Hardness (calculated as CaCO3)		8260794	N/A	2022/10/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	8264119	2022/10/04	2022/10/06	Archana Patel
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/07	Amanpreet Sappal
Nitrate & Nitrite as Nitrogen in Water	LACH	8264761	N/A	2022/10/11	Chandra Nandlal
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Sulphate by Automated Colourimetry	KONE	8264203	N/A	2022/10/11	Samuel Law
Total Kjeldahl Nitrogen in Water	SKAL	8265818	2022/10/05	2022/10/06	Massarat Jan

Bureau Veritas ID: TXA607
Sample ID: TW-8
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8264550	N/A	2022/10/07	Kien Tran
Chloride by Automated Colourimetry	KONE	8264205	N/A	2022/10/11	Alina Dobreanu
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran
Hardness (calculated as CaCO3)		8260794	N/A	2022/10/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	8264119	2022/10/04	2022/10/06	Archana Patel
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/07	Amanpreet Sappal
Nitrate & Nitrite as Nitrogen in Water	LACH	8264761	N/A	2022/10/11	Chandra Nandlal
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Sulphate by Automated Colourimetry	KONE	8264203	N/A	2022/10/11	Samuel Law
Total Kjeldahl Nitrogen in Water	SKAL	8265818	2022/10/05	2022/10/06	Massarat Jan

Bureau Veritas ID: TXA608
Sample ID: TW-9 (S)
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8264550	N/A	2022/10/07	Kien Tran
Chloride by Automated Colourimetry	KONE	8264205	N/A	2022/10/11	Alina Dobreanu
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran
Hardness (calculated as CaCO3)		8260794	N/A	2022/10/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	8264119	2022/10/04	2022/10/06	Archana Patel



BUREAU
VERITAS

Bureau Veritas Job #: C2S5371
Report Date: 2022/10/26

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

TEST SUMMARY

Bureau Veritas ID: TXA608
Sample ID: TW-9 (S)
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/09	Amanpreet Sappal
Nitrate & Nitrite as Nitrogen in Water	LACH	8264761	N/A	2022/10/11	Chandra Nandlal
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Sulphate by Automated Colourimetry	KONE	8264203	N/A	2022/10/11	Samuel Law
Total Kjeldahl Nitrogen in Water	SKAL	8265818	2022/10/05	2022/10/05	Massarat Jan

Bureau Veritas ID: TXA609
Sample ID: TW-9 (D)
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8264550	N/A	2022/10/07	Kien Tran
Chloride by Automated Colourimetry	KONE	8264205	N/A	2022/10/11	Alina Dobreanu
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran
Hardness (calculated as CaCO3)		8260794	N/A	2022/10/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	8264119	2022/10/04	2022/10/06	Archana Patel
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/07	Amanpreet Sappal
Nitrate & Nitrite as Nitrogen in Water	LACH	8264761	N/A	2022/10/11	Chandra Nandlal
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Sulphate by Automated Colourimetry	KONE	8264203	N/A	2022/10/11	Samuel Law
Total Kjeldahl Nitrogen in Water	SKAL	8265818	2022/10/05	2022/10/05	Massarat Jan

Bureau Veritas ID: TXA610
Sample ID: TW-10
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8264550	N/A	2022/10/07	Kien Tran
Chloride by Automated Colourimetry	KONE	8264205	N/A	2022/10/11	Alina Dobreanu
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran
Hardness (calculated as CaCO3)		8260794	N/A	2022/10/06	Automated Statchk
Lab Filtered Metals Analysis by ICP	ICP	8264119	2022/10/04	2022/10/06	Archana Patel
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/07	Amanpreet Sappal
Nitrate & Nitrite as Nitrogen in Water	LACH	8264761	N/A	2022/10/11	Chandra Nandlal
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Sulphate by Automated Colourimetry	KONE	8264203	N/A	2022/10/11	Samuel Law
Total Kjeldahl Nitrogen in Water	SKAL	8265818	2022/10/05	2022/10/05	Massarat Jan

Bureau Veritas ID: TXA611
Sample ID: TW-6 (LEACHATE WELL)
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8264550	N/A	2022/10/07	Kien Tran
Chloride by Automated Colourimetry	KONE	8264205	N/A	2022/10/11	Alina Dobreanu
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran



BUREAU
VERITAS

Bureau Veritas Job #: C2S5371
Report Date: 2022/10/26

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

TEST SUMMARY

Bureau Veritas ID: TXA611
Sample ID: TW-6 (LEACHATE WELL)
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Hardness (calculated as CaCO3)		8260794	N/A	2022/10/06	Automated Statchk
Mercury	CV/AA	8266007	2022/10/05	2022/10/05	Japneet Gill
Lab Filtered Metals Analysis by ICP	ICP	8264119	2022/10/04	2022/10/06	Archana Patel
Total Ammonia-N	LACH/NH4	8290250	N/A	2022/10/19	Anna-Kay Gooden
Nitrate & Nitrite as Nitrogen in Water	LACH	8264761	N/A	2022/10/11	Chandra Nandlal
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Sulphate by Automated Colourimetry	KONE	8264203	N/A	2022/10/11	Samuel Law
Total Dissolved Solids	BAL	8265362	2022/10/05	2022/10/06	Shaneil Hall
Total Kjeldahl Nitrogen in Water	SKAL	8265818	2022/10/05	2022/10/06	Massarat Jan
Total Phosphorus (Colourimetric)	SKAL/P	8266591	2022/10/05	2022/10/07	Shivani Shivani
Total Suspended Solids	BAL	8266130	2022/10/05	2022/10/06	Masood Siddiqui

Bureau Veritas ID: TXA611 Dup
Sample ID: TW-6 (LEACHATE WELL)
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Mercury	CV/AA	8266007	2022/10/05	2022/10/05	Japneet Gill

Bureau Veritas ID: TXA612
Sample ID: SW-1
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8264550	N/A	2022/10/07	Kien Tran
Chloride by Automated Colourimetry	KONE	8264268	N/A	2022/10/07	Alina Dobreanu
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran
Dissolved Oxygen	DO	8264631	2022/10/04	2022/10/04	Frank Zhang
Total Metals Analysis by ICP	ICP	8269343	2022/10/06	2022/10/11	Thuy Linh Nguyen
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/07	Amanpreet Sappal
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Phenols (4AAP)	TECH/PHEN	8275778	N/A	2022/10/11	Mandeep Kaur
Total Phosphorus (Colourimetric)	SKAL/P	8265692	2022/10/05	2022/10/05	Shivani Shivani

Bureau Veritas ID: TXA612 Dup
Sample ID: SW-1
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Phenols (4AAP)	TECH/PHEN	8275778	N/A	2022/10/11	Mandeep Kaur



BUREAU
VERITAS

Bureau Veritas Job #: C2S5371
Report Date: 2022/10/26

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

TEST SUMMARY

Bureau Veritas ID: TXA613
Sample ID: SW-2
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8264550	N/A	2022/10/07	Kien Tran
Chloride by Automated Colourimetry	KONE	8264268	N/A	2022/10/07	Alina Dobreanu
Conductivity	AT	8264504	N/A	2022/10/07	Kien Tran
Dissolved Oxygen	DO	8264631	2022/10/04	2022/10/04	Frank Zhang
Total Metals Analysis by ICP	ICP	8269343	2022/10/06	2022/10/11	Thuy Linh Nguyen
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/07	Amanpreet Sappal
pH	AT	8264556	2022/10/04	2022/10/07	Kien Tran
Phenols (4AAP)	TECH/PHEN	8275778	N/A	2022/10/11	Mandeep Kaur
Total Phosphorus (Colourimetric)	SKAL/P	8265692	2022/10/05	2022/10/05	Shivani Shivani

Bureau Veritas ID: TXA614
Sample ID: SW-5
Matrix: Water

Collected: 2022/09/29
Shipped:
Received: 2022/10/03

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8267466	N/A	2022/10/06	Kien Tran
Chloride by Automated Colourimetry	KONE	8267359	N/A	2022/10/06	Alina Dobreanu
Conductivity	AT	8267473	N/A	2022/10/06	Kien Tran
Dissolved Oxygen	DO	8264631	2022/10/04	2022/10/04	Frank Zhang
Total Metals Analysis by ICP	ICP	8269343	2022/10/06	2022/10/11	Thuy Linh Nguyen
Total Ammonia-N	LACH/NH4	8269526	N/A	2022/10/09	Amanpreet Sappal
pH	AT	8267474	2022/10/05	2022/10/06	Kien Tran
Phenols (4AAP)	TECH/PHEN	8275778	N/A	2022/10/11	Mandeep Kaur
Total Phosphorus (Colourimetric)	SKAL/P	8265692	2022/10/05	2022/10/05	Shivani Shivani



**BUREAU
VERITAS**

Bureau Veritas Job #: C2S5371
Report Date: 2022/10/26

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C2S5371

Report Date: 2022/10/26

QUALITY ASSURANCE REPORT

GM BluePlan Engineering Limited

Client Project #: Normanby Landfill (213087)

QC Batch	Parameter	Date	Matrix Spike		SPIKED BLANK		Method Blank		RPD		QC Standard	
			% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits	% Recovery	QC Limits
8264119	Dissolved Arsenic (As)	2022/10/06	93	80 - 120	93	80 - 120	<0.2	mg/L				
8264119	Dissolved Barium (Ba)	2022/10/06	98	80 - 120	99	80 - 120	<0.005	mg/L				
8264119	Dissolved Boron (B)	2022/10/06	99	80 - 120	97	80 - 120	<0.02	mg/L				
8264119	Dissolved Cadmium (Cd)	2022/10/06	95	80 - 120	96	80 - 120	<0.005	mg/L				
8264119	Dissolved Chromium (Cr)	2022/10/06	96	80 - 120	98	80 - 120	<0.01	mg/L				
8264119	Dissolved Copper (Cu)	2022/10/06	100	80 - 120	101	80 - 120	<0.02	mg/L				
8264119	Dissolved Iron (Fe)	2022/10/06	97	80 - 120	100	80 - 120	<0.02	mg/L				
8264119	Dissolved Lead (Pb)	2022/10/06	97	80 - 120	100	80 - 120	<0.05	mg/L				
8264119	Dissolved Manganese (Mn)	2022/10/06	100	80 - 120	102	80 - 120	<0.01	mg/L				
8264119	Dissolved Potassium (K)	2022/10/06	97	80 - 120	98	80 - 120	<1	mg/L	1.1	25		
8264119	Dissolved Sodium (Na)	2022/10/06	NC	80 - 120	96	80 - 120	<0.5	mg/L	0.80	25		
8264203	Dissolved Sulphate (SO4)	2022/10/11	NC	75 - 125	104	80 - 120	<1.0	mg/L	NC	20		
8264205	Dissolved Chloride (Cl-)	2022/10/11	NC	80 - 120	102	80 - 120	<1.0	mg/L	2.5	20		
8264268	Dissolved Chloride (Cl-)	2022/10/07	NC	80 - 120	102	80 - 120	<1.0	mg/L	4.5	20		
8264504	Conductivity	2022/10/06			102	85 - 115	<1.0	umho/cm	0.22	25		
8264550	Alkalinity (Total as CaCO3)	2022/10/06			95	85 - 115	<1.0	mg/L	0.23	20		
8264556	pH	2022/10/06			102	98 - 103			0.59	N/A		
8264761	Nitrate (N)	2022/10/12	NC	80 - 120	101	80 - 120	<0.10	mg/L	3.1	20		
8265362	Total Dissolved Solids	2022/10/06					<10	mg/L	1.7	25	102	90 - 110
8265692	Total Phosphorus	2022/10/05	98	80 - 120	99	80 - 120	<0.004	mg/L	NC	20	93	80 - 120
8265818	Total Kjeldahl Nitrogen (TKN)	2022/10/06	NC	80 - 120	101	80 - 120	<0.10	mg/L	1.0	20	87	80 - 120
8266007	Mercury (Hg)	2022/10/05	98	75 - 125	102	80 - 120	<0.10	ug/L	NC	20		
8266130	Total Suspended Solids	2022/10/06					<10	mg/L	NC	25	95	85 - 115
8266591	Total Phosphorus	2022/10/07	105	80 - 120	105	80 - 120	<0.020	mg/L	4.9	20	109	80 - 120
8267359	Dissolved Chloride (Cl-)	2022/10/06	NC	80 - 120	103	80 - 120	<1.0	mg/L	0.21	20		
8267466	Alkalinity (Total as CaCO3)	2022/10/06			94	85 - 115	<1.0	mg/L	0.050	20		
8267473	Conductivity	2022/10/06			101	85 - 115	<1.0	umho/cm	0	25		
8267474	pH	2022/10/06			102	98 - 103			0.60	N/A		
8269343	Total Iron (Fe)	2022/10/11	99	80 - 120	100	80 - 120	<0.02	mg/L	NC	25		
8269526	Total Ammonia-N	2022/10/07	101	75 - 125	102	80 - 120	<0.050	mg/L	3.0	20		



BUREAU
VERITAS

Bureau Veritas Job #: C2S5371

Report Date: 2022/10/26

QUALITY ASSURANCE REPORT(CONT'D)

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

QC Batch	Parameter	Date	Matrix Spike		SPIKED BLANK		Method Blank		RPD		QC Standard	
			% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits	% Recovery	QC Limits
8275778	Phenols-4AAP	2022/10/11	98	80 - 120	97	80 - 120	<0.0010	mg/L	NC	20		
8290250	Total Ammonia-N	2022/10/19	94	75 - 125	100	80 - 120	<0.050	mg/L	3.0	20		
8294993	Alkalinity (Total as CaCO3)	2022/10/21			97	85 - 115	<1.0	mg/L	0.91	20		
8302379	Dissolved Chloride (Cl-)	2022/10/25	115	80 - 120	105	80 - 120	<1.0	mg/L	1.5	20		
8302393	Dissolved Sulphate (SO4)	2022/10/26	NC	75 - 125	102	80 - 120	<1.0	mg/L	NC	20		

N/A = Not Applicable

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

QC Standard: A sample of known concentration prepared by an external agency under stringent conditions. Used as an independent check of method accuracy.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

NC (Matrix Spike): The recovery in the matrix spike was not calculated. The relative difference between the concentration in the parent sample and the spike amount was too small to permit a reliable recovery calculation (matrix spike concentration was less than the native sample concentration)

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference <= 2x RDL).



BUREAU
VERITAS

Bureau Veritas Job #: C2S5371
Report Date: 2022/10/26

GM BluePlan Engineering Limited
Client Project #: Normanby Landfill (213087)

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Eva Pranjic

Ewa Pranjic, M.Sc., C.Chem, Scientific Specialist

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by {0}, {1} responsible for {2} {3} laboratory operations.

**APPENDIX G:
HISTORIC GROUNDWATER ELEVATIONS**

**APPENDIX G
NORMANBY LANDFILL SITE
GROUNDWATER LEVELS AND ELEVATIONS**

Test Well	Ground Elevation (m)	Measuring Point Elevation (m)	April 14, 2011		October 25, 2011		April 3, 2012		September 25, 2012		May 9, 2013		November 26, 2013		May 1, 2014		November 4, 2014	
			WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.
			(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)
TW-1	90.38	91.42	1.69	89.73	1.71	89.71	1.83	89.59	2.38	89.04	2.01	89.41	1.83	89.59	1.71	89.71	1.99	89.43
TW-2	90.33	91.36	1.88	89.48	2.00	89.36	2.05	89.31	2.5	88.89	2.38	88.98	2.07	89.29	1.95	89.41	2.29	89.07
TW-3	88.77	89.49	1.53	87.96	1.53	87.96	1.58	87.91	2.66	86.83	1.68	87.81	1.55	87.94	1.55	87.94	1.93	87.56
TW-5	96.27	97.60	3.25	94.35	3.24	94.36	3.26	94.34	3.89	93.71	3.29	94.31	2.70	94.90	3.49	94.11	3.58	94.02
TW5-A	96.34	97.17	3.7	93.47	3.46	93.71	3.55	93.62	4.04	93.13	3.74	93.43	3.25	93.92	3.24	93.93	3.45	93.72
TW-6	95.98	96.92	3.78	93.14	3.70	93.22	3.78	93.14	4.32	92.60	3.77	93.15	3.70	93.22	3.73	93.19	3.88	93.04
OW-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.50	NA	1.61	NA
OW-3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.24	NA	1.40	NA

Test Well	Ground Elevation (m)	Measuring Point Elevation (m)	April 20, 2015		November 3, 2015		April 19, 2016		October 26, 2016		May 16, 2017		November 27, 2017		April 10, 2018		November 14, 2018	
			WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.
			(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)
TW-1	90.38	91.42	1.78	89.64	2.27	89.15	1.71	89.71	2.23	89.19	1.91	89.51	1.97	89.45	1.91	89.51	2.06	89.36
TW-2	90.33	91.36	1.98	89.38	2.27	89.09	2.04	89.32	2.51	88.85	2.40	88.96	2.32	89.04	2.21	89.15	2.42	88.94
TW-3	88.77	89.49	1.60	87.89	2.21	87.28	1.66	87.83	2.62	86.87	1.65	87.84	1.65	87.84	1.40	88.09	1.44	88.05
TW-5	96.27	97.60	3.53	94.07	3.70	93.90	3.49	94.11	4.15	93.45	3.52	94.08	3.52	94.08	3.55	94.05	3.61	93.99
TW5-A	96.34	97.17	2.64	94.53	3.68	93.49	3.26	93.91	3.94	93.23	3.32	93.85	3.28	93.89	3.37	93.8	3.51	93.66
TW-6	95.98	96.92	3.75	93.17	4.06	92.86	3.77	93.15	4.40	92.52	3.76	93.16	3.73	93.19	3.80	93.12	3.92	93.00
OW-2	NA	NA	1.53	NA	1.66	NA	1.51	NA	2.00	NA	1.56	NA	1.54	NA	1.51	NA	1.56	NA
OW-3	NA	NA	1.25	NA	1.40	NA	1.26	NA	1.76	NA	1.33	NA	1.22	NA	1.32	NA	1.36	NA

Test Well	Ground Elevation (m)	Measuring Point Elevation (m)	April 24, 2019		November 20, 2019		May 13, 2020		November 12, 2020		April 20, 2021		October 5, 2021	
			WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.	WL	WL Elev.
			(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)	(m)
TW-1	90.38	91.42	1.67	89.75	2.01	89.41	2.11	89.31	2.20	89.22	2.70	88.72	1.96	89.46
TW-2	90.33	91.36	2.00	89.36	2.64	88.72	2.27	89.09	2.46	88.9	2.44	88.92	1.17	90.19
TW-3	88.77	89.49	1.05	88.44	1.65	87.84	2.02	87.47	DRY	--	2.94	86.55	0.41	--
TW-5	96.27	97.60	3.66	93.94	3.68	93.92	3.55	94.05	3.86	93.74	3.60	94	3.60	94.00
TW5-A	96.34	97.17	3.20	93.97	3.57	93.60	2.80	94.37	3.40	93.77	2.69	94.48	2.76	94.41
TW-6	95.98	96.92	3.63	93.29	4.00	92.92	3.82	93.10	4.26	92.66	3.40	93.52	3.85	93.07
TW-8	na	90.84	1.30	89.54	1.95	88.89	1.83	89.01	2.33	88.51	1.59	89.25	1.68	89.16
TW-9S	na	95.10	1.05	94.05	1.58	93.52	1.57	93.53	1.82	93.28	1.33	93.77	1.24	93.86
TW-9D	na	95.14	1.18	93.96	1.56	93.58	1.43	93.71	1.83	93.31	1.32	93.82	1.24	93.90
TW-10	na	89.27	2.32	86.95	2.68	86.59	2.55	86.72	3.20	86.07	2.48	86.79	2.55	86.72

Notes:

1. The data presented up to 2013 has been summarized from information presented in previous Annual Reports completed by Genivar
2. Wells TW4, TW7 and TW7A were previously destroyed.
3. WL = Water Levels below top of pipe
4. TW5A damaged - repaired July 12, 2002. New top of casing (measuring point) elevation required.
5. NA: No Data is Available
6. No historic groundwater elevation data is available beyond the 2011 Annual Report

**APPENDIX H:
BOREHOLE LOGS/MONITORING WELL CONSTRUCTION
DETAILS**

RECORD OF WELL No. 1

PROJECT : NORMANBY TOWNSHIP LANDFILL

PROJECT NO. : M-1170

CLIENT : TOWNSHIP OF NORMANBY

SUPERVISOR : R. SLAUGHTER

WELL TYPE : 400 mm Ø ABS PIEZOMETER

DATE : JANUARY 13, 1984

LOCATION : LOT 7, CONCESSION 14, TOWNSHIP OF NORMANBY

DEPTH (METRES)	ELEVATION (METRES)	DESCRIPTION	MARK	SAMPLES		WELL DETAIL	REMARKS
				No.	TYPE "N"		
SURF.	90.35	TOPSOIL					WL TAKEN FEB. 20/84
1m		SANDY BROWN GRAVEL		1	SS 24		
2m		SANDY, GREY SILT WITH SOME GRAVEL		2	SS 26		
3m				3	SS 29		
4m				4	SS 27		
5m		SANDY, GREY SILT WITH SOME LAYERING		5	SS 28		
6m				6	SS 33		
7m				7	SS 25		
8m						PELTONITE SEAL SILICA SAND SEAL 0.9m SCREEN SAWCUT SLOTS AT EVERY 75mm 200mm Ø ALKALI HOLE	$K = 1.7 \times 10^{-4} \text{ cm/sec}$
9m						END OF BOREHOLE	

CS - GRAB SAMPLE SS - SPLIT SPOON ST - SHOULDER TUBE TC - BLOW/TOOT

RECORD OF WELL No. 2

PROJECT : NORMANBY TOWNSHIP LANDFILL

PROJECT NO. : M-1170

CLIENT : TOWNSHIP OF NORMANBY

SUPERVISOR : R. SLAUGHTER

WELL TYPE : 400 mm # ABS PIEZOMETER

DATE : JANUARY 13, 1984

LOCATION : LOT 7, CONCESSION 14, TOWNSHIP OF NORMANBY

DEPTH (METRES)	ELEVATION (METRES)	DESCRIPTION	MARK	SAMPLE		WELL DETAIL	REMARKS	
				No.	TYPE "N"			
SURF.	90.35	TOP SOIL				<p>CAP VENT 400mm # ABS</p> <p>ML TAKEN FEB. 20/84</p> <p>PELTONITE SEAL</p> <p>NATIVE SILTY SAND GRAVEL AND SANDY SILT PACKING</p> <p>$K = 1.7 \times 10^{-3}$ cm/sec</p> <p>1.5m SCREEN SAWCUT SLOTS AT EVERY 75mm</p>		
1m		SANDY BROWN GRAVEL		1	SS		24	
2m		SANDY, GREY SILT WITH SOME GRAVEL		2	SS		28	
3m				3	SS		29	
4m				4	SS		27	
5m		SANDY, GREY SILT WITH SOME LAYERING		5	SS		29	
6m				6	SS		33	
7m				7	SS		28	
8m							END OF BOREHOLE	
9m								

GS - GRAV SAMPLE, SS - SPLIT SPOON, ST - SHIELD TUB, "N" - BLOWS/FOOT

RECORD OF WELL No. 3

PROJECT : NORMANBY TOWNSHIP LANDFILL

PROJECT NO. : M-1170

CLIENT : TOWNSHIP OF NORMANBY

SUPERVISOR : R. SLAUGHTER

WELL TYPE : 400 mm # ABS PIEZOMETER

DATE : JANUARY 13, 1984

LOCATION : LOT 7, CONCESSION 14, TOWNSHIP OF NORMANBY

DEPTH (METRES)	ELEVATION (METRES)	DESCRIPTION	MARK	SAMPLE		WELL DETAIL	REMARKS
				No.	TYPE "N"		
SURF.	88.77	TOPSOIL					CAP VENT 400mm # ABS WL TAKEN FEB. 20/84 PELTONITE SEAL NATIVE SILTY SAND PACKING 1.7m SCREEN SAWCUT SLOTS AT EVERY 75mm
1m		FINE SILTY, GRAVELLY, BROWN SAND		1	SS #		
2m		MEDIUM SILTY, GRAVELLY SAND		2	SS 30		
3m		SANDY, GREY SILT		3	SS 25		
				4	SS 32		
4m							END OF BOREHOLE
5m							
6m							
7m							
8m							
9m							

GS - GLOB SAMPLE, SS - SPLIT SPOON, ST - SHELBY TUBE, "N" - BLOWS/TD01

RECORD OF WELL No. 4

PROJECT : NORMANBY TOWNSHIP LANDFILL PROJECT NO. : M-1170
 CLIENT : TOWNSHIP OF NORMANBY SUPERVISOR : R. SLAUGHTER
 WELL TYPE : 400 mm Ø ABS PIEZOMETER DATE : JANUARY 13, 1984
 LOCATION : LOT 7, CONCESSION 14, TOWNSHIP OF NORMANBY

DEPTH (METRES)	ELEVATION (METRES)	DESCRIPTION	MARK	SAMPLE		WELL DETAIL	REMARKS	
				No.	TYPE "N"			
SURF.	92.00					<p style="font-size: small;">CAP VENT 400mm Ø ABS</p> <p style="font-size: small;">PELTONITE SEAL</p> <p style="font-size: small;">NATIVE SAND PACKING</p> <p style="font-size: small;">1.8m SCREEN SAWCUT SLOTS AT EVERY 75mm</p>		
		TOPSOIL AND FILL						
1m				1	SS 13			
		FINE TO MEDIUM BROWN SAND		2	SS 22			WL TAKEN FEB. 20/84
2m				3	SS 64			
		SANDY, MOTTLED, BROWN CLAY		4	SS 68			
3m								
		SANDY GREY SILT						
4m							END OF BOREHOLE	
5m								
6m								
7m								
8m								
9m								

GS - GRAB SAMPLE, SS - SPLIT SPEDON, ST - SHELBY TUBE, "N" - IN DMS/FOOT

RECORD OF WELL No. 5

PROJECT : NORMANBY TOWNSHIP LANDFILL
 CLIENT : TOWNSHIP OF NORMANBY
 WELL TYPE : 400 mm Ø ABS PIEZOMETER
 LOCATION : LOT 7, CONCESSION 14, TOWNSHIP OF NORMANBY

PROJECT NO. : M-1170
 SUPERVISOR : R. SLAUGHTER
 DATE : JANUARY 13, 1984

DEPTH (METRES)	ELEVATION (METRES)	DESCRIPTION	MARK	SAMPLE		WELL DETAIL	REMARKS
				No.	TYPE "N"		
SURF.	95.89	TOPSOIL AND GRAVEL FILL				<p>CAP VENT 400mm Ø ABS</p>	
1m		BROWN SAND AND GRAVEL, MINOR SILT AND STONES		1	SS 22		
2m				2	SS 77		
3m				3	SS 120		
4m		SILTY, BROWN SAND		4	SS 27		
5m				5	SS 24		
6m				6	SS 7		
7m		FINE TO MEDIUM, UNIFORM, BROWN SAND		7	SS 18		<p>PELTONITE SEAL NATIVE SAND PACKING</p>
8m				8	SS 7		
9m		SANDY, GREY SILT WITH SOME MINOR SAND LAYERS		9	SS 28		
10m							
11m		SANDY, GREY SILT		10	SS 43		
12m						END OF BOREHOLE	

GS - GRAB SAMPLE, SS - SPLIT SPOON, ST - SHREVEY TUBE, "N" - BLOWS/FOOT

GARDNER AND MANIBROW Limited

RECORD OF WELL No. 5A

PROJECT : NORMANBY TOWNSHIP LANDFILL

PROJECT NO. : M-1170


CLIENT : TOWNSHIP OF NORMANBY

SUPERVISOR : R. SLAUGHTER

WELL TYPE : 400 mm Ø ABS PIEZOMETER

DATE : JANUARY 13, 1984

LOCATION : LOT 7, CONCESSION 14, TOWNSHIP OF NORMANBY

DEPTH (METRES)	ELEVATION (METRES)	DESCRIPTION	MARK	SAMPLE No. TYPE "N"		WELL DETAIL	REMARKS
SURF.	95.69						
		TOPSOIL AND GRAVEL FILL	[Pattern]				
1m		BROWN SAND AND GRAVEL MINOR SILT AND STONES	[Pattern]	1	SS	22	
2m				2	SS	77	
3m					3	SS	
4m		SILTY, BROWN SAND	[Pattern]	4	SS	27	
5m				5	SS	24	
6m				6	SS	7	
7m		FINE TO MEDIUM, UNIFORM, BROWN SAND	[Pattern]	7	SS	18	
8m				8	SS	7	
9m		SANDY, GREY SILT WITH SOME MINOR SAND LAYERS	[Pattern]	9	SS	26	
10m							
11m		SANDY, GREY SILT	[Pattern]	10	SS	43	
12m							END OF BOREHOLE

RECORD OF WELL No. 6

PROJECT : NORMANBY TOWNSHIP LANDFILL PROJECT NO. : M-1170
 CLIENT : TOWNSHIP OF NORMANBY SUPERVISOR : R. SLAUGHTER
 WELL TYPE : 400 mm # ABS PIEZOMETER DATE : JANUARY 13, 1984
 LOCATION : LOT 7, CONCESSION 14, TOWNSHIP OF NORMANBY

DEPTH (METRES)	ELEVATION (METRES)	DESCRIPTION	MARK	SAMPLE No. TYPE "N"		WELL DETAIL	REMARKS
SURF.	85.00						
1m		FILL - SAND AND GRAVEL					
2m		REFUSE AND FILL					
3m		SILTY SAND AND GRAVEL					
4m		SANDY, GREY TO GREY-BROWN SILT		1	SS 24		ML TAKEN FEB. 20/84 PELTONITE SEAL NATIVE SILTY SAND GRAVEL AND SANDY SILT PACKING
5m				2	SS 14		1.2m SCREEN SAWCUT SLOTS AT EVERY 75mm
6m				3	SS 17		
7m							END OF BOREHOLE
8m							
9m							

CS - GRAB SAMPLE, SS - SPLIT SPOON, ST - SILENT TUBE, "N" - BLOWS/FOOT

GARDNER AND GARDNER Limited

RECORD OF WELL No. 7

PROJECT : NORMANBY TOWNSHIP LANDFILL PROJECT NO. : M-1170
 CLIENT : TOWNSHIP OF NORMANBY SUPERVISOR : R. SLAUGHTER
 WELL TYPE : 400 mm # ABS PIEZOMETER DATE : JANUARY 13, 1984
 LOCATION : LOT 7, CONCESSION 14, TOWNSHIP OF NORMANBY

DEPTH (METRES)	ELEVATION (METRES)	DESCRIPTION	MARK	SAMPLE No. TYPE "N"			WELL DETAIL	REMARKS
SURF.	96.51	TOPSOIL	0				<p style="font-size: small;">CAP VENT 400mm # ABS</p> <p style="font-size: small;">WL. TAKEN FEB. 20/84</p> <p style="font-size: small;">PELTONITE SEAL 0.9m SCREEN SAWCUT SLOTS AT EVERY 75mm NATIVE SAND PACKING</p>	
1m		SANDY GRAVEL	1	SS	-			
2m			2	SS	48			
3m			3	SS	70			
4m			4	SS	48			
5m		BROWN SAND, WITH SANDY SILT LENSES	5	SS	17			
6m			8	SS	18			
7m		SANDY SILT	7	SS	57		END OF BOREHOLE	
8m								
9m								

CS - CRAB SAMPLE, SS - SPLIT SPOON, ST - SHELBY TUBE, "N" - BLOWS/FOOT

CAMSBY AND MANERDOW Limited

RECORD OF WELL No. 7A

PROJECT : NORMANBY TOWNSHIP LANDFILL

PROJECT NO. : M-1170

CLIENT : TOWNSHIP OF NORMANBY

SUPERVISOR : R. SLAUGHTER

WELL TYPE : 400 mm # ABS PIEZOMETER


DATE : JANUARY 13, 1984

LOCATION : LOT 7, CONCESSION 14, TOWNSHIP OF NORMANBY

DEPTH (METRES)	ELEVATION (METRES)	DESCRIPTION	MARK	SAMPLE		WELL DETAIL	REMARKS
				No.	TYPE "N"		
SURF.	00.58	TOPSOIL				<p>CAP VENT 400mm # ABS</p> <p>WL TAKEN FEB. 20/84</p> <p>PELTONITE SEAL</p> <p>0.9m SCREEN SAWCUT SLOTS AT EVERY 75mm</p> <p>NATIVE SAND/GRAVEL PACKING</p>	
1m		SANDY GRAVEL		1	SS -		
2m				2	SS 48		
3m				3	SS 70		
4m				4	SS 48		
5m		BROWN SAND, WITH SANDY SILT LENSES		5	SS 17		
6m				6	SS 18		
7m		SANDY SILT		7	SS 57		
8m							END OF BOREHOLE
9m							


CS - CRAB SAMPLE, SS - SPLIT SPOON, ST - SHILBY TUBE, "N" - BLOWS/FOOT

CLIENT Municipality of West Grey **PROJECT NAME** Normanby Waste Disposal Site
PROJECT NUMBER 213087 **PROJECT LOCATION** 221291 Grey Road 9, Neustadt
DATE COMPLETED 12-Apr-2019 **CONTRACTOR** London Soil Test
LOGGED BY Corbin Sweet **METHOD** Hollow Stem Auger / Split-Spoon Sampler
WELL CONSTRUCTION 0.05m Ø PVC **NOTES** MECP Well ID: A263748




Borehole Terminated at 6.10 m.

CLIENT <u>Municipality of West Grey</u>	PROJECT NAME <u>Normanby Waste Disposal Site</u>
PROJECT NUMBER <u>213087</u>	PROJECT LOCATION <u>221291 Grey Road 9, Neustadt</u>
DATE COMPLETED <u>12-Apr-2019</u>	CONTRACTOR <u>London Soil Test</u>
LOGGED BY <u>Corbin Sweet</u>	METHOD <u>Hollow Stem Auger / Split-Spoon Sampler</u>
WELL CONSTRUCTION <u>0.05m Ø PVC</u>	NOTES <u>MECP Well ID: A263746</u>






CLIENT Municipality of West Grey **PROJECT NAME** Normanby Waste Disposal Site
PROJECT NUMBER 213087 **PROJECT LOCATION** 221291 Grey Road 9, Neustadt
DATE COMPLETED 12-Apr-2019 **CONTRACTOR** London Soil Test
LOGGED BY Corbin Sweet **METHOD** Hollow Stem Auger / Split-Spoon Sampler
WELL CONSTRUCTION 0.05m Ø PVC **NOTES** MECP Well ID: A263747



Borehole Terminated at 7.60 m.

CLIENT Municipality of West Grey **PROJECT NAME** Normanby Waste Disposal Site
PROJECT NUMBER 213087 **PROJECT LOCATION** 221291 Grey Road 9, Neustadt
DATE COMPLETED 12-Apr-2019 **CONTRACTOR** London Soil Test
LOGGED BY Corbin Sweet **METHOD** Hollow Stem Auger / Split-Spoon Sampler
WELL CONSTRUCTION 0.05m Ø PVC **NOTES** MECP Well ID: A264299



Borehole Terminated at 6.10 m.